

Overview

General information.....	2
Fiber specification.....	3
Fiber pigtail - general information.....	4
ec article number system - Fiber pigtails.....	5
Buffer 0,6mm.....	6
Buffer 0,9mm.....	7
Fiber pigtail -termination.....	8
Packing information-Fiber pigtail.....	9
Cable patch cord - general information	10
Cable patch cord - technical information	11
Simplex cable	12
Armoured simplex cable	13
Duplex cable Fig.0	14
Duplex cable Fig.8	15
Armoured duplex cable Fig.8	16
Duplex round cable.....	17
ec article number system - Cable patch cords	18
SC termination type	19
LC termination type	20
E2000 termination type	22
ST termination type	23
FC termination type	24
MTRJ termination type	25
MU termination type	26
Cable patch cord - Packing and marking.....	27

Article numbers of preferred termination solution

Cable pigtails

E2000sx cable pigtail 1,2mm.....	28
E2000sx cable pigtail 1,6mm.....	30
E2000sx cable pigtail 1,8mm.....	32
E2000sx cable pigtail 2,0mm.....	34
LCsx cable pigtail 1,2mm.....	36
LCsx cable pigtail 1,6mm.....	38
LCsx cable pigtail 1,8mm.....	40
LCsx cable pigtail 2,0mm.....	42
SCsx cable pigtail 1,2mm.....	44
SCsx cable pigtail 1,6mm.....	46
SCsx cable pigtail 1,8mm.....	48
SCsx cable pigtail 2,0mm.....	50

Simplex patch cords

E2000sx - E2000sx patch cord.....	52
LCsx - LCsx patch cord.....	54
SCsx - SCsx patch cord.....	56
FCsx - FCsx patch cord.....	58

Simplex hybrid patch cords

FCsx - LCsx patch cord.....	60
SCsx - LCsx patch cord.....	62
LCsx - E2000sx patch cord.....	64
SCsx - E2000sx patch cord.....	66

Duplex patch cords, Fig.8

2E2000sx - 2E2000sx, Fig.8 patch cord.....	68
LCdx - LCdx, Fig.8 patch cord.....	70
SCdx - SCdx, Fig.8 patch cord.....	72
2FCsx - 2FCsx, Fig.8 patch cord.....	74
2STsx - 2STsx, Fig.8 patch cord.....	76

Duplex hybrid patch cords, Fig.8

2FCsx - LCdx, Fig.8 patch cord.....	78
SCdx - LCdx, Fig.8 patch cord.....	80
2STsx - LCdx, Fig.8 patch cord.....	82
2FCsx - SCdx, Fig.8 patch cord.....	84
SCdx - 2STsx, Fig.8 patch cord.....	86
2FCsx - 2STsx, Fig.8 patch cord.....	88
LCdx - MTRJ, Fig.8 patch cord.....	90
SCdx - MTRJ, Fig.8 patch cord.....	91
2STsx - MTRJ, Fig.8 patch cord.....	92

General information :

Cable assemblies are becoming the most important and in common use interconnection parts in communication systems because of varieties and convenient connection.

Euroclust offers nearly all kind of patch cords and pigtails with high technology and stability with different mode (SM/MM) and different fibre and cable types. All the cable assemblies of euroclust could meet IEC, JIS, Bellcore international standards.

Euroclust could provide the most extensive, flexible and efficient solutions for all systems.



Assembly classes :

euroclust has classified their fiber optic cable assembly portfolio into three different application specific classes - „Standard, Premium, Master“. These classes differ in the SM and MM application by the different assured values of Insertion Loss (I.L.) and Return Loss (R.L.). The insertion loss (I.L.) value is granted in such a way that 97% of all assemblies will not exceed the value mentioned in the tables below, whereas the return loss in no case will be less than the indicated value in the table. For SM applications for any assembly the I.L. and R.L. is measured individually and the measured actual values are indicated either on the packing (standard) or on a separate test protocol (surcharge). For MM assemblies with the assembly class “Standard, Premium or Master” it is secured, that the I.L. and R.L. values are within the indicated values, but are not indicated individually.

Technical specification:

ITEM	SM	MM
Durability (1000 Mating)	0,2dB max Increase	
Temperature range (°C) (storage)	-25 to +50	
Temperature range (°C) (operation)	-20 to +60	

Grades classification :

Conector type	SC, LC			ST, FC, SC, LC, E2000			ST, FC, SC, LC, E2000			
	Master A			Premium B			Standard C			
	SM/APC	SM/PC	MM/PC OM3/4	SM/APC	SM/PC	MM/PC OM3/4	SM/APC	SM/PC	MM/PC OM3/4	MM/PC
	Grade A/1	Grade A/2	Grade A/3	Grade B/1	Grade B/2	Grade B/3	Grade C/1	Grade C/2	Grade C/3	Grade C/4
I.L. (97%)	≤0,10dB	≤0,10dB	≤0,15dB	≤0,15dB	≤0,15dB	≤0,25dB	≤0,30dB	≤0,30dB	≤0,30dB	≤0,30dB
I.L. typical value	≤0,07dB	≤0,07dB	≤0,10dB	≤0,12dB	≤0,12dB	≤0,20dB	≤0,25dB	≤0,25dB	≤0,25dB	≤0,25dB
R.L. (97%)	≥60dB	≥45dB	≥35dB	≥60dB	≥45dB	≥35dB	≥60dB	≥45dB	≥35dB	N/A
R.L. typical value	≥65dB	≥60dB	≥40dB	≥65dB	≥60dB	≥50dB	≥65dB	≥55dB	≥50dB	≥35dB

Attenuation Grade	Attenuation random mated IEC 61300-3-34	
A	≤ 0,07dB mean	97% of samples achieve at least ≤0,15dB max
B	≤ 0,12dB mean	97% of samples achieve at least ≤0,25dB max
C	≤ 0,25dB mean	97% of samples achieve at least ≤0,50dB max
D	≤ 0,50dB mean	97% of samples achieve at least ≤1,00dB max

Return Loss Grade	Return Loss Random mated (each to each) IEC 61300-3-6
Grade 1	≥ 60dB (mated) and ≥ 55dB (unmated)
Grade 2	≥ 45dB
Grade 3	≥ 35dB
Grade 4	≥ 26dB

Grade 1 specified as mated (plugged-in) and unmated (against air)

Fiber specification

Multi mode fiber		62,5/125 μ m OM1	50/125 μ m OM2+ Bend Insensitive	50/125 μ m OM3 Bend Insensitive	50/125 μ m OM4 Bend Insensitive
Attenuation	850nm 1300nm	dB.km	$\leq 2,7$ $\leq 0,6$	$\leq 2,4$ $\leq 0,6$	$\leq 2,4$ $\leq 0,6$
OFL Bandwidth	850nm 1300nm	Mhz.km	≥ 200 ≥ 500	≥ 700 ≥ 500	≥ 1500 ≥ 500
1Gbps Ethernet	SX 850nm	m	-	≤ 750	≤ 1100
10GBASE - SR	850nm	m	-	150	300
40 & 100 Gigabit Ethernet	850nm	m	-	100	150
Group Refractive Index	850nm 1300nm		1,496 1,491	1,482 1,477	1,482 1,477
Numerical Aperture		μ m	$0,275 \pm 0,015$	$0,20 \pm 0,015$	$0,20 \pm 0,015$
Core diameter		μ m	62.5 ± 2.5	50.0 ± 2.5	50.0 ± 2.5
Core Non-Circularity		%	≤ 5.0	≤ 5.0	≤ 5.0
Cladding Diameter		μ m	125 ± 1.0	125 ± 1.0	125 ± 1.0
Clad Non-Circularity		%	≤ 1	≤ 1	≤ 1
Coating Diameter		μ m	245 ± 7	245 ± 7	245 ± 7
Coating Non-Circularity		%	≤ 6.0	≤ 6.0	≤ 6.0
Core/Clad Concentricity Error		μ m	≤ 1.5	≤ 1.0	≤ 1.0
Coating-Clad Concentricity Error		μ m	≤ 10	≤ 10	≤ 10
Zero Dispersion Wavelength		nm	1320-1365	1295 -1340	1295 -1340
Zero Dispersion Slope	$1295 \leq \lambda_0 \leq 1310\text{nm}^*$ $1310 \leq \lambda_0 \leq 1340\text{nm}^{**}$	(ps/(nm ² .km))	≤ 0.11 $\leq 0,001^*(1458-\lambda_0)$	≤ 0.105 $\leq 0,000375^*(1590-\lambda_0)$	

* For OM1 fiber $1320 \leq \lambda_0 \leq 1348\text{nm}$ ** For OM1 fiber $1348 \leq \lambda_0 \leq 1365\text{nm}$

Single mode fiber		9/125 μ m G652.D	9/125 μ m G657.A2	9/125 μ m G657.B2	9/125 μ m G655.D
Maximum Attenuation	1310nm 1383 ± 3 nm 1490nm 1550nm 1625nm	dB/km	$\leq 0,32$ $\leq 0,32$ $\leq 0,21$ $\leq 0,18$ $\leq 0,20$	0,33-0,35 0,31-0,35 0,21-0,24 0,19-0,20 0,20-0,23	- $\leq 0,32$ - $\leq 0,19$ $\leq 0,21$
Point Discontinuity	1310nm 1550nm	dB	$\leq 0,05$ $\leq 0,05$	$\leq 0,05$ $\leq 0,05$	- $\leq 0,05$
Mode-Field Diameter	1310nm 1550nm	μ m	$9,2 \pm 0.4$ $10,4 \pm 0.5$	$8,6 \pm 0.4$ $9,6 \pm 0.5$	- $9,6 \pm 0.4$
Cable Cut-Off Wavelength (λ_{cc})		μ m	≤ 1260	≤ 1260	-
Max. Difference - Attenuation vs Wavelength :	1310nm 1550nm	dB/km	0,03 0,02	0,03 0,02	0,03 0,02
PMD Link Design Value		ps/ $\sqrt{\text{km}}$	$\leq 0.04^{**}$	$\leq 0.06^{**}$	$\leq 0.04^{**}$
Maximum Individual Fiber PMD		ps/ $\sqrt{\text{km}}$	≤ 0.1	≤ 0.2	≤ 0.1
Dispersion (λ_0) :	1550nm 1625nm	ps/(nm.km)	$\leq 18,0$ $\leq 22,0$	$\leq 18,0$ $\leq 23,0$	- 5,8-11,2
Coating Diameter		μ m	242 ± 5	242 ± 5	245 ± 5
Coating-Cladding Concentricity		μ m	< 12	< 12	< 12
Cladding Diameter		μ m	125 ± 0.7	125 ± 0.7	125 ± 0.7
Core/Clad Concentricity		μ m	≤ 0.5	≤ 0.5	≤ 0.5
Cladding Non-Circularity		%	$\leq 0,7$	$\leq 0,7$	$\leq 0,7$

* - Attenuation post-hydrogen aging according to IEC 60793-2-5 Section C.5 for B.1.3 fibers. Alternative attenuation offerings available upon request

** - Complies with IEC 60794-3:2001, Section 5.5, Method 1, (m=20, Q=0,01%), September 2001.

General information:


Normally for SM use optical fibres from Corning company. Use optical fibres from other company upon request.

Field of Application

- Telecommunication
- CATV
- LAN and WAN
- Network
- Broadband
- FTTx

Features

- Meet IEC international standard requirements
- High performance and cost effective
- Mass and flexible production meeting variety demand
- Custom assemblies available upon request
- OEM available upon request
- Unibody connectors



Product description

Pigtails with one side mounted connectors are favorable used to divide multi core fiber optic cables by use of a splicing technique. In order to obtain an optimal splice procedure semi tight fiber with loose secondary coating without any gel is used. Thus stripping of 100cm in one working step is possible. Fiber pigtails are equipped with connectors without any strain relief, as patch panels and splice boxes afford enough protection against environmental influences.

General information

- Fibers :** - for all available types of fibres see page number 2
 - SM fibres are produce by Corning company, MM fibers are from YOFC. Use optical fibers from other company available on request.
- Stripability :** - **Tight** - easy stripping up to 10cm
 - **Easy strip** - easy stripping up to 100cm
- Length possibilities :** - all pigtails are available in 1m, 1,5m, 2m, 2,5m and 5m
- Dust cap :** - standard dust cap is semi transparent. Other colors are available
- Buffer material :** - **LSZH** - Low Smoke Zero Halogen
- Boot material :** - TPU (Thermoplastic polyurethane)
- Boot RAL color :** - Blue RAL 5015, White RAL 9003, Green RAL 6018, Beige RAL 1013, Aqua RAL 6027, Heather violet RAL 4003,

	SM/PC	SM/APC	MM/OM1	MM/OM2	MM/OM3	MM/OM4
ST	Blue	-	Black	Beige	Aqua	Heather violet
SC	Blue	Green	Black	Beige	Aqua	Heather violet
LC	Blue	Green	Black	Beige	Aqua	Heather violet
FC	Blue	Green	Black	Beige	Aqua	Heather violet
E2000	Blue (blue lever)	Green (green lever)	Black (orange lever)	Black (orange lever)	Black (aqua lever)	Black (aqua lever)

- Buffer color coding :** (single color set)
 SM E9/125 yellow
 MM G62,5/125 OM1 grey
 MM G50/125, OM2 orange
 MM G50/125 OM3 turquoise/aqua
 MM G50/125 OM4 heather violet

Note :- 250µm primary coating and 900µm buffer jacket have an identical colors (bare fiber and buffer jacket)

Color information:

No.	1	2	3	4	5	6	7	8	9	10	11	12
Color	Red	Green	Blue	Yellow	White	Grey	Brown	Violet	Aqua	Black	Orange	Pink

Any other colors according to IEC60794-2/DIN VDE 088 part 3) on specific request, in case a delivery with form of 12 piece packing is requested the 12 pigtails will be delivered with the 12 colors according to IEC/DIN standard

ec article number system - Fiber Pigtails

EC3_ . X X . - - A B C D
 0. 1 2 3 4 5 6 . 7 8 9 -

Position 0 - stripability

- 0 - C - LSZH, easy strip
 E - LSZH, tight buffer

Position 5,6 - buffer outer diameter

- 5,6 - 06 - 0,6mm buffer
 09 - 0,9mm buffer - STANDARD

Position 1 - connector type

- 1 - 1 - FC connector
 2 - SC connector
 3 - ST connector
 4 - LC connector
 7 - E2000 connector
 B - LCsx HD (push-pull)
 Y - SC OM3/OM4 Grade A
 Z - LC OM3/OM4 Grade A

Position 7,8,9 - length of pigtail

- 7,8,9 - 001 - 1,0m length
 1P5 - 1,5m length
 002 - 2,0m length - STANDARD
 2P5 - 2,5m length
 005 - 5,0m length

Position 2 - fiber type and connector grade

- 2 - 2 - SM/UPC 9/125 G652D, Grade C/2
 3 - SM/APC 9/125 G652D, Grade C/1
 4 - MM/PC 62.5/125 (OM1), Grade C/4
 5 - MM/PC 50/125 (OM2), Grade C/4
 6 - MM/PC 50/125 (OM3) 1500/500, Grade C/3
 7 - MM/PC 50/125 (OM4) 3500/500, Grade C/3
 8 - SM/UPC 9/125 G657A1, Grade C/2
 9 - SM/UPC 9/125 G657B3, Grade C/2
 A - SM/APC 9/125 G657A1, Grade C/1
 B - SM/APC 9/125 G657B3, Grade C/1
 C - MM/PC 50/125 (OM3) 1500/500, Grade B/3
 D - MM/PC 50/125 (OM4) 3500/500, Grade B/3
 E - SM/UPC 9/125 G652D, Grade B/2
 F - SM/APC 9/125 G652D, Grade B/1
 G - SM/UPC 9/125 G652D, Grade A/2
 H - SM/APC 9/125 G652D, Grade A/1
 I - SM/UPC 9/125 G657A1, Grade B/2
 J - SM/APC 9/125 G657A1, Grade B/1
 K - SM/UPC 9/125 G657A1, Grade A/2
 L - SM/APC 9/125 G657A1, Grade A/1
 M - SM/UPC 9/125 G655C/D, Grade C/2
 N - SM/APC 9/125 G655C/D, Grade C/1
 O - SM/UPC 9/125 G657A2, Grade C/2
 P - SM/APC 9/125 G657A2, Grade C/1
 Q - SM/PC 9/125 G657A2, Grade B/2
 R - SM/APC 9/125 G657A2, Grade B/1
 S - SM/UPC 9/125 G657A2, Grade A/2
 T - SM/APC 9/125 G657A2, Grade A/1
 U - SM/UPC 9/125 G657B3, Grade B/2
 V - SM/APC 9/125 G657B3, Grade B/1
 W - SM/UPC 9/125 G655, Grade B/2
 X - SM/APC 9/125 G655, Grade B/1

Position A,B - buffer color


- A,B - AQ - Aqua
 BL - Blue
 BK - Black
 BR - Brown
 GR - Green
 GY - Grey
 OR - Orange
 PI - Pink
 RE - Red
 TW - Twelve DIN colors - STANDARD
 YE - Yellow
 VI - Violet
 WH - White
 EI - Eight DIN colors
 FO - Four DIN colors
 HV - Heather Violet

Position C - type of packing

- C - _ (blank) - Single packing
 C - Cardboard, 12 pieces in one bag - STANDARD
 E - Cardboard, 8 pieces in one bag
 F - Cardboard, 4 pieces in one bag

Position D - test protocol

- D - _ (blank) - no test protocol
 T - with test protocol - STANDARD



Features

- For direct connector assembly
- Tight or semi-tight version is available
- High flexibility
- Halogen free and non-corrosive fire gases
- Tight bending radius
- Jelly free

Temperature range

LSZH jacket -20°C to +70°C
Temperature range according to (IEC 60794-1-2-F1)

Field of Application

- Pigtail assemblies for fusion or mechanical splicing within distribution frames and termination boxes
- Mini patch cables within protected enclosures
- For termination with passive optical components such as connectors


Technical specifications

Fibers	1 colour coded singlemode or multimode optical fiber
Color	See the section color information
Lifetime	30 years

Technical data:

Cable diameter (µm)	600
Nominal weight (kg/km)	0,7
Tensile strength (N)	3
Impact resistance (w/g)	50
Crush resistance (N/10cm)	6
Min. bending radius (mm)	3xD
Outer jacket	LSZH

Buffer 0,9mm



Features

- For direct connector assembly
- Tight or semi-tight version is available
- High flexibility
- Halogen free and non-corrosive fire gases
- Tight bending radius
- Jelly free

Temperature range

LSZH jacket -20°C to +70°C

Temperature range according to (IEC 60794-1-2-F1)

Field of Application

- Pigtail assemblies for fusion or mechanical splicing within distribution frames and termination boxes
- Mini patch cables within protected enclosures
- For termination with passive optical components such as connectors

Technical specifications


Fibers	1 colour coded singlemode or multimode optical fiber
Colour	See the section color information
Lifetime	30 years

Technical data:


Cable diameter (µm)	900
Nominal weight (kg/km)	0,9
Tensile strength short term (N)	6
Tensile strength long term (N)	3
Min. bending radius dynamic (mm)	20xD
Min. bending radius static (mm)	10xD
Outer jacket	LSZH

Types of fiber optic pigtails :


LC type :




SC type :




E2000 type :



ST type :



FC type :



Packing information-Fiber pigtail


Packing and labeling :

Cardboard packing:

- 12 pieces in one foil bag
- measurement protocol with value per pigtail
- weight of one packing :

	SC	LC	FC	ST	E2000
12pcs	83g	48g	92g	100g	55g
8pcs	58g	34g	64g	69g	39g
4pcs	30g	18g	33g	36g	20g

Drawing



Picture



Test protocol

90mm	
Test Protocol	
Date:	18th, Sep, 2013
Article description:	SC-APC Pigtail, SM
Production code No.:	P/N 32-2013-38
Fiber type:	9/125µm, SM, OFS-Fiber
Cable type:	0.8mm, LSZH, 12 color DIN
Cable designation:	Optical cable
	xx(M)/xx(Y)-SM FIBER LSZH ****M
Length:	2.0m
Compliance:	RoHS
Grade:	C/1
Insertion loss:	≤0.3dB
Return loss:	≥65dB
*Connector surface check with 400 times enlargement	
*Test according IEC674-1 method 7	
*Fibre protrusion : < ± 50µm, (except MTRJ)	
*Clean ferrule before using	
Test at wavelength:	1310nm
Actual measured values (dB) only for SM:	
Port 1: blue	IL: 0.14
Port 2: orange	IL: 0.09
Port 3: green	IL: 0.17
Port 4: brown	IL: 0.08
Port 5: grey	IL: 0.11
Port 6: white	IL: 0.08
Port 7: red	IL: 0.18
Port 8: black	IL: 0.15
Port 9: yellow	IL: 0.14
Port 10: purple	IL: 0.17
Port 11: pink	IL: 0.08
Port 12: aqua	IL: 0.19
Connector Type:	SC-APC plastic housing green
Tested By:	

Labeling :



->This label can be removed or substituted with other logo

Note: Custom labeling is available on request.


Cable patch cord - general information

Field of Application

- Telecommunication
- CATV
- LAN and WAN
- Network
- Broadband
- FTTx

Features

- Meet IEC international standard requirements
- High performance and cost effective
- Mass and flexible production meeting variety demand
- Custom assemblies available upon request
- OEM available upon request
- Unibody connectors



Product description

Patch cables/Patch cords are mainly used on patch panel or for the connection between outlets and terminal equipments. Duplex cables together with duplex adapters avoid the permutation of transmitter and receiver terminals. The quality of connectors and the fibers are mainly determined by the insertion loss (I.L.) and return loss (R.L.).

General information

- Fibers :**
- for all available types of fibres see page number 2.
 - SM fibres are produced by Corning company, MM fibers are from YOFC. Use optical fibers from other company available on request.
- Stripability :**
- **Tight** - easy stripping up to 10cm (patchcord)
 - **Easy strip** - easy stripping up to 100cm (cable pigtail)
- Length possibilities :**
- all patch cords are available in 0,1m, 0,2m, 0,3m, 1m, 2m, 3m, 4m, etc...
 - Other lengths are available on request
- Dust cap :**
- standard dust cap is semi transparent. Other colors are available
 - special dust cap for LC connector - 1W type
- Buffer material :**
- LSZH - Low Smoke Zero Halogen
- Boot:**
- Material :** TPU (Thermoplastic polyurethane)
- EC color standard :**



Cable	Connector	Duplex								Simplex			
		2xST		2xFC		SCdx		LCdx		ST	FC	SC	LC
SM/E9 - OS2	PC	Black	White	Black	White	Blue	White	Blue	White	Blue	Blue	Blue	Blue
SM/E9 - OS2	APC			Green	White	Green	White	Green	White		Green	Green	Green
MM/G50 OM2	PC	Black	White	Black	White	Blue	White	Blue	White	White	White	White	White
MM/G50 OM3	PC	Black	White	Black	White	Blue	White	Blue	White	White	White	White	White
MM/G50 OM4	PC	Black	White	Black	White	Blue	White	Blue	White	White	White	White	White
MM/G62,5 OM1	PC	Black	White	Black	White	Black	White	Black	White	Black	Black	Black	Black

- Buffer color coding :**
- SM E9/125 yellow
 - MM G62,5/125 OM1 grey
 - MM G50/125 OM2 orange
 - MM G50/125 OM3 turquoise/aqua
 - MM G50/125 OM4 heather violet

Note :- 250µm primary coating and 900µm buffer jacket have an identical colors (bare fiber and buffer jacket)


Cable patch cord - technical information

Physical contact :

Physical Contact:

PC=0°

The end face of connector is under 90° to the optical axis. By using spherical polish and spring-loaded ferrules, the fibres make contact at the front surfaces, whereby the air between the fibres is squeezed out and a glass-to-glass transition is formed. This leads to a low reflection and a low transition attenuation.



Angled Physical Contact

APC=8°

The end face of connector is under 8° to the vertical axis. Angular cut of the front surfaces steepens the reflected modes to such a degree, that they are no longer guided inside the core but coupled into the cladding whilst maintaining the reflection losses. APC is a combination of angular cut and spherical polish. These connector types are low in attenuation and almost reflection-free, but they can only be polished on machines.





Figure:


Simplex



Duplex Fig. 8




Duplex Fig. 0




Polarity of Patch Cord:


Patch Cord type A-B (cross)




Connection




Patch Cord type A-A (parallel)



Patch Cord lengths:





Features

- Indoor installation possible
- Aramid yarn
- Can be terminated directly
- Flexible and resilient
- Tight bending radius

Temperature range

LSZH jacket -20°C to +70°C
Temperature range according to (IEC 60794-1-2-F1)

Field of Application

- Installation inside of telecommunication and datasystems
- Installation in dry and damp rooms
- Underground laying is not allowed

Product description

Simplex cable is flexible and resilient. This cable can be terminated directly. Water blocking aramid yarn provides better tensile strength of cable. Suitable for indoor installation.

Technical specifications

Fibers	1 colour coded singlemode or multimode optical fiber
Colour	Fibers - see the section color information table Jacket - orange (other colors available upon request)
Lifetime	30 years


Technical data:

Cable diameter (mm)	1,2	1,2	1,6	1,8	2,0	2,4	3,0
Cable core diameter (µm)	250	250/500	250/600	250/600	250/900	250/900	250/900
Nominal weight (kg/km)	1,1	1,7	2,9	3,2	3,5	5,0	6,8
Tensile strength short term (N)	10	10	100	100	100	100	150
Tensile strength long term (N)	20	20	40	40	60	60	80
Min. bending radius dynamic (mm)	20xD	20xD	20xD	20xD	20xD	20xD	20xD
Min. bending radius static (mm)	10xD	10xD	10xD	10xD	10xD	10xD	10xD
Crush resistance (N/100mm ²)	500	500	500	500	500	500	500
Outer jacket	LSZH	LSZH	LSZH	LSZH	LSZH	LSZH	LSZH

Note: For further information about ec article numbers of fiber optic cable, please check our Fiber Optic cable catalog.

Armoured simplex cable

J-V(ZN)(SR)H



Features

- Indoor or outdoor installation possible
- Aramid yarn
- High compression resistant
- Full rodent protection
- Micro diameter
- Good flexibility

Temperature range

LSZH jacket -40°C to +75°C
 Temperature range according to (IEC 60794-1-2-F1)

Field of Application

- Workstation connecting cables
- Indoor/outdoor cabling
- Make jumper, patchcord

Product description

Simplex cable with full rodent protection has good flexibility and high compression resistant. Aramid yarn and metal armouring provides better tensile strength of cable. Suitable for indoor or outdoor installation.


Technical specifications

Fibers	1 colour coded singlemode or multimode optical fiber
Colour	Fibers - see the section color information table Jacket - orange (other colors available upon request)
Lifetime	30 years

Technical data:

Cable diameter (mm)	2,0	2,4	2,8	3,0
Cable core diameter (µm)	250/600	250/600	250/600	250/600
Nominal weight (kg/km)	6	9,6	10	10,6
Standard put-up length (m)	500,1000,2000	500,1000,2000	500,1000,2000	500,1000,2000
Tensile strength (N)	150	200	200	200
Impact resistance (w/g)	200	200	200	200
Crush resistance (N/10cm)	2000	2000	2000	2000
Min. bending radius (mm)	10xD	10xD	10xD	10xD
Outer jacket	LSZH	LSZH	LSZH	LSZH

Note: For further information about ec article numbers of fiber optic cable, please check our Fiber Optic cable catalog.



Features

- Indoor installation possible
- Aramid yarn
- Can be terminated directly
- Flexible and resilient
- Tight bending radius

Temperature range

LSZH jacket -20°C to +70°C
Temperature range according to (IEC 60794-1-2-F1)

Field of Application

- Installation inside of telecommunication and datasystems
- Installation in dry and damp rooms
- Underground laying is not allowed

Product description

Duplex cable is flexible and resilient. Two single fiber cables lying parallel to one another with strain relief elements (aramid) and halogen-free, flame-retardant jacket. This cable can be terminated directly. Aramid strength member provides better tensile strength of cable. Suitable for indoor installation.

Technical specifications

Fibers	Two singlemode or multimode optical fibers in tight (stripability up to 10 cm) or easy strip (stripability more than 100 cm), LSZH buffered cable core
Colour	Fibers - see the section color information table Jacket - orange (other colors available upon request)
Lifetime	30 years


Technical data:

Cable size (mm)	3,1x5,2	4,0x7,0
Cable core diameter (µm)	250/900	250/900
Nominal weight (kg/km)	31	35
Tensile strength short term (N)	200	300
Tensile strength long term (N)	100	160
Min. bending radius dynamic (mm)	20xD	20xD
Min. bending radius static (mm)	10xD	10xD
Crush resistance (N/100mm ²)	1000	1000
Outer jacket	LSZH	LSZH

Note: For further information about ec article numbers of fiber optic cable, please check our Fiber Optic cable catalog.

Duplex cable Fig.8

J-V(ZN)H



Features

- Indoor installation possible
- Aramid yarn
- Can be terminated directly
- Flexible and resilient
- Tight bending radius
- Figure "8" easy to divide

Temperature range

LSZH jacket -20°C to +70°C
Temperature range according to (IEC 60794-1-2-F1)

Field of Application

- Installation inside of telecommunication and datasystems
- Installation in dry and damp rooms
- Underground laying is not allowed

Product description

Duplex cable is flexible and resilient. This cable can be terminated directly. Aramid strength member provides better tensile strength of cable. Suitable for indoor installation. Duplex cable Fig. "8" is easy to divide.


Technical specifications

Fibers	Two singlemode or multimode optical fibers in tight (stripability up to 10 cm) or easy strip (stripability more than 100 cm), LSZH buffered cable core
Colour	Fibers - see the section color information table Jacket - orange (other colors available upon request)
Lifetime	30 years

Technical data:

Cable size (mm)	1,6x3,3	1,8x3,7	2,0x4,1	2,8x5,7
Cable core diameter (µm)	250/900	250/900	250/900	250/900
Nominal weight (kg/km)	5,7	5,7	8,2	13,2
Tensile strength short term (N)	160	160	200	300
Tensile strength long term (N)	80	80	100	160
Min. bending radius static (mm)	20xD	20xD	20xD	20xD
Min. bending radius dynamic (mm)	10xD	10xD	10xD	10xD
Crush resistance (N/100mm ²)	1000	1000	1000	1000
Outer jacket	LSZH	LSZH	LSZH	LSZH

Note: For further information about ec article numbers of fiber optic cable, please check our Fiber Optic cable catalog.



Features

- Full rodent protection
- Avoid improper twisting
- High tensile resistance
- Flexible, convenient to connection and easy to deploy
- Suitable for indoor or outdoor use

Temperature range

LSZH jacket -40°C to +75°C
Temperature range according to (IEC 60794-1-2-F1)

Field of Application

- Workstation connecting cables
- Computer room cabling
- Short run office cabling
- Suitable outdoor placement

Product description

Duplex armoured cable with full rodent protection has high tensile strength. Coat of aramid yarn and corrugated steel tape armoring provides high level of strength. Suitable for indoor or outdoor installation.

Technical specifications

Fibers	2 colour coded singlemode or multimode optical fibers
Colour	Fibers - see the section color information table Jacket - orange (other colors available upon request)
Lifetime	30 years


Technical data:

Cable size (mm)	2,0x4,2	2,4x5,0	2,8x5,8	3,0x6,2
Cable core diameter (µm)	250/600	250/600	250/600	250/600
Nominal weight (kg/km)	12	19,2	20	21,2
Standard put-up length (m)	500,1000,2000	500,1000,2000	500,1000,2000	500,1000,2000
Tensile strength (N)	225	300	300	300
Impact resistance (g)	200	200	200	200
Crush resistance (N/10cm)	2000	2000	2000	2000
Min. bending radius (mm)	10xD	10xD	10xD	10xD
Outer jacket	LSZH	LSZH	LSZH	LSZH

Note: For further information about ec article numbers of fiber optic cable, please check our Fiber Optic cable catalog.

Duplex round cable

J-V(ZN)H



Features

- Indoor installation possible
- Aramid yarn strength member
- High compression resistant
- Flame-retardant
- Small diameter
- Physically soft

Temperature range

LSZH jacket -20°C to +70°C
Temperature range according to (IEC 60794-1-2-F1)

Field of Application

- Building to building connecting cables
- Indoor cabling
- Communication equipment

Product description

Duplex round cable has small outer diameter and low attenuation. His aramid yarn strength member ensures high tensile strength and long term stable transmission for optical fibers. Suitable for indoor installation.

Technical specifications

Fibers	2 colour coded singlemode or multimode optical fibers
Colour	Fibers - see the section color information table Jacket - orange (other colors available upon request)
Lifetime	30 years

Technical data:

	2,0	3,0	5,0
Cable diameter (mm)	2,0	3,0	5,0
Cable core diameter (µm)	250/600	250/900	250/900
Nominal weight (kg/km)	4,3	7,6	19
Tensile strength short term (N)	100	80	160
Tensile strength long term (N)	60	40	80
Min. bending radius dynamic (mm)	15xD	20xD	20xD
Min. bending radius static (mm)	10xD	10xD	10xD
Crush resistance (N/100mm ²)	500	500	500
Outer jacket	LSZH	LSZH	LSZH

EC3_ . - A B C D

0. 1 2 3 4 5 6 7 8 9 -

Position 0 - cable type, jacket material, stripability

- 0 - 5 - Simplex, LSZH, tight buffer
6 - Duplex Fig.8, LSZH, tight buffer
0 - Duplex Fig.0, LSZH, tight buffer
F - Simplex, LSZH, semi tight
G - Duplex, LSZH, semi tight
H - Simplex, LSZH, tight buffer, armoured
S - Simplex, LSZH, tight buffer, armoured
T - Duplex Fig.8, LSZH, tight buffer, armoured
U - Duplex Fig.0, LSZH, tight buffer, armoured
V - Round, LSZH, tight buffer, armoured
I - Duplex, LSZH tight buffer, round cable

Position 1, 3 - connector type

- 1, 3 - 1 - FC connector
2 - SC connector
3 - ST connector
4 - LC connector
5 - MU
6 - MT-RJ (only for duplex)
7 - E2000 connector
A - LCdx Uniboot
B - LCsx High Density (push-pull)
C - LCdx High Density (push-pull)
W - LC OM2, Grade B
X - ST OM2, Grade B
Y - SC OM3/OM4 Grade A
Z - LC OM3/OM4 Grade A

Position 2, 4 - fiber type and connector grade

- 2, 4 - 2 - SM/UPC 9/125 G652D, Grade C/2
3 - SM/APC 9/125 G652D, Grade C/1
4 - MM/PC 62.5/125 (OM1), Grade C/4
5 - MM/PC 50/125 (OM2), Grade C/4
6 - MM/PC 50/125 (OM3) 1500/500, Grade C/3
7 - MM/PC 50/125 (OM4) 3500/500, Grade C/3
8 - SM/UPC 9/125 G657A1, Grade C/2
9 - SM/UPC 9/125 G657B3, Grade C/2
A - SM/APC 9/125 G657A1, Grade C/1
B - SM/APC 9/125 G657B3, Grade C/1
C - MM/PC 50/125 (OM3) 1500/500, Grade B/3
D - MM/PC 50/125 (OM4) 3500/500, Grade B/3
E - SM/UPC 9/125 G652D, Grade B/2
F - SM/APC 9/125 G652D, Grade B/1
G - SM/UPC 9/125 G652D, Grade A/2
H - SM/APC 9/125 G652D, Grade A/1
I - SM/UPC 9/125 G657A1, Grade B/2
J - SM/APC 9/125 G657A1, Grade B/1
K - SM/UPC 9/125 G657A1, Grade A/2
L - SM/APC 9/125 G657A1, Grade A/1
M - SM/UPC 9/125 G655C/D, Grade C/2
N - SM/APC 9/125 G655C/D, Grade C/1
O - SM/UPC 9/125 G657A2, Grade C/2
P - SM/APC 9/125 G657A2, Grade C/1
Q - SM/UPC 9/125 G657A2, Grade B/2
R - SM/APC 9/125 G657A2, Grade B/2
S - SM/UPC 9/125 G657A2, Grade A/2
T - SM/APC 9/125 G657A2, Grade A/1
U - SM/UPC 9/125 G657B3, Grade B/2
V - SM/APC 9/125 G657B3, Grade B/1
W - SM/UPC 9/125 G655, Grade B/2
X - SM/APC 9/125 G655, Grade B/1

Position 5,6 - simplex cable outer diameter

- 5,6 - 12 -Simplex diameter 1,2mm
14 -Simplex diameter 1,4mm
16 -Simplex diameter 1,6mm
20 -Simplex diameter 2,0mm
24 -Simplex diameter 2,4mm
30 -Simplex diameter 3,0mm

Position 7,8,9 - length of patch cord

- 7,8,9 - 0P5 - 0,5m length
001 - 1m length
1P5 - 1,5m length
002 - 2m length
2P5 - 2,5m length
003 - 3m length
004 - 4m length
005 - 5m length
006 - 6m length
007 - 7m length
7P5 - 7,5m length
008 - 8m length
009 - 9m length
010 - 10m length
011 - 11m length
012 - 12m length
013 - 13m length
014 - 14m length
015 - 15m length

Position A,B - jacket color

- A,B - AQ - Aqua
BL - Blue
BK - Black
BR - Brown
GR - Green
GY - Grey
OR - Orange
PI - Pink
RE - Red
YE - Yellow
VI - Violet
WH - White
HV - Heather Violet

Position C - polarity for duplex

- C - _ (blank) - cross
Y - parallel

Position D - test protocol

- D - _ (blank) - no test protocol
T - with test protocol - STANDARD

SC termination type

Termination types for simplex :


SC PC / SC PC type :




- Designed to exceed the requirement of Verizon FOC TPR 9409 requirements
- 4 direction tuning feature to improve random mating IL
- Pre-assembled one piece design to reduce assembly time
- Low insertion loss and back reflection
- Pull-proof design
- Rugged and adaptable compared to other connectors

Technical parameters	Standard	Value
Mating durability	IEC 61300-2-2	500 x minimum
Cable retention	IEC 61300-2-4	100N, 120s
Fiber retention (pigtailed)	IEC 61300-2-4	5N, 60s
Vibration	IEC 61300-2-1	10-55Hz, 1oktave/min., 3axis of 15cycles, 0,5h/axis, amplitude 0,75mm
Repeated bending patch cable	IEC 60794-1-E6	100cycles -90°/0°/+90°/0° , Load=5N
Repeated bending pigtail	IEC 60794-1-E6	100cycles -90°/0°/+90°/0° , Load=0,2N
Drop	IEC 61300-2-12	1,5m, 5 times
Static side load patch cable	IEC 61300-2-42	1N, 1h
Static load pigtail	IEC 61300-2-42	0,2N, 5 min.
Cold	IEC 61300-2-17	25°C, 96h
Dry heat	IEC 61300-2-18	70°C, 96h
Change of temperature	IEC 61300-2-22	-25°C to +70°C, 12 cycles
Heat resistance	IEC 61300-2-18	70°C, 1000h
Damp heat	IEC 61300-2-19	40°C at 93%, 96h

SC simplex :



SC duplex with clip :



Boots possibilities for SC connectors:

Type code	Diameter	Length	Drawing
SC2037501	2,0mm	37,5mm	37. 50
SC3037501	3,0mm	37,5mm	
SC2037502	2,0mm	37,5mm	37. 50
SC2037502	3,0mm	37,5mm	
SC2036500	2,0mm	36,5mm	36. 50
SC2036500	3,0mm	36,5mm	

Type code	Diameter	Length	Drawing
SC1230800	1,2mm	30,8mm	30. 80
SC1630800	1,6mm	30,8mm	
SC2030800	2,0mm	30,8mm	
SC203850F	3,0mm	38,5mm	38. 50
SC303850F	2,0mm	38,5mm	

NOTE:

- Bold style means preferred boot type.
- Yellow cell means flexible (bendable) boot

Termination types for simplex :


LC PC / LC PC type :



- Compact, pull-proof design
- Fully compatible with standard LC products
- Connector body can be used for both simplex and duplex configuration
- Plastic housing and boot made from UL-rated materials
- Optional anti-snag simplex collar and duplex clip

Technical parameters	Standard	Value
Mating durability	IEC 61300-2-2	500 x minimum
Cable retention	IEC 61300-2-4	100N, 120s
Fiber retention (pigtails)	IEC 61300-2-4	5N, 60s
Vibration	IEC 61300-2-1	10-55Hz, 1oktave/min., 3axis of 15cycles, 0,5h/axis, amplitude 0,75mm
Repeated bending patch cable	IEC 60794-1-E6	200cycles -90°/0°/+90°/0° , Load=5N
Repeated bending pigtail	IEC 60794-1-E6	200cycles -90°/0°/+90°/0° , Load=0,2N
Drop	IEC 61300-2-12	1,5m, 5 times
Static side load patch cable	IEC 61300-2-42	1N, 1h
Static load pigtail	IEC 61300-2-42	0,2N, 5 min.
Cold	IEC 61300-2-17	25°C, 96h
Dry heat	IEC 61300-2-18	70°C, 96h
Change of temperature	IEC 61300-2-22	-25°C to +70°C, 12 cycles
Heat resistance	IEC 61300-2-18	70°C, 1000h
Damp heat	IEC 61300-2-19	40°C at 93%, 96h

LC simplex UNIBODY:





Boots possibilities for LC connectors:

Type code	Diameter	Length	Drawing
LC1220000	1,2mm	20mm	
LC1620000	1,6mm	20mm	
LC2014500	2,0mm	14,5mm	
LC3014500	3,0mm	14,5mm	
LC2012000	2,0mm	12mm	
LC3012000	3,0mm	12mm	
LC2019000	2,0mm	19mm	
LC3019000	3,0mm	19mm	
LC2020000	2,0mm	20mm	
LC3020000	3,0mm	20mm	


Type code	Diameter	Length	Drawing
LC2025000	2,0mm	25mm	
LC3025000	3,0mm	25mm	
LC202500B	2,0mm	25mm	
LC302500B	3,0mm	25mm	
LC203640B	2,0mm	36,4mm	
LC303640B	3,0mm	36,4mm	
LC203900F	2,0mm	39mm	

NOTE: Bold style means preferred boot
Yellow cell means flexible (bendable) boot


LC duplex UNIBODY :




- Single body delivers maximum strength against mechanical tests
- Designed to exceed the requirement of Verizon FOC TPR 9409 requirement
- Various option of boots are available to meet your need



- LC duplex connector uses a single housing and single boot
- Polarisation version A, B
- Compact, pull-proof design
- Cable diameters 2,0mm, 3,0mm and 4,0mm



- Easy to release trigger connector
- 60% increase in density
- Stackable adapters



- Easy to release trigger connector
- 60% increase in density
- Stackable adapters

Termination types for simplex :


E2000 PC / E2000 PC type :




- Compact, pull-proof design
- Fully compatible with standard LC products
- Connector body can be used for both simplex and duplex configuration
- Plastic housing and boot made from UL-rated materials
- Optional anti-snap simplex collar and duplex clip

Technical parameters	Standard	Value
Mating durability	IEC 61300-2-2	1000 x minimum
Cable retention	IEC 61300-2-4	100N, 120s
Fiber retention (pigtails)	IEC 61300-2-4	5N, 60s
Vibration	IEC 61300-2-1	10-55Hz, 1oktave/min., 3axis of 15cycles, 0,5h/axis, amplitude 0,75mm
Repeated bending patch cable	IEC 60794-1-E6	100cycles -90°/0°/+90°/0° , Load=5N
Repeated bending pigtail	IEC 60794-1-E6	100cycles -90°/0°/+90°/0° , Load=0,2N
Drop	IEC 61300-2-12	1,5m, 5 times
Static side load patch cable	IEC 61300-2-42	1N, 1h
Static load pigtail	IEC 61300-2-42	0,2N, 5 min.
Cold	IEC 61300-2-17	-25°C, 96h
Dry heat	IEC 61300-2-18	70°C, 96h
Change of temperature	IEC 61300-2-22	-25°C to +70°C, 12 cycles
Heat resistance	IEC 61300-2-18	70°C, 1000h
Damp heat	IEC 61300-2-19	40°C at 93%, 96h

E2000 simplex :



E2000 duplex :



Reference	Dimensions	
	Minimum	Maximum
E	2,75 mm	2,79 mm
F	2,95 mm	2,99 mm
H	5,95 mm	5,98 mm
I	4,93 mm	4,98 mm
J	4,13 mm	4,18 mm

ST termination type

Termination types for simplex :


ST PC / ST PC type :




- Bayonet style (stick and twist) housing for easy connection
- Zirconia ceramic ferrule available in several performance grades
- Low insertion loss and back reflection capability

Technical parameters	Standard	Value
Mating durability	IEC 61300-2-2	500 x minimum
Cable retention	IEC 61300-2-4	100N, 120s
Fiber retention (pigtailed)	IEC 61300-2-4	5N, 60s
Vibration	IEC 61300-2-1	10-55Hz, 1oktave/min., 3axis of 15cycles, 0,5h/axis, amplitude 0,75mm
Repeated bending patch cable	IEC 60794-1-E6	100cycles -90°/0°/+90°/0° , Load=5N
Repeated bending pigtail	IEC 60794-1-E6	100cycles -90°/0°/+90°/0° , Load=0,2N
Drop	IEC 61300-2-12	1,5m, 5 times
Static side load patch cable	IEC 61300-2-42	1N, 1h
Static load pigtail	IEC 61300-2-42	0,2N, 5 min.
Cold	IEC 61300-2-17	25°C, 96h
Dry heat	IEC 61300-2-18	70°C, 96h
Change of temperature	IEC 61300-2-22	-25°C to +70°C, 12 cycles
Heat resistance	IEC 61300-2-18	70°C, 1000h
Damp heat	IEC 61300-2-19	40°C at 93%, 96h

ST simplex :



Boots possibilities for SC connectors:

Type code	Diameter	Length	Drawing
SC2037501	2,0mm	37,4mm	
SC3037501	3,0mm	37,4mm	

Termination types for simplex :


FC PC / FC PC type :





- Pre-assembled one piece design
- Various boot color to meet customer need
- Meets and exceeds the TIA/EIA, IEC and JIS SC Specification

Technical parameters	Standard	Value
Mating durability	IEC 61300-2-2	500 x minimum
Cable retention	IEC 61300-2-4	100N, 120s
Fiber retention (pigtails)	IEC 61300-2-4	5N, 60s
Vibration	IEC 61300-2-1	10-55Hz, 1oktave/min., 3axis of 15cycles, 0,5h/axis, amplitude 0,75mm
Repeated bending patch cable	IEC 60794-1-E6	100cycles -90°/0°/+90°/0° , Load=5N
Repeated bending pigtail	IEC 60794-1-E6	100cycles -90°/0°/+90°/0° , Load=0,2N
Drop	IEC 61300-2-12	1,5m, 5 times
Static side load patch cable	IEC 61300-2-42	1N, 1h
Static load pigtail	IEC 61300-2-42	0,2N, 5 min.
Cold	IEC 61300-2-17	25°C, 96h
Dry heat	IEC 61300-2-18	70°C, 96h
Change of temperature	IEC 61300-2-22	-25°C to +70°C, 12 cycles
Heat resistance	IEC 61300-2-18	70°C, 1000h
Damp heat	IEC 61300-2-19	40°C at 93%, 96h

FC simplex :



Boots possibilities for FC connectors:

Type code	Diameter	Length	Drawing
FC2026500	2,0mm	26,5mm	
FC3026500	3,0mm	26,5mm	
FC2043700	2,0mm	43,7mm	
FC3043700	3,0mm	43,7mm	

NOTE:

- Bold style means preferred boot type

MT-RJ termination type

MT-RJ / MT-RJ type :



- Precision molded MT ferrule
- High precision guide pins for exact alignment
- Duplex ferrule
- Plug-jack (RJ-45) design
- TIA/EIA 568-A Compliant
- Tunable zirconia connector ferrule
- Polishing does not require diamond film


Technical parameters	Standard	Singlemode 0° PC	Multimode 0° PC
Insertion Loss (dB)	IEC 61300-3-4; $\lambda = 1300/1550\text{nm}$	typ.0,4 max.1	typ.0,2 max.0,5
Return Loss (dB)	IEC 61300-3-6; $\lambda = 1300/1550\text{nm}$	typ.30 max.20	typ.50 max.40
Repeatability of IL (dB)	IEC 61300-2-2; $\lambda = 1300/1550\text{nm}$	max. ± 0.2	
Service life		500 mate/demate cycles	
Operating temperature (°C)		-40/+85*	

* May be further limited by cable specifications

Product description

The MT-RJ is a SFF duplex connector with a molded body, including two fibers spaced 750 μm apart within a plastic mini-MT ferrule. MT-RJ connector is the ideal solution for 10-100 Mbit Ethernet up to applications in Gigabit Ethernet. This connector is available as an assembled pigtail or patchcord; with a mini zip cord construction, or a 3mm cable with a ribbon of two fibers inside. Due to its excellent performance and technical characteristics, it's the optimal connector system for FTT-X applications.

MT-RJ duplex :



MU / MU type :



- NTT-MU hardware compatibility
- Pre assembled 1pc style
- Tunable zirconia connector ferrule
- Compact, pull-proof design
- Corrosion resistant body
- Universal Duplex Clip
- UL-rated plastic housing and boot

Technical parameters	Standard	Singlemode 0° PC	Singlemode 8° PC	Multimode 0° PC
Insertion Loss (dB)	IEC 61300-3-4; $\lambda = 1300/1550\text{nm}$	typ.0,2 max.0,4	typ.0,2 max.0,4	typ.0,15 max.0,4
Return Loss (dB)	IEC 61300-3-6; $\lambda = 1300/1550\text{nm}$	typ. 40	min. 50	min. 70**
Repeatability of IL (dB)	IEC 61300-2-2; $\lambda = 1300/1550\text{nm}$	max. ± 0.1		
Service life		1000 mate/demate cycles		
Operating temperature (°C)		-40/+85*		


* May be further limited by cable specifications

**Measured with high precision reflectometer


Product description

The MU incorporates the positive mechanical and optical performance features of the SC style connector in a high density small form factor (SFF) design. The miniature unit-coupling MU is currently recognized by the IEC International standard organization. This fiber optic connector system features a compact connector housing and a $\varnothing 1.25$ mm diameter ferrule. The MU is available as a Simplex or Duplex connector for both Single Mode (PC or APC) and Multimode applications

MT-RJ simplex :



MT-RJ duplex :



Cable patch cord - Packing and marking

Packing and marking :

- 1 piece in one foil bag
- Dimensions of plastic bag depends from length of patch cord: 1-10m - 20,3cm x 20,3cm
10-20m - 22,9cm x 22,9cm
20m < - 25,0cm x 25,0cm

Labeling:



->This label can be removed or substituted with other logo

Picture




Note: Custom labeling is available on request.


Patch cord cable can be marked by flag on both sides. The flags contain requested information.

Clips for duplex executions :


LCdx clip :



SCdx clip bottom case :



SCdx clip upper case :





E2000/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH,SM, Boot length 29,25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC3F.7EXX12.0P5-YET	EC3F.7IXX12.0P5-YET	EC3F.7UXX12.0P5-YET	EC3F.7WXX12.0P5-YET
1,0m	EC3F.7EXX12.001-YET	EC3F.7IXX12.001-YET	EC3F.7UXX12.001-YET	EC3F.7WXX12.001-YET
2,0m	EC3F.7EXX12.002-YET	EC3F.7IXX12.002-YET	EC3F.7UXX12.002-YET	EC3F.7WXX12.002-YET
3,0m	EC3F.7EXX12.003-YET	EC3F.7IXX12.003-YET	EC3F.7UXX12.003-YET	EC3F.7WXX12.003-YET
4,0m	EC3F.7EXX12.004-YET	EC3F.7IXX12.004-YET	EC3F.7UXX12.004-YET	EC3F.7WXX12.004-YET
5,0m	EC3F.7EXX12.005-YET	EC3F.7IXX12.005-YET	EC3F.7UXX12.005-YET	EC3F.7WXX12.005-YET
6,0m	EC3F.7EXX12.006-YET	EC3F.7IXX12.006-YET	EC3F.7UXX12.006-YET	EC3F.7WXX12.006-YET
7,0m	EC3F.7EXX12.007-YET	EC3F.7IXX12.007-YET	EC3F.7UXX12.007-YET	EC3F.7WXX12.007-YET
7,5m	EC3F.7EXX12.7P5-YET	EC3F.7IXX12.7P5-YET	EC3F.7UXX12.7P5-YET	EC3F.7WXX12.7P5-YET
8,0m	EC3F.7EXX12.008-YET	EC3F.7IXX12.008-YET	EC3F.7UXX12.008-YET	EC3F.7WXX12.008-YET
9,0m	EC3F.7EXX12.009-YET	EC3F.7IXX12.009-YET	EC3F.7UXX12.009-YET	EC3F.7WXX12.009-YET
10,0m	EC3F.7EXX12.010-YET	EC3F.7IXX12.010-YET	EC3F.7UXX12.010-YET	EC3F.7WXX12.010-YET
11,0m	EC3F.7EXX12.011-YET	EC3F.7IXX12.011-YET	EC3F.7UXX12.011-YET	EC3F.7WXX12.011-YET
12,0m	EC3F.7EXX12.012-YET	EC3F.7IXX12.012-YET	EC3F.7UXX12.012-YET	EC3F.7WXX12.012-YET
13,0m	EC3F.7EXX12.013-YET	EC3F.7IXX12.013-YET	EC3F.7UXX12.013-YET	EC3F.7WXX12.013-YET
14,0m	EC3F.7EXX12.014-YET	EC3F.7IXX12.014-YET	EC3F.7UXX12.014-YET	EC3F.7WXX12.014-YET
15,0m	EC3F.7EXX12.015-YET	EC3F.7IXX12.015-YET	EC3F.7UXX12.015-YET	EC3F.7WXX12.015-YET

E2000/APCsx, Simplex cable pigtail, semi tight,OD=1,2mm,LSZH,SM, Boot length 29,25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC3F.7FXX12.0P5-YET	EC3F.7RXX12.0P5-YET	EC3F.7VXX12.0P5-YET	EC3F.7XXX12.0P5-YET
1,0m	EC3F.7FXX12.001-YET	EC3F.7RXX12.001-YET	EC3F.7VXX12.001-YET	EC3F.7XXX12.001-YET
2,0m	EC3F.7FXX12.002-YET	EC3F.7RXX12.002-YET	EC3F.7VXX12.002-YET	EC3F.7XXX12.002-YET
3,0m	EC3F.7FXX12.003-YET	EC3F.7RXX12.003-YET	EC3F.7VXX12.003-YET	EC3F.7XXX12.003-YET
4,0m	EC3F.7FXX12.004-YET	EC3F.7RXX12.004-YET	EC3F.7VXX12.004-YET	EC3F.7XXX12.004-YET
5,0m	EC3F.7FXX12.005-YET	EC3F.7RXX12.005-YET	EC3F.7VXX12.005-YET	EC3F.7XXX12.005-YET
6,0m	EC3F.7FXX12.006-YET	EC3F.7RXX12.006-YET	EC3F.7VXX12.006-YET	EC3F.7XXX12.006-YET
7,0m	EC3F.7FXX12.007-YET	EC3F.7RXX12.007-YET	EC3F.7VXX12.007-YET	EC3F.7XXX12.007-YET
7,5m	EC3F.7FXX12.7P5-YET	EC3F.7RXX12.7P5-YET	EC3F.7VXX12.7P5-YET	EC3F.7XXX12.7P5-YET
8,0m	EC3F.7FXX12.008-YET	EC3F.7RXX12.008-YET	EC3F.7VXX12.008-YET	EC3F.7XXX12.008-YET
9,0m	EC3F.7FXX12.009-YET	EC3F.7RXX12.009-YET	EC3F.7VXX12.009-YET	EC3F.7XXX12.009-YET
10,0m	EC3F.7FXX12.010-YET	EC3F.7RXX12.010-YET	EC3F.7VXX12.010-YET	EC3F.7XXX12.010-YET
11,0m	EC3F.7FXX12.011-YET	EC3F.7RXX12.011-YET	EC3F.7VXX12.011-YET	EC3F.7XXX12.011-YET
12,0m	EC3F.7FXX12.012-YET	EC3F.7RXX12.012-YET	EC3F.7VXX12.012-YET	EC3F.7XXX12.012-YET
13,0m	EC3F.7FXX12.013-YET	EC3F.7RXX12.013-YET	EC3F.7VXX12.013-YET	EC3F.7XXX12.013-YET
14,0m	EC3F.7FXX12.014-YET	EC3F.7RXX12.014-YET	EC3F.7VXX12.014-YET	EC3F.7XXX12.014-YET
15,0m	EC3F.7FXX12.015-YET	EC3F.7RXX12.015-YET	EC3F.7VXX12.015-YET	EC3F.7XXX12.015-YET

E2000/PCsx, Simplex cable pigtail,semi tight,OD=1,2mm, LSZH, MM, Boot length 29,25mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color			aqua	aqua
Housing color			beige	beige
Boot color			black	black
Lever color			aqua	aqua
0,5m	N/A	N/A	EC3F.7CXX12.0P5-AQT	EC3F.7DXX12.0P5-AQT
1,0m	N/A	N/A	EC3F.7CXX12.001-AQT	EC3F.7DXX12.001-AQT
2,0m	N/A	N/A	EC3F.7CXX12.002-AQT	EC3F.7DXX12.002-AQT
3,0m	N/A	N/A	EC3F.7CXX12.003-AQT	EC3F.7DXX12.003-AQT
4,0m	N/A	N/A	EC3F.7CXX12.004-AQT	EC3F.7DXX12.004-AQT
5,0m	N/A	N/A	EC3F.7CXX12.005-AQT	EC3F.7DXX12.005-AQT
6,0m	N/A	N/A	EC3F.7CXX12.006-AQT	EC3F.7DXX12.006-AQT
7,0m	N/A	N/A	EC3F.7CXX12.007-AQT	EC3F.7DXX12.007-AQT
7,5m	N/A	N/A	EC3F.7CXX12.7P5-AQT	EC3F.7DXX12.7P5-AQT
8,0m	N/A	N/A	EC3F.7CXX12.008-AQT	EC3F.7DXX12.008-AQT
9,0m	N/A	N/A	EC3F.7CXX12.009-AQT	EC3F.7DXX12.009-AQT
10,0m	N/A	N/A	EC3F.7CXX12.010-AQT	EC3F.7DXX12.010-AQT
11,0m	N/A	N/A	EC3F.7CXX12.011-AQT	EC3F.7DXX12.011-AQT
12,0m	N/A	N/A	EC3F.7CXX12.012-AQT	EC3F.7DXX12.012-AQT
13,0m	N/A	N/A	EC3F.7CXX12.013-AQT	EC3F.7DXX12.013-AQT
14,0m	N/A	N/A	EC3F.7CXX12.014-AQT	EC3F.7DXX12.014-AQT
15,0m	N/A	N/A	EC3F.7CXX12.015-AQT	EC3F.7DXX12.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

E2000sx cable pigtail

E2000/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 29,25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC3F.72XX12.0P5-YET	EC3F.78XX12.0P5-YET	EC3F.79XX12.0P5-YET	EC3F.7MXX12.0P5-YET
1,0m	EC3F.72XX12.001-YET	EC3F.78XX12.001-YET	EC3F.79XX12.001-YET	EC3F.7MXX12.001-YET
2,0m	EC3F.72XX12.002-YET	EC3F.78XX12.002-YET	EC3F.79XX12.002-YET	EC3F.7MXX12.002-YET
3,0m	EC3F.72XX12.003-YET	EC3F.78XX12.003-YET	EC3F.79XX12.003-YET	EC3F.7MXX12.003-YET
4,0m	EC3F.72XX12.004-YET	EC3F.78XX12.004-YET	EC3F.79XX12.004-YET	EC3F.7MXX12.004-YET
5,0m	EC3F.72XX12.005-YET	EC3F.78XX12.005-YET	EC3F.79XX12.005-YET	EC3F.7MXX12.005-YET
6,0m	EC3F.72XX12.006-YET	EC3F.78XX12.006-YET	EC3F.79XX12.006-YET	EC3F.7MXX12.006-YET
7,0m	EC3F.72XX12.007-YET	EC3F.78XX12.007-YET	EC3F.79XX12.007-YET	EC3F.7MXX12.007-YET
7,5m	EC3F.72XX12.7P5-YET	EC3F.78XX12.7P5-YET	EC3F.79XX12.7P5-YET	EC3F.7MXX12.7P5-YET
8,0m	EC3F.72XX12.008-YET	EC3F.78XX12.008-YET	EC3F.79XX12.008-YET	EC3F.7MXX12.008-YET
9,0m	EC3F.72XX12.009-YET	EC3F.78XX12.009-YET	EC3F.79XX12.009-YET	EC3F.7MXX12.009-YET
10,0m	EC3F.72XX12.010-YET	EC3F.78XX12.010-YET	EC3F.79XX12.010-YET	EC3F.7MXX12.010-YET
11,0m	EC3F.72XX12.011-YET	EC3F.78XX12.011-YET	EC3F.79XX12.011-YET	EC3F.7MXX12.011-YET
12,0m	EC3F.72XX12.012-YET	EC3F.78XX12.012-YET	EC3F.79XX12.012-YET	EC3F.7MXX12.012-YET
13,0m	EC3F.72XX12.013-YET	EC3F.78XX12.013-YET	EC3F.79XX12.013-YET	EC3F.7MXX12.013-YET
14,0m	EC3F.72XX12.014-YET	EC3F.78XX12.014-YET	EC3F.79XX12.014-YET	EC3F.7MXX12.014-YET
15,0m	EC3F.72XX12.015-YET	EC3F.78XX12.015-YET	EC3F.79XX12.015-YET	EC3F.7MXX12.015-YET

E2000/APCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 29,25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC3F.73XX12.0P5-YET	EC3F.7AXX12.0P5-YET	EC3F.7BXX12.0P5-YET	EC3F.7NXX12.0P5-YET
1,0m	EC3F.73XX12.001-YET	EC3F.7AXX12.001-YET	EC3F.7BXX12.001-YET	EC3F.7NXX12.001-YET
2,0m	EC3F.73XX12.002-YET	EC3F.7AXX12.002-YET	EC3F.7BXX12.002-YET	EC3F.7NXX12.002-YET
3,0m	EC3F.73XX12.003-YET	EC3F.7AXX12.003-YET	EC3F.7BXX12.003-YET	EC3F.7NXX12.003-YET
4,0m	EC3F.73XX12.004-YET	EC3F.7AXX12.004-YET	EC3F.7BXX12.004-YET	EC3F.7NXX12.004-YET
5,0m	EC3F.73XX12.005-YET	EC3F.7AXX12.005-YET	EC3F.7BXX12.005-YET	EC3F.7NXX12.005-YET
6,0m	EC3F.73XX12.006-YET	EC3F.7AXX12.006-YET	EC3F.7BXX12.006-YET	EC3F.7NXX12.006-YET
7,0m	EC3F.73XX12.007-YET	EC3F.7AXX12.007-YET	EC3F.7BXX12.007-YET	EC3F.7NXX12.007-YET
7,5m	EC3F.73XX12.7P5-YET	EC3F.7AXX12.7P5-YET	EC3F.7BXX12.7P5-YET	EC3F.7NXX12.7P5-YET
8,0m	EC3F.73XX12.008-YET	EC3F.7AXX12.008-YET	EC3F.7BXX12.008-YET	EC3F.7NXX12.008-YET
9,0m	EC3F.73XX12.009-YET	EC3F.7AXX12.009-YET	EC3F.7BXX12.009-YET	EC3F.7NXX12.009-YET
10,0m	EC3F.73XX12.010-YET	EC3F.7AXX12.010-YET	EC3F.7BXX12.010-YET	EC3F.7NXX12.010-YET
11,0m	EC3F.73XX12.011-YET	EC3F.7AXX12.011-YET	EC3F.7BXX12.011-YET	EC3F.7NXX12.011-YET
12,0m	EC3F.73XX12.012-YET	EC3F.7AXX12.012-YET	EC3F.7BXX12.012-YET	EC3F.7NXX12.012-YET
13,0m	EC3F.73XX12.013-YET	EC3F.7AXX12.013-YET	EC3F.7BXX12.013-YET	EC3F.7NXX12.013-YET
14,0m	EC3F.73XX12.014-YET	EC3F.7AXX12.014-YET	EC3F.7BXX12.014-YET	EC3F.7NXX12.014-YET
15,0m	EC3F.73XX12.015-YET	EC3F.7AXX12.015-YET	EC3F.7BXX12.015-YET	EC3F.7NXX12.015-YET

E2000/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, MM, Boot length 29,25mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	orange	orange	aqua	aqua
Housing color	beige	beige	beige	beige
Boot color	black	black	black	black
Lever color	blue	orange	aqua	aqua
0,5m	EC3F.74XX12.0P5-ORT	EC3F.75XX12.0P5-ORT	EC3F.76XX12.0P5-AQT	EC3F.77XX12.0P5-AQT
1,0m	EC3F.74XX12.001-ORT	EC3F.75XX12.001-ORT	EC3F.76XX12.001-AQT	EC3F.77XX12.001-AQT
2,0m	EC3F.74XX12.002-ORT	EC3F.75XX12.002-ORT	EC3F.76XX12.002-AQT	EC3F.77XX12.002-AQT
3,0m	EC3F.74XX12.003-ORT	EC3F.75XX12.003-ORT	EC3F.76XX12.003-AQT	EC3F.77XX12.003-AQT
4,0m	EC3F.74XX12.004-ORT	EC3F.75XX12.004-ORT	EC3F.76XX12.004-AQT	EC3F.77XX12.004-AQT
5,0m	EC3F.74XX12.005-ORT	EC3F.75XX12.005-ORT	EC3F.76XX12.005-AQT	EC3F.77XX12.005-AQT
6,0m	EC3F.74XX12.006-ORT	EC3F.75XX12.006-ORT	EC3F.76XX12.006-AQT	EC3F.77XX12.006-AQT
7,0m	EC3F.74XX12.007-ORT	EC3F.75XX12.007-ORT	EC3F.76XX12.007-AQT	EC3F.77XX12.007-AQT
7,5m	EC3F.74XX12.7P5-ORT	EC3F.75XX12.7P5-ORT	EC3F.76XX12.7P5-AQT	EC3F.77XX12.7P5-AQT
8,0m	EC3F.74XX12.008-ORT	EC3F.75XX12.008-ORT	EC3F.76XX12.008-AQT	EC3F.77XX12.008-AQT
9,0m	EC3F.74XX12.009-ORT	EC3F.75XX12.009-ORT	EC3F.76XX12.009-AQT	EC3F.77XX12.009-AQT
10,0m	EC3F.74XX12.010-ORT	EC3F.75XX12.010-ORT	EC3F.76XX12.010-AQT	EC3F.77XX12.010-AQT
11,0m	EC3F.74XX12.011-ORT	EC3F.75XX12.011-ORT	EC3F.76XX12.011-AQT	EC3F.77XX12.011-AQT
12,0m	EC3F.74XX12.012-ORT	EC3F.75XX12.012-ORT	EC3F.76XX12.012-AQT	EC3F.77XX12.012-AQT
13,0m	EC3F.74XX12.013-ORT	EC3F.75XX12.013-ORT	EC3F.76XX12.013-AQT	EC3F.77XX12.013-AQT
14,0m	EC3F.74XX12.014-ORT	EC3F.75XX12.014-ORT	EC3F.76XX12.014-AQT	EC3F.77XX12.014-AQT
15,0m	EC3F.74XX12.015-ORT	EC3F.75XX12.015-ORT	EC3F.76XX12.015-AQT	EC3F.77XX12.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

E2000sx cable pigtail



E2000/PCsx, Simplex cable pigtail (1,6mm), Standard boot (blue), yellow jacket, SM 9/125, blue lever, Grade B, with test protocol, semi tight

Fiber type	SM G652D	SM G657A2	SM G657B2	G655D
0,5m	EC3F.7EXX16.0P5-YET	EC3F.7IXX16.0P5-YET	EC3F.7UXX16.0P5-YET	EC3F.7WXX16.0P5-YET
1,0m	EC3F.7EXX16.001-YET	EC3F.7IXX16.001-YET	EC3F.7UXX16.001-YET	EC3F.7WXX16.001-YET
2,0m	EC3F.7EXX16.002-YET	EC3F.7IXX16.002-YET	EC3F.7UXX16.002-YET	EC3F.7WXX16.002-YET
3,0m	EC3F.7EXX16.003-YET	EC3F.7IXX16.003-YET	EC3F.7UXX16.003-YET	EC3F.7WXX16.003-YET
4,0m	EC3F.7EXX16.004-YET	EC3F.7IXX16.004-YET	EC3F.7UXX16.004-YET	EC3F.7WXX16.004-YET
5,0m	EC3F.7EXX16.005-YET	EC3F.7IXX16.005-YET	EC3F.7UXX16.005-YET	EC3F.7WXX16.005-YET
6,0m	EC3F.7EXX16.006-YET	EC3F.7IXX16.006-YET	EC3F.7UXX16.006-YET	EC3F.7WXX16.006-YET
7,0m	EC3F.7EXX16.007-YET	EC3F.7IXX16.007-YET	EC3F.7UXX16.007-YET	EC3F.7WXX16.007-YET
7,5m	EC3F.7EXX16.7P5-YET	EC3F.7IXX16.7P5-YET	EC3F.7UXX16.7P5-YET	EC3F.7WXX16.7P5-YET
8,0m	EC3F.7EXX16.008-YET	EC3F.7IXX16.008-YET	EC3F.7UXX16.008-YET	EC3F.7WXX16.008-YET
9,0m	EC3F.7EXX16.009-YET	EC3F.7IXX16.009-YET	EC3F.7UXX16.009-YET	EC3F.7WXX16.009-YET
10,0m	EC3F.7EXX16.010-YET	EC3F.7IXX16.010-YET	EC3F.7UXX16.010-YET	EC3F.7WXX16.010-YET
11,0m	EC3F.7EXX16.011-YET	EC3F.7IXX16.011-YET	EC3F.7UXX16.011-YET	EC3F.7WXX16.011-YET
12,0m	EC3F.7EXX16.012-YET	EC3F.7IXX16.012-YET	EC3F.7UXX16.012-YET	EC3F.7WXX16.012-YET
13,0m	EC3F.7EXX16.013-YET	EC3F.7IXX16.013-YET	EC3F.7UXX16.013-YET	EC3F.7WXX16.013-YET
14,0m	EC3F.7EXX16.014-YET	EC3F.7IXX16.014-YET	EC3F.7UXX16.014-YET	EC3F.7WXX16.014-YET
15,0m	EC3F.7EXX16.015-YET	EC3F.7IXX16.015-YET	EC3F.7UXX16.015-YET	EC3F.7WXX16.015-YET

E2000/APCsx, Simplex cable pigtail (1,6mm), Standard boot(green), yellow jacket, SM 9/125, green lever, Grade B, with test protocol, semi tight

Fiber type	SM G652D	SM G657A2	SM G657B2	G655D
0,5m	EC3F.7FXX16.0P5-YET	EC3F.7RXX16.0P5-YET	EC3F.7VXX16.0P5-YET	EC3F.7XXX16.0P5-YET
1,0m	EC3F.7FXX16.001-YET	EC3F.7RXX16.001-YET	EC3F.7VXX16.001-YET	EC3F.7XXX16.001-YET
2,0m	EC3F.7FXX16.002-YET	EC3F.7RXX16.002-YET	EC3F.7VXX16.002-YET	EC3F.7XXX16.002-YET
3,0m	EC3F.7FXX16.003-YET	EC3F.7RXX16.003-YET	EC3F.7VXX16.003-YET	EC3F.7XXX16.003-YET
4,0m	EC3F.7FXX16.004-YET	EC3F.7RXX16.004-YET	EC3F.7VXX16.004-YET	EC3F.7XXX16.004-YET
5,0m	EC3F.7FXX16.005-YET	EC3F.7RXX16.005-YET	EC3F.7VXX16.005-YET	EC3F.7XXX16.005-YET
6,0m	EC3F.7FXX16.006-YET	EC3F.7RXX16.006-YET	EC3F.7VXX16.006-YET	EC3F.7XXX16.006-YET
7,0m	EC3F.7FXX16.007-YET	EC3F.7RXX16.007-YET	EC3F.7VXX16.007-YET	EC3F.7XXX16.007-YET
7,5m	EC3F.7FXX16.7P5-YET	EC3F.7RXX16.7P5-YET	EC3F.7VXX16.7P5-YET	EC3F.7XXX16.7P5-YET
8,0m	EC3F.7FXX16.008-YET	EC3F.7RXX16.008-YET	EC3F.7VXX16.008-YET	EC3F.7XXX16.008-YET
9,0m	EC3F.7FXX16.009-YET	EC3F.7RXX16.009-YET	EC3F.7VXX16.009-YET	EC3F.7XXX16.009-YET
10,0m	EC3F.7FXX16.010-YET	EC3F.7RXX16.010-YET	EC3F.7VXX16.010-YET	EC3F.7XXX16.010-YET
11,0m	EC3F.7FXX16.011-YET	EC3F.7RXX16.011-YET	EC3F.7VXX16.011-YET	EC3F.7XXX16.011-YET
12,0m	EC3F.7FXX16.012-YET	EC3F.7RXX16.012-YET	EC3F.7VXX16.012-YET	EC3F.7XXX16.012-YET
13,0m	EC3F.7FXX16.013-YET	EC3F.7RXX16.013-YET	EC3F.7VXX16.013-YET	EC3F.7XXX16.013-YET
14,0m	EC3F.7FXX16.014-YET	EC3F.7RXX16.014-YET	EC3F.7VXX16.014-YET	EC3F.7XXX16.014-YET
15,0m	EC3F.7FXX16.015-YET	EC3F.7RXX16.015-YET	EC3F.7VXX16.015-YET	EC3F.7XXX16.015-YET

E2000/PCsx, Simplex cable pigtail (1,6mm), aqua jacket, aqua lever, Grade B, with test protocol, semi tight

Fiber type	G62,5/OM1	G50/OM2	G50/OM3 black beige	G50/OM4 black beige
Boot color				
Housing color				
0,5m	N/A	N/A	EC3F.7CXX16.0P5-AQT	EC3F.7DXX16.0P5-AQT
1,0m	N/A	N/A	EC3F.7CXX16.001-AQT	EC3F.7DXX16.001-AQT
2,0m	N/A	N/A	EC3F.7CXX16.002-AQT	EC3F.7DXX16.002-AQT
3,0m	N/A	N/A	EC3F.7CXX16.003-AQT	EC3F.7DXX16.003-AQT
4,0m	N/A	N/A	EC3F.7CXX16.004-AQT	EC3F.7DXX16.004-AQT
5,0m	N/A	N/A	EC3F.7CXX16.005-AQT	EC3F.7DXX16.005-AQT
6,0m	N/A	N/A	EC3F.7CXX16.006-AQT	EC3F.7DXX16.006-AQT
7,0m	N/A	N/A	EC3F.7CXX16.007-AQT	EC3F.7DXX16.007-AQT
7,5m	N/A	N/A	EC3F.7CXX16.7P5-AQT	EC3F.7DXX16.7P5-AQT
8,0m	N/A	N/A	EC3F.7CXX16.008-AQT	EC3F.7DXX16.008-AQT
9,0m	N/A	N/A	EC3F.7CXX16.009-AQT	EC3F.7DXX16.009-AQT
10,0m	N/A	N/A	EC3F.7CXX16.010-AQT	EC3F.7DXX16.010-AQT
11,0m	N/A	N/A	EC3F.7CXX16.011-AQT	EC3F.7DXX16.011-AQT
12,0m	N/A	N/A	EC3F.7CXX16.012-AQT	EC3F.7DXX16.012-AQT
13,0m	N/A	N/A	EC3F.7CXX16.013-AQT	EC3F.7DXX16.013-AQT
14,0m	N/A	N/A	EC3F.7CXX16.014-AQT	EC3F.7DXX16.014-AQT
15,0m	N/A	N/A	EC3F.7CXX16.015-AQT	EC3F.7DXX16.015-AQT

E2000sx cable pigtail

E2000/PCsx, Simplex cable pigtail (1,6mm), Standard boot (blue), yellow jacket, SM 9/125, blue lever, Grade C, with test protocol, semi tight

Fiber type	SM G652D	SM G657A2	SM G657B2	G655D
0,5m	EC3F.72XX16.0P5-YET	EC3F.78XX16.0P5-YET	EC3F.79XX16.0P5-YET	EC3F.7MXX16.0P5-YET
1,0m	EC3F.72XX16.001-YET	EC3F.78XX16.001-YET	EC3F.79XX16.001-YET	EC3F.7MXX16.001-YET
2,0m	EC3F.72XX16.002-YET	EC3F.78XX16.002-YET	EC3F.79XX16.002-YET	EC3F.7MXX16.002-YET
3,0m	EC3F.72XX16.003-YET	EC3F.78XX16.003-YET	EC3F.79XX16.003-YET	EC3F.7MXX16.003-YET
4,0m	EC3F.72XX16.004-YET	EC3F.78XX16.004-YET	EC3F.79XX16.004-YET	EC3F.7MXX16.004-YET
5,0m	EC3F.72XX16.005-YET	EC3F.78XX16.005-YET	EC3F.79XX16.005-YET	EC3F.7MXX16.005-YET
6,0m	EC3F.72XX16.006-YET	EC3F.78XX16.006-YET	EC3F.79XX16.006-YET	EC3F.7MXX16.006-YET
7,0m	EC3F.72XX16.007-YET	EC3F.78XX16.007-YET	EC3F.79XX16.007-YET	EC3F.7MXX16.007-YET
7,5m	EC3F.72XX16.7P5-YET	EC3F.78XX16.7P5-YET	EC3F.79XX16.7P5-YET	EC3F.7MXX16.7P5-YET
8,0m	EC3F.72XX16.008-YET	EC3F.78XX16.008-YET	EC3F.79XX16.008-YET	EC3F.7MXX16.008-YET
9,0m	EC3F.72XX16.009-YET	EC3F.78XX16.009-YET	EC3F.79XX16.009-YET	EC3F.7MXX16.009-YET
10,0m	EC3F.72XX16.010-YET	EC3F.78XX16.010-YET	EC3F.79XX16.010-YET	EC3F.7MXX16.010-YET
11,0m	EC3F.72XX16.011-YET	EC3F.78XX16.011-YET	EC3F.79XX16.011-YET	EC3F.7MXX16.011-YET
12,0m	EC3F.72XX16.012-YET	EC3F.78XX16.012-YET	EC3F.79XX16.012-YET	EC3F.7MXX16.012-YET
13,0m	EC3F.72XX16.013-YET	EC3F.78XX16.013-YET	EC3F.79XX16.013-YET	EC3F.7MXX16.013-YET
14,0m	EC3F.72XX16.014-YET	EC3F.78XX16.014-YET	EC3F.79XX16.014-YET	EC3F.7MXX16.014-YET
15,0m	EC3F.72XX16.015-YET	EC3F.78XX16.015-YET	EC3F.79XX16.015-YET	EC3F.7MXX16.015-YET

E2000/APCsx, Simplex cable pigtail (1,6mm), Standard boot(green), yellow jacket, SM 9/125, green lever, Grade C, with test protocol, semi tight

Fiber type	SM G652D	SM G657A2	SM G657B2	G655D
0,5m	EC3F.73XX16.0P5-YET	EC3F.7AXX16.0P5-YET	EC3F.7BXX16.0P5-YET	EC3F.7NXX16.0P5-YET
1,0m	EC3F.73XX16.001-YET	EC3F.7AXX16.001-YET	EC3F.7BXX16.001-YET	EC3F.7NXX16.001-YET
2,0m	EC3F.73XX16.002-YET	EC3F.7AXX16.002-YET	EC3F.7BXX16.002-YET	EC3F.7NXX16.002-YET
3,0m	EC3F.73XX16.003-YET	EC3F.7AXX16.003-YET	EC3F.7BXX16.003-YET	EC3F.7NXX16.003-YET
4,0m	EC3F.73XX16.004-YET	EC3F.7AXX16.004-YET	EC3F.7BXX16.004-YET	EC3F.7NXX16.004-YET
5,0m	EC3F.73XX16.005-YET	EC3F.7AXX16.005-YET	EC3F.7BXX16.005-YET	EC3F.7NXX16.005-YET
6,0m	EC3F.73XX16.006-YET	EC3F.7AXX16.006-YET	EC3F.7BXX16.006-YET	EC3F.7NXX16.006-YET
7,0m	EC3F.73XX16.007-YET	EC3F.7AXX16.007-YET	EC3F.7BXX16.007-YET	EC3F.7NXX16.007-YET
7,5m	EC3F.73XX16.7P5-YET	EC3F.7AXX16.7P5-YET	EC3F.7BXX16.7P5-YET	EC3F.7NXX16.7P5-YET
8,0m	EC3F.73XX16.008-YET	EC3F.7AXX16.008-YET	EC3F.7BXX16.008-YET	EC3F.7NXX16.008-YET
9,0m	EC3F.73XX16.009-YET	EC3F.7AXX16.009-YET	EC3F.7BXX16.009-YET	EC3F.7NXX16.009-YET
10,0m	EC3F.73XX16.010-YET	EC3F.7AXX16.010-YET	EC3F.7BXX16.010-YET	EC3F.7NXX16.010-YET
11,0m	EC3F.73XX16.011-YET	EC3F.7AXX16.011-YET	EC3F.7BXX16.011-YET	EC3F.7NXX16.011-YET
12,0m	EC3F.73XX16.012-YET	EC3F.7AXX16.012-YET	EC3F.7BXX16.012-YET	EC3F.7NXX16.012-YET
13,0m	EC3F.73XX16.013-YET	EC3F.7AXX16.013-YET	EC3F.7BXX16.013-YET	EC3F.7NXX16.013-YET
14,0m	EC3F.73XX16.014-YET	EC3F.7AXX16.014-YET	EC3F.7BXX16.014-YET	EC3F.7NXX16.014-YET
15,0m	EC3F.73XX16.015-YET	EC3F.7AXX16.015-YET	EC3F.7BXX16.015-YET	EC3F.7NXX16.015-YET

E2000/PCsx, Simplex cable pigtail (1,6mm), Grade C, with test protocol, semi tight

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Boot color	beige	black	black	black
Lever color	blue	orange	aqua	aqua
Jacket color	orange	orange	aqua	aqua
Housing color	black	black	beige	beige
0,5m	EC3F.74XX16.0P5-ORT	EC3F.75XX16.0P5-ORT	EC3F.76XX16.0P5-AQT	EC3F.77XX16.0P5-AQT
1,0m	EC3F.74XX16.001-ORT	EC3F.75XX16.001-ORT	EC3F.76XX16.001-AQT	EC3F.77XX16.001-AQT
2,0m	EC3F.74XX16.002-ORT	EC3F.75XX16.002-ORT	EC3F.76XX16.002-AQT	EC3F.77XX16.002-AQT
3,0m	EC3F.74XX16.003-ORT	EC3F.75XX16.003-ORT	EC3F.76XX16.003-AQT	EC3F.77XX16.003-AQT
4,0m	EC3F.74XX16.004-ORT	EC3F.75XX16.004-ORT	EC3F.76XX16.004-AQT	EC3F.77XX16.004-AQT
5,0m	EC3F.74XX16.005-ORT	EC3F.75XX16.005-ORT	EC3F.76XX16.005-AQT	EC3F.77XX16.005-AQT
6,0m	EC3F.74XX16.006-ORT	EC3F.75XX16.006-ORT	EC3F.76XX16.006-AQT	EC3F.77XX16.006-AQT
7,0m	EC3F.74XX16.007-ORT	EC3F.75XX16.007-ORT	EC3F.76XX16.007-AQT	EC3F.77XX16.007-AQT
7,5m	EC3F.74XX16.7P5-ORT	EC3F.75XX16.7P5-ORT	EC3F.76XX16.7P5-AQT	EC3F.77XX16.7P5-AQT
8,0m	EC3F.74XX16.008-ORT	EC3F.75XX16.008-ORT	EC3F.76XX16.008-AQT	EC3F.77XX16.008-AQT
9,0m	EC3F.74XX16.009-ORT	EC3F.75XX16.009-ORT	EC3F.76XX16.009-AQT	EC3F.77XX16.009-AQT
10,0m	EC3F.74XX16.010-ORT	EC3F.75XX16.010-ORT	EC3F.76XX16.010-AQT	EC3F.77XX16.010-AQT
11,0m	EC3F.74XX16.011-ORT	EC3F.75XX16.011-ORT	EC3F.76XX16.011-AQT	EC3F.77XX16.011-AQT
12,0m	EC3F.74XX16.012-ORT	EC3F.75XX16.012-ORT	EC3F.76XX16.012-AQT	EC3F.77XX16.012-AQT
13,0m	EC3F.74XX16.013-ORT	EC3F.75XX16.013-ORT	EC3F.76XX16.013-AQT	EC3F.77XX16.013-AQT
14,0m	EC3F.74XX16.014-ORT	EC3F.75XX16.014-ORT	EC3F.76XX16.014-AQT	EC3F.77XX16.014-AQT
15,0m	EC3F.74XX16.015-ORT	EC3F.75XX16.015-ORT	EC3F.76XX16.015-AQT	EC3F.77XX16.015-AQT

E2000sx cable pigtail



E2000/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 29,25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC3F.7EXX18.0P5-YET	EC3F.7IXX18.0P5-YET	EC3F.7UXX18.0P5-YET	EC3F.7WXX18.0P5-YET
1,0m	EC3F.7EXX18.001-YET	EC3F.7IXX18.001-YET	EC3F.7UXX18.001-YET	EC3F.7WXX18.001-YET
2,0m	EC3F.7EXX18.002-YET	EC3F.7IXX18.002-YET	EC3F.7UXX18.002-YET	EC3F.7WXX18.002-YET
3,0m	EC3F.7EXX18.003-YET	EC3F.7IXX18.003-YET	EC3F.7UXX18.003-YET	EC3F.7WXX18.003-YET
4,0m	EC3F.7EXX18.004-YET	EC3F.7IXX18.004-YET	EC3F.7UXX18.004-YET	EC3F.7WXX18.004-YET
5,0m	EC3F.7EXX18.005-YET	EC3F.7IXX18.005-YET	EC3F.7UXX18.005-YET	EC3F.7WXX18.005-YET
6,0m	EC3F.7EXX18.006-YET	EC3F.7IXX18.006-YET	EC3F.7UXX18.006-YET	EC3F.7WXX18.006-YET
7,0m	EC3F.7EXX18.007-YET	EC3F.7IXX18.007-YET	EC3F.7UXX18.007-YET	EC3F.7WXX18.007-YET
7,5m	EC3F.7EXX18.7P5-YET	EC3F.7IXX18.7P5-YET	EC3F.7UXX18.7P5-YET	EC3F.7WXX18.7P5-YET
8,0m	EC3F.7EXX18.008-YET	EC3F.7IXX18.008-YET	EC3F.7UXX18.008-YET	EC3F.7WXX18.008-YET
9,0m	EC3F.7EXX18.009-YET	EC3F.7IXX18.009-YET	EC3F.7UXX18.009-YET	EC3F.7WXX18.009-YET
10,0m	EC3F.7EXX18.010-YET	EC3F.7IXX18.010-YET	EC3F.7UXX18.010-YET	EC3F.7WXX18.010-YET
11,0m	EC3F.7EXX18.011-YET	EC3F.7IXX18.011-YET	EC3F.7UXX18.011-YET	EC3F.7WXX18.011-YET
12,0m	EC3F.7EXX18.012-YET	EC3F.7IXX18.012-YET	EC3F.7UXX18.012-YET	EC3F.7WXX18.012-YET
13,0m	EC3F.7EXX18.013-YET	EC3F.7IXX18.013-YET	EC3F.7UXX18.013-YET	EC3F.7WXX18.013-YET
14,0m	EC3F.7EXX18.014-YET	EC3F.7IXX18.014-YET	EC3F.7UXX18.014-YET	EC3F.7WXX18.014-YET
15,0m	EC3F.7EXX18.015-YET	EC3F.7IXX18.015-YET	EC3F.7UXX18.015-YET	EC3F.7WXX18.015-YET

E2000/APCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 29,25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC3F.7FXX18.0P5-YET	EC3F.7RXX18.0P5-YET	EC3F.7VXX18.0P5-YET	EC3F.7XXX18.0P5-YET
1,0m	EC3F.7FXX18.001-YET	EC3F.7RXX18.001-YET	EC3F.7VXX18.001-YET	EC3F.7XXX18.001-YET
2,0m	EC3F.7FXX18.002-YET	EC3F.7RXX18.002-YET	EC3F.7VXX18.002-YET	EC3F.7XXX18.002-YET
3,0m	EC3F.7FXX18.003-YET	EC3F.7RXX18.003-YET	EC3F.7VXX18.003-YET	EC3F.7XXX18.003-YET
4,0m	EC3F.7FXX18.004-YET	EC3F.7RXX18.004-YET	EC3F.7VXX18.004-YET	EC3F.7XXX18.004-YET
5,0m	EC3F.7FXX18.005-YET	EC3F.7RXX18.005-YET	EC3F.7VXX18.005-YET	EC3F.7XXX18.005-YET
6,0m	EC3F.7FXX18.006-YET	EC3F.7RXX18.006-YET	EC3F.7VXX18.006-YET	EC3F.7XXX18.006-YET
7,0m	EC3F.7FXX18.007-YET	EC3F.7RXX18.007-YET	EC3F.7VXX18.007-YET	EC3F.7XXX18.007-YET
7,5m	EC3F.7FXX18.7P5-YET	EC3F.7RXX18.7P5-YET	EC3F.7VXX18.7P5-YET	EC3F.7XXX18.7P5-YET
8,0m	EC3F.7FXX18.008-YET	EC3F.7RXX18.008-YET	EC3F.7VXX18.008-YET	EC3F.7XXX18.008-YET
9,0m	EC3F.7FXX18.009-YET	EC3F.7RXX18.009-YET	EC3F.7VXX18.009-YET	EC3F.7XXX18.009-YET
10,0m	EC3F.7FXX18.010-YET	EC3F.7RXX18.010-YET	EC3F.7VXX18.010-YET	EC3F.7XXX18.010-YET
11,0m	EC3F.7FXX18.011-YET	EC3F.7RXX18.011-YET	EC3F.7VXX18.011-YET	EC3F.7XXX18.011-YET
12,0m	EC3F.7FXX18.012-YET	EC3F.7RXX18.012-YET	EC3F.7VXX18.012-YET	EC3F.7XXX18.012-YET
13,0m	EC3F.7FXX18.013-YET	EC3F.7RXX18.013-YET	EC3F.7VXX18.013-YET	EC3F.7XXX18.013-YET
14,0m	EC3F.7FXX18.014-YET	EC3F.7RXX18.014-YET	EC3F.7VXX18.014-YET	EC3F.7XXX18.014-YET
15,0m	EC3F.7FXX18.015-YET	EC3F.7RXX18.015-YET	EC3F.7VXX18.015-YET	EC3F.7XXX18.015-YET

E2000/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, MM, Boot length 29,25mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color			aqua	aqua
Housing color			beige	beige
Boot color			black	black
Lever color			aqua	aqua
0,5m	N/A	N/A	EC3F.7CXX18.0P5-AQT	EC3F.7DXX18.0P5-AQT
1,0m	N/A	N/A	EC3F.7CXX18.001-AQT	EC3F.7DXX18.001-AQT
2,0m	N/A	N/A	EC3F.7CXX18.002-AQT	EC3F.7DXX18.002-AQT
3,0m	N/A	N/A	EC3F.7CXX18.003-AQT	EC3F.7DXX18.003-AQT
4,0m	N/A	N/A	EC3F.7CXX18.004-AQT	EC3F.7DXX18.004-AQT
5,0m	N/A	N/A	EC3F.7CXX18.005-AQT	EC3F.7DXX18.005-AQT
6,0m	N/A	N/A	EC3F.7CXX18.006-AQT	EC3F.7DXX18.006-AQT
7,0m	N/A	N/A	EC3F.7CXX18.007-AQT	EC3F.7DXX18.007-AQT
7,5m	N/A	N/A	EC3F.7CXX18.7P5-AQT	EC3F.7DXX18.7P5-AQT
8,0m	N/A	N/A	EC3F.7CXX18.008-AQT	EC3F.7DXX18.008-AQT
9,0m	N/A	N/A	EC3F.7CXX18.009-AQT	EC3F.7DXX18.009-AQT
10,0m	N/A	N/A	EC3F.7CXX18.010-AQT	EC3F.7DXX18.010-AQT
11,0m	N/A	N/A	EC3F.7CXX18.011-AQT	EC3F.7DXX18.011-AQT
12,0m	N/A	N/A	EC3F.7CXX18.012-AQT	EC3F.7DXX18.012-AQT
13,0m	N/A	N/A	EC3F.7CXX18.013-AQT	EC3F.7DXX18.013-AQT
14,0m	N/A	N/A	EC3F.7CXX18.014-AQT	EC3F.7DXX18.014-AQT
15,0m	N/A	N/A	EC3F.7CXX18.015-AQT	EC3F.7DXX18.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

E2000sx cable pigtail

E2000/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 29,25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC3F.72XX18.0P5-YET	EC3F.78XX18.0P5-YET	EC3F.79XX18.0P5-YET	EC3F.7MXX18.0P5-YET
1,0m	EC3F.72XX18.001-YET	EC3F.78XX18.001-YET	EC3F.79XX18.001-YET	EC3F.7MXX18.001-YET
2,0m	EC3F.72XX18.002-YET	EC3F.78XX18.002-YET	EC3F.79XX18.002-YET	EC3F.7MXX18.002-YET
3,0m	EC3F.72XX18.003-YET	EC3F.78XX18.003-YET	EC3F.79XX18.003-YET	EC3F.7MXX18.003-YET
4,0m	EC3F.72XX18.004-YET	EC3F.78XX18.004-YET	EC3F.79XX18.004-YET	EC3F.7MXX18.004-YET
5,0m	EC3F.72XX18.005-YET	EC3F.78XX18.005-YET	EC3F.79XX18.005-YET	EC3F.7MXX18.005-YET
6,0m	EC3F.72XX18.006-YET	EC3F.78XX18.006-YET	EC3F.79XX18.006-YET	EC3F.7MXX18.006-YET
7,0m	EC3F.72XX18.007-YET	EC3F.78XX18.007-YET	EC3F.79XX18.007-YET	EC3F.7MXX18.007-YET
7,5m	EC3F.72XX18.7P5-YET	EC3F.78XX18.7P5-YET	EC3F.79XX18.7P5-YET	EC3F.7MXX18.7P5-YET
8,0m	EC3F.72XX18.008-YET	EC3F.78XX18.008-YET	EC3F.79XX18.008-YET	EC3F.7MXX18.008-YET
9,0m	EC3F.72XX18.009-YET	EC3F.78XX18.009-YET	EC3F.79XX18.009-YET	EC3F.7MXX18.009-YET
10,0m	EC3F.72XX18.010-YET	EC3F.78XX18.010-YET	EC3F.79XX18.010-YET	EC3F.7MXX18.010-YET
11,0m	EC3F.72XX18.011-YET	EC3F.78XX18.011-YET	EC3F.79XX18.011-YET	EC3F.7MXX18.011-YET
12,0m	EC3F.72XX18.012-YET	EC3F.78XX18.012-YET	EC3F.79XX18.012-YET	EC3F.7MXX18.012-YET
13,0m	EC3F.72XX18.013-YET	EC3F.78XX18.013-YET	EC3F.79XX18.013-YET	EC3F.7MXX18.013-YET
14,0m	EC3F.72XX18.014-YET	EC3F.78XX18.014-YET	EC3F.79XX18.014-YET	EC3F.7MXX18.014-YET
15,0m	EC3F.72XX18.015-YET	EC3F.78XX18.015-YET	EC3F.79XX18.015-YET	EC3F.7MXX18.015-YET

E2000/APCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 29,25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC3F.73XX18.0P5-YET	EC3F.7AXX18.0P5-YET	EC3F.7BXX18.0P5-YET	EC3F.7NXX18.0P5-YET
1,0m	EC3F.73XX18.001-YET	EC3F.7AXX18.001-YET	EC3F.7BXX18.001-YET	EC3F.7NXX18.001-YET
2,0m	EC3F.73XX18.002-YET	EC3F.7AXX18.002-YET	EC3F.7BXX18.002-YET	EC3F.7NXX18.002-YET
3,0m	EC3F.73XX18.003-YET	EC3F.7AXX18.003-YET	EC3F.7BXX18.003-YET	EC3F.7NXX18.003-YET
4,0m	EC3F.73XX18.004-YET	EC3F.7AXX18.004-YET	EC3F.7BXX18.004-YET	EC3F.7NXX18.004-YET
5,0m	EC3F.73XX18.005-YET	EC3F.7AXX18.005-YET	EC3F.7BXX18.005-YET	EC3F.7NXX18.005-YET
6,0m	EC3F.73XX18.006-YET	EC3F.7AXX18.006-YET	EC3F.7BXX18.006-YET	EC3F.7NXX18.006-YET
7,0m	EC3F.73XX18.007-YET	EC3F.7AXX18.007-YET	EC3F.7BXX18.007-YET	EC3F.7NXX18.007-YET
7,5m	EC3F.73XX18.7P5-YET	EC3F.7AXX18.7P5-YET	EC3F.7BXX18.7P5-YET	EC3F.7NXX18.7P5-YET
8,0m	EC3F.73XX18.008-YET	EC3F.7AXX18.008-YET	EC3F.7BXX18.008-YET	EC3F.7NXX18.008-YET
9,0m	EC3F.73XX18.009-YET	EC3F.7AXX18.009-YET	EC3F.7BXX18.009-YET	EC3F.7NXX18.009-YET
10,0m	EC3F.73XX18.010-YET	EC3F.7AXX18.010-YET	EC3F.7BXX18.010-YET	EC3F.7NXX18.010-YET
11,0m	EC3F.73XX18.011-YET	EC3F.7AXX18.011-YET	EC3F.7BXX18.011-YET	EC3F.7NXX18.011-YET
12,0m	EC3F.73XX18.012-YET	EC3F.7AXX18.012-YET	EC3F.7BXX18.012-YET	EC3F.7NXX18.012-YET
13,0m	EC3F.73XX18.013-YET	EC3F.7AXX18.013-YET	EC3F.7BXX18.013-YET	EC3F.7NXX18.013-YET
14,0m	EC3F.73XX18.014-YET	EC3F.7AXX18.014-YET	EC3F.7BXX18.014-YET	EC3F.7NXX18.014-YET
15,0m	EC3F.73XX18.015-YET	EC3F.7AXX18.015-YET	EC3F.7BXX18.015-YET	EC3F.7NXX18.015-YET

E2000/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, MM, Boot length 29,25mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	orange	orange	aqua	aqua
Housing color	beige	beige	beige	beige
Boot color	black	black	black	black
Lever color	blue	orange	aqua	aqua
0,5m	EC3F.74XX18.0P5-ORT	EC3F.75XX18.0P5-ORT	EC3F.76XX18.0P5-AQT	EC3F.77XX18.0P5-AQT
1,0m	EC3F.74XX18.001-ORT	EC3F.75XX18.001-ORT	EC3F.76XX18.001-AQT	EC3F.77XX18.001-AQT
2,0m	EC3F.74XX18.002-ORT	EC3F.75XX18.002-ORT	EC3F.76XX18.002-AQT	EC3F.77XX18.002-AQT
3,0m	EC3F.74XX18.003-ORT	EC3F.75XX18.003-ORT	EC3F.76XX18.003-AQT	EC3F.77XX18.003-AQT
4,0m	EC3F.74XX18.004-ORT	EC3F.75XX18.004-ORT	EC3F.76XX18.004-AQT	EC3F.77XX18.004-AQT
5,0m	EC3F.74XX18.005-ORT	EC3F.75XX18.005-ORT	EC3F.76XX18.005-AQT	EC3F.77XX18.005-AQT
6,0m	EC3F.74XX18.006-ORT	EC3F.75XX18.006-ORT	EC3F.76XX18.006-AQT	EC3F.77XX18.006-AQT
7,0m	EC3F.74XX18.007-ORT	EC3F.75XX18.007-ORT	EC3F.76XX18.007-AQT	EC3F.77XX18.007-AQT
7,5m	EC3F.74XX18.7P5-ORT	EC3F.75XX18.7P5-ORT	EC3F.76XX18.7P5-AQT	EC3F.77XX18.7P5-AQT
8,0m	EC3F.74XX18.008-ORT	EC3F.75XX18.008-ORT	EC3F.76XX18.008-AQT	EC3F.77XX18.008-AQT
9,0m	EC3F.74XX18.009-ORT	EC3F.75XX18.009-ORT	EC3F.76XX18.009-AQT	EC3F.77XX18.009-AQT
10,0m	EC3F.74XX18.010-ORT	EC3F.75XX18.010-ORT	EC3F.76XX18.010-AQT	EC3F.77XX18.010-AQT
11,0m	EC3F.74XX18.011-ORT	EC3F.75XX18.011-ORT	EC3F.76XX18.011-AQT	EC3F.77XX18.011-AQT
12,0m	EC3F.74XX18.012-ORT	EC3F.75XX18.012-ORT	EC3F.76XX18.012-AQT	EC3F.77XX18.012-AQT
13,0m	EC3F.74XX18.013-ORT	EC3F.75XX18.013-ORT	EC3F.76XX18.013-AQT	EC3F.77XX18.013-AQT
14,0m	EC3F.74XX18.014-ORT	EC3F.75XX18.014-ORT	EC3F.76XX18.014-AQT	EC3F.77XX18.014-AQT
15,0m	EC3F.74XX18.015-ORT	EC3F.75XX18.015-ORT	EC3F.76XX18.015-AQT	EC3F.77XX18.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request



E2000/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC3F.7EXX20.0P5-YET	EC3F.7IXX20.0P5-YET	EC3F.7UXX20.0P5-YET	EC3F.7WXX20.0P5-YET
1,0m	EC3F.7EXX20.001-YET	EC3F.7IXX20.001-YET	EC3F.7UXX20.001-YET	EC3F.7WXX20.001-YET
2,0m	EC3F.7EXX20.002-YET	EC3F.7IXX20.002-YET	EC3F.7UXX20.002-YET	EC3F.7WXX20.002-YET
3,0m	EC3F.7EXX20.003-YET	EC3F.7IXX20.003-YET	EC3F.7UXX20.003-YET	EC3F.7WXX20.003-YET
4,0m	EC3F.7EXX20.004-YET	EC3F.7IXX20.004-YET	EC3F.7UXX20.004-YET	EC3F.7WXX20.004-YET
5,0m	EC3F.7EXX20.005-YET	EC3F.7IXX20.005-YET	EC3F.7UXX20.005-YET	EC3F.7WXX20.005-YET
6,0m	EC3F.7EXX20.006-YET	EC3F.7IXX20.006-YET	EC3F.7UXX20.006-YET	EC3F.7WXX20.006-YET
7,0m	EC3F.7EXX20.007-YET	EC3F.7IXX20.007-YET	EC3F.7UXX20.007-YET	EC3F.7WXX20.007-YET
7,5m	EC3F.7EXX20.7P5-YET	EC3F.7IXX20.7P5-YET	EC3F.7UXX20.7P5-YET	EC3F.7WXX20.7P5-YET
8,0m	EC3F.7EXX20.008-YET	EC3F.7IXX20.008-YET	EC3F.7UXX20.008-YET	EC3F.7WXX20.008-YET
9,0m	EC3F.7EXX20.009-YET	EC3F.7IXX20.009-YET	EC3F.7UXX20.009-YET	EC3F.7WXX20.009-YET
10,0m	EC3F.7EXX20.010-YET	EC3F.7IXX20.010-YET	EC3F.7UXX20.010-YET	EC3F.7WXX20.010-YET
11,0m	EC3F.7EXX20.011-YET	EC3F.7IXX20.011-YET	EC3F.7UXX20.011-YET	EC3F.7WXX20.011-YET
12,0m	EC3F.7EXX20.012-YET	EC3F.7IXX20.012-YET	EC3F.7UXX20.012-YET	EC3F.7WXX20.012-YET
13,0m	EC3F.7EXX20.013-YET	EC3F.7IXX20.013-YET	EC3F.7UXX20.013-YET	EC3F.7WXX20.013-YET
14,0m	EC3F.7EXX20.014-YET	EC3F.7IXX20.014-YET	EC3F.7UXX20.014-YET	EC3F.7WXX20.014-YET
15,0m	EC3F.7EXX20.015-YET	EC3F.7IXX20.015-YET	EC3F.7UXX20.015-YET	EC3F.7WXX20.015-YET

E2000/APCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC3F.7FXX20.0P5-YET	EC3F.7RXX20.0P5-YET	EC3F.7VXX20.0P5-YET	EC3F.7XXX20.0P5-YET
1,0m	EC3F.7FXX20.001-YET	EC3F.7RXX20.001-YET	EC3F.7VXX20.001-YET	EC3F.7XXX20.001-YET
2,0m	EC3F.7FXX20.002-YET	EC3F.7RXX20.002-YET	EC3F.7VXX20.002-YET	EC3F.7XXX20.002-YET
3,0m	EC3F.7FXX20.003-YET	EC3F.7RXX20.003-YET	EC3F.7VXX20.003-YET	EC3F.7XXX20.003-YET
4,0m	EC3F.7FXX20.004-YET	EC3F.7RXX20.004-YET	EC3F.7VXX20.004-YET	EC3F.7XXX20.004-YET
5,0m	EC3F.7FXX20.005-YET	EC3F.7RXX20.005-YET	EC3F.7VXX20.005-YET	EC3F.7XXX20.005-YET
6,0m	EC3F.7FXX20.006-YET	EC3F.7RXX20.006-YET	EC3F.7VXX20.006-YET	EC3F.7XXX20.006-YET
7,0m	EC3F.7FXX20.007-YET	EC3F.7RXX20.007-YET	EC3F.7VXX20.007-YET	EC3F.7XXX20.007-YET
7,5m	EC3F.7FXX20.7P5-YET	EC3F.7RXX20.7P5-YET	EC3F.7VXX20.7P5-YET	EC3F.7XXX20.7P5-YET
8,0m	EC3F.7FXX20.008-YET	EC3F.7RXX20.008-YET	EC3F.7VXX20.008-YET	EC3F.7XXX20.008-YET
9,0m	EC3F.7FXX20.009-YET	EC3F.7RXX20.009-YET	EC3F.7VXX20.009-YET	EC3F.7XXX20.009-YET
10,0m	EC3F.7FXX20.010-YET	EC3F.7RXX20.010-YET	EC3F.7VXX20.010-YET	EC3F.7XXX20.010-YET
11,0m	EC3F.7FXX20.011-YET	EC3F.7RXX20.011-YET	EC3F.7VXX20.011-YET	EC3F.7XXX20.011-YET
12,0m	EC3F.7FXX20.012-YET	EC3F.7RXX20.012-YET	EC3F.7VXX20.012-YET	EC3F.7XXX20.012-YET
13,0m	EC3F.7FXX20.013-YET	EC3F.7RXX20.013-YET	EC3F.7VXX20.013-YET	EC3F.7XXX20.013-YET
14,0m	EC3F.7FXX20.014-YET	EC3F.7RXX20.014-YET	EC3F.7VXX20.014-YET	EC3F.7XXX20.014-YET
15,0m	EC3F.7FXX20.015-YET	EC3F.7RXX20.015-YET	EC3F.7VXX20.015-YET	EC3F.7XXX20.015-YET

E2000/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color			aqua	aqua
Housing color			beige	beige
Boot color			black	black
Lever color			aqua	aqua
0,5m	N/A	N/A	EC3F.7CXX20.0P5-AQT	EC3F.7DXX20.0P5-AQT
1,0m	N/A	N/A	EC3F.7CXX20.001-AQT	EC3F.7DXX20.001-AQT
2,0m	N/A	N/A	EC3F.7CXX20.002-AQT	EC3F.7DXX20.002-AQT
3,0m	N/A	N/A	EC3F.7CXX20.003-AQT	EC3F.7DXX20.003-AQT
4,0m	N/A	N/A	EC3F.7CXX20.004-AQT	EC3F.7DXX20.004-AQT
5,0m	N/A	N/A	EC3F.7CXX20.005-AQT	EC3F.7DXX20.005-AQT
6,0m	N/A	N/A	EC3F.7CXX20.006-AQT	EC3F.7DXX20.006-AQT
7,0m	N/A	N/A	EC3F.7CXX20.007-AQT	EC3F.7DXX20.007-AQT
7,5m	N/A	N/A	EC3F.7CXX20.7P5-AQT	EC3F.7DXX20.7P5-AQT
8,0m	N/A	N/A	EC3F.7CXX20.008-AQT	EC3F.7DXX20.008-AQT
9,0m	N/A	N/A	EC3F.7CXX20.009-AQT	EC3F.7DXX20.009-AQT
10,0m	N/A	N/A	EC3F.7CXX20.010-AQT	EC3F.7DXX20.010-AQT
11,0m	N/A	N/A	EC3F.7CXX20.011-AQT	EC3F.7DXX20.011-AQT
12,0m	N/A	N/A	EC3F.7CXX20.012-AQT	EC3F.7DXX20.012-AQT
13,0m	N/A	N/A	EC3F.7CXX20.013-AQT	EC3F.7DXX20.013-AQT
14,0m	N/A	N/A	EC3F.7CXX20.014-AQT	EC3F.7DXX20.014-AQT
15,0m	N/A	N/A	EC3F.7CXX20.015-AQT	EC3F.7DXX20.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

E2000sx cable pigtail

E2000/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC3F.72XX20.0P5-YET	EC3F.78XX20.0P5-YET	EC3F.79XX20.0P5-YET	EC3F.7MXX20.0P5-YET
1,0m	EC3F.72XX20.001-YET	EC3F.78XX20.001-YET	EC3F.79XX20.001-YET	EC3F.7MXX20.001-YET
2,0m	EC3F.72XX20.002-YET	EC3F.78XX20.002-YET	EC3F.79XX20.002-YET	EC3F.7MXX20.002-YET
3,0m	EC3F.72XX20.003-YET	EC3F.78XX20.003-YET	EC3F.79XX20.003-YET	EC3F.7MXX20.003-YET
4,0m	EC3F.72XX20.004-YET	EC3F.78XX20.004-YET	EC3F.79XX20.004-YET	EC3F.7MXX20.004-YET
5,0m	EC3F.72XX20.005-YET	EC3F.78XX20.005-YET	EC3F.79XX20.005-YET	EC3F.7MXX20.005-YET
6,0m	EC3F.72XX20.006-YET	EC3F.78XX20.006-YET	EC3F.79XX20.006-YET	EC3F.7MXX20.006-YET
7,0m	EC3F.72XX20.007-YET	EC3F.78XX20.007-YET	EC3F.79XX20.007-YET	EC3F.7MXX20.007-YET
7,5m	EC3F.72XX20.7P5-YET	EC3F.78XX20.7P5-YET	EC3F.79XX20.7P5-YET	EC3F.7MXX20.7P5-YET
8,0m	EC3F.72XX20.008-YET	EC3F.78XX20.008-YET	EC3F.79XX20.008-YET	EC3F.7MXX20.008-YET
9,0m	EC3F.72XX20.009-YET	EC3F.78XX20.009-YET	EC3F.79XX20.009-YET	EC3F.7MXX20.009-YET
10,0m	EC3F.72XX20.010-YET	EC3F.78XX20.010-YET	EC3F.79XX20.010-YET	EC3F.7MXX20.010-YET
11,0m	EC3F.72XX20.011-YET	EC3F.78XX20.011-YET	EC3F.79XX20.011-YET	EC3F.7MXX20.011-YET
12,0m	EC3F.72XX20.012-YET	EC3F.78XX20.012-YET	EC3F.79XX20.012-YET	EC3F.7MXX20.012-YET
13,0m	EC3F.72XX20.013-YET	EC3F.78XX20.013-YET	EC3F.79XX20.013-YET	EC3F.7MXX20.013-YET
14,0m	EC3F.72XX20.014-YET	EC3F.78XX20.014-YET	EC3F.79XX20.014-YET	EC3F.7MXX20.014-YET
15,0m	EC3F.72XX20.015-YET	EC3F.78XX20.015-YET	EC3F.79XX20.015-YET	EC3F.7MXX20.015-YET

E2000/APCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC3F.73XX20.0P5-YET	EC3F.7AXX20.0P5-YET	EC3F.7BXX20.0P5-YET	EC3F.7NXX20.0P5-YET
1,0m	EC3F.73XX20.001-YET	EC3F.7AXX20.001-YET	EC3F.7BXX20.001-YET	EC3F.7NXX20.001-YET
2,0m	EC3F.73XX20.002-YET	EC3F.7AXX20.002-YET	EC3F.7BXX20.002-YET	EC3F.7NXX20.002-YET
3,0m	EC3F.73XX20.003-YET	EC3F.7AXX20.003-YET	EC3F.7BXX20.003-YET	EC3F.7NXX20.003-YET
4,0m	EC3F.73XX20.004-YET	EC3F.7AXX20.004-YET	EC3F.7BXX20.004-YET	EC3F.7NXX20.004-YET
5,0m	EC3F.73XX20.005-YET	EC3F.7AXX20.005-YET	EC3F.7BXX20.005-YET	EC3F.7NXX20.005-YET
6,0m	EC3F.73XX20.006-YET	EC3F.7AXX20.006-YET	EC3F.7BXX20.006-YET	EC3F.7NXX20.006-YET
7,0m	EC3F.73XX20.007-YET	EC3F.7AXX20.007-YET	EC3F.7BXX20.007-YET	EC3F.7NXX20.007-YET
7,5m	EC3F.73XX20.7P5-YET	EC3F.7AXX20.7P5-YET	EC3F.7BXX20.7P5-YET	EC3F.7NXX20.7P5-YET
8,0m	EC3F.73XX20.008-YET	EC3F.7AXX20.008-YET	EC3F.7BXX20.008-YET	EC3F.7NXX20.008-YET
9,0m	EC3F.73XX20.009-YET	EC3F.7AXX20.009-YET	EC3F.7BXX20.009-YET	EC3F.7NXX20.009-YET
10,0m	EC3F.73XX20.010-YET	EC3F.7AXX20.010-YET	EC3F.7BXX20.010-YET	EC3F.7NXX20.010-YET
11,0m	EC3F.73XX20.011-YET	EC3F.7AXX20.011-YET	EC3F.7BXX20.011-YET	EC3F.7NXX20.011-YET
12,0m	EC3F.73XX20.012-YET	EC3F.7AXX20.012-YET	EC3F.7BXX20.012-YET	EC3F.7NXX20.012-YET
13,0m	EC3F.73XX20.013-YET	EC3F.7AXX20.013-YET	EC3F.7BXX20.013-YET	EC3F.7NXX20.013-YET
14,0m	EC3F.73XX20.014-YET	EC3F.7AXX20.014-YET	EC3F.7BXX20.014-YET	EC3F.7NXX20.014-YET
15,0m	EC3F.73XX20.015-YET	EC3F.7AXX20.015-YET	EC3F.7BXX20.015-YET	EC3F.7NXX20.015-YET

E2000/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	orange	orange	aqua	aqua
Housing color	beige	beige	beige	beige
Boot E2000/LC	black	black/white	black/white	black/white
Lever color	blue	orange	aqua	aqua
0,5m	EC3F.74XX20.0P5-ORT	EC3F.75XX20.0P5-ORT	EC3F.76XX20.0P5-AQT	EC3F.77XX20.0P5-AQT
1,0m	EC3F.74XX20.001-ORT	EC3F.75XX20.001-ORT	EC3F.76XX20.001-AQT	EC3F.77XX20.001-AQT
2,0m	EC3F.74XX20.002-ORT	EC3F.75XX20.002-ORT	EC3F.76XX20.002-AQT	EC3F.77XX20.002-AQT
3,0m	EC3F.74XX20.003-ORT	EC3F.75XX20.003-ORT	EC3F.76XX20.003-AQT	EC3F.77XX20.003-AQT
4,0m	EC3F.74XX20.004-ORT	EC3F.75XX20.004-ORT	EC3F.76XX20.004-AQT	EC3F.77XX20.004-AQT
5,0m	EC3F.74XX20.005-ORT	EC3F.75XX20.005-ORT	EC3F.76XX20.005-AQT	EC3F.77XX20.005-AQT
6,0m	EC3F.74XX20.006-ORT	EC3F.75XX20.006-ORT	EC3F.76XX20.006-AQT	EC3F.77XX20.006-AQT
7,0m	EC3F.74XX20.007-ORT	EC3F.75XX20.007-ORT	EC3F.76XX20.007-AQT	EC3F.77XX20.007-AQT
7,5m	EC3F.74XX20.7P5-ORT	EC3F.75XX20.7P5-ORT	EC3F.76XX20.7P5-AQT	EC3F.77XX20.7P5-AQT
8,0m	EC3F.74XX20.008-ORT	EC3F.75XX20.008-ORT	EC3F.76XX20.008-AQT	EC3F.77XX20.008-AQT
9,0m	EC3F.74XX20.009-ORT	EC3F.75XX20.009-ORT	EC3F.76XX20.009-AQT	EC3F.77XX20.009-AQT
10,0m	EC3F.74XX20.010-ORT	EC3F.75XX20.010-ORT	EC3F.76XX20.010-AQT	EC3F.77XX20.010-AQT
11,0m	EC3F.74XX20.011-ORT	EC3F.75XX20.011-ORT	EC3F.76XX20.011-AQT	EC3F.77XX20.011-AQT
12,0m	EC3F.74XX20.012-ORT	EC3F.75XX20.012-ORT	EC3F.76XX20.012-AQT	EC3F.77XX20.012-AQT
13,0m	EC3F.74XX20.013-ORT	EC3F.75XX20.013-ORT	EC3F.76XX20.013-AQT	EC3F.77XX20.013-AQT
14,0m	EC3F.74XX20.014-ORT	EC3F.75XX20.014-ORT	EC3F.76XX20.014-AQT	EC3F.77XX20.014-AQT
15,0m	EC3F.74XX20.015-ORT	EC3F.75XX20.015-ORT	EC3F.76XX20.015-AQT	EC3F.77XX20.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request



LC/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 20mm, Grade B, with test protocol

Fiber type Jacket color Housing color Boot color	G652D yellow blue blue	G657A2 yellow blue blue	G657B2 yellow blue blue	G655D yellow blue blue
0,5m	EC3F.4EXX12.0P5-YET	EC3F.4IXX12.0P5-YET	EC3F.4UXX12.0P5-YET	EC3F.4WXX12.0P5-YET
1,0m	EC3F.4EXX12.001-YET	EC3F.4IXX12.001-YET	EC3F.4UXX12.001-YET	EC3F.4WXX12.001-YET
2,0m	EC3F.4EXX12.002-YET	EC3F.4IXX12.002-YET	EC3F.4UXX12.002-YET	EC3F.4WXX12.002-YET
3,0m	EC3F.4EXX12.003-YET	EC3F.4IXX12.003-YET	EC3F.4UXX12.003-YET	EC3F.4WXX12.003-YET
4,0m	EC3F.4EXX12.004-YET	EC3F.4IXX12.004-YET	EC3F.4UXX12.004-YET	EC3F.4WXX12.004-YET
5,0m	EC3F.4EXX12.005-YET	EC3F.4IXX12.005-YET	EC3F.4UXX12.005-YET	EC3F.4WXX12.005-YET
6,0m	EC3F.4EXX12.006-YET	EC3F.4IXX12.006-YET	EC3F.4UXX12.006-YET	EC3F.4WXX12.006-YET
7,0m	EC3F.4EXX12.007-YET	EC3F.4IXX12.007-YET	EC3F.4UXX12.007-YET	EC3F.4WXX12.007-YET
7,5m	EC3F.4EXX12.7P5-YET	EC3F.4IXX12.7P5-YET	EC3F.4UXX12.7P5-YET	EC3F.4WXX12.7P5-YET
8,0m	EC3F.4EXX12.008-YET	EC3F.4IXX12.008-YET	EC3F.4UXX12.008-YET	EC3F.4WXX12.008-YET
9,0m	EC3F.4EXX12.009-YET	EC3F.4IXX12.009-YET	EC3F.4UXX12.009-YET	EC3F.4WXX12.009-YET
10,0m	EC3F.4EXX12.010-YET	EC3F.4IXX12.010-YET	EC3F.4UXX12.010-YET	EC3F.4WXX12.010-YET
11,0m	EC3F.4EXX12.011-YET	EC3F.4IXX12.011-YET	EC3F.4UXX12.011-YET	EC3F.4WXX12.011-YET
12,0m	EC3F.4EXX12.012-YET	EC3F.4IXX12.012-YET	EC3F.4UXX12.012-YET	EC3F.4WXX12.012-YET
13,0m	EC3F.4EXX12.013-YET	EC3F.4IXX12.013-YET	EC3F.4UXX12.013-YET	EC3F.4WXX12.013-YET
14,0m	EC3F.4EXX12.014-YET	EC3F.4IXX12.014-YET	EC3F.4UXX12.014-YET	EC3F.4WXX12.014-YET
15,0m	EC3F.4EXX12.015-YET	EC3F.4IXX12.015-YET	EC3F.4UXX12.015-YET	EC3F.4WXX12.015-YET

LC/APCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 20mm, Grade B, with test protocol

Fiber type Jacket color Housing color Boot color	G652D yellow green green	G657A2 yellow green green	G657B2 yellow green green	G655D yellow green green
0,5m	EC3F.4FXX12.0P5-YET	EC3F.4JXX12.0P5-YET	EC3F.4VXX12.0P5-YET	EC3F.4XXX12.0P5-YET
1,0m	EC3F.4FXX12.001-YET	EC3F.4JXX12.001-YET	EC3F.4VXX12.001-YET	EC3F.4XXX12.001-YET
2,0m	EC3F.4FXX12.002-YET	EC3F.4JXX12.002-YET	EC3F.4VXX12.002-YET	EC3F.4XXX12.002-YET
3,0m	EC3F.4FXX12.003-YET	EC3F.4JXX12.003-YET	EC3F.4VXX12.003-YET	EC3F.4XXX12.003-YET
4,0m	EC3F.4FXX12.004-YET	EC3F.4JXX12.004-YET	EC3F.4VXX12.004-YET	EC3F.4XXX12.004-YET
5,0m	EC3F.4FXX12.005-YET	EC3F.4JXX12.005-YET	EC3F.4VXX12.005-YET	EC3F.4XXX12.005-YET
6,0m	EC3F.4FXX12.006-YET	EC3F.4JXX12.006-YET	EC3F.4VXX12.006-YET	EC3F.4XXX12.006-YET
7,0m	EC3F.4FXX12.007-YET	EC3F.4JXX12.007-YET	EC3F.4VXX12.007-YET	EC3F.4XXX12.007-YET
7,5m	EC3F.4FXX12.7P5-YET	EC3F.4JXX12.7P5-YET	EC3F.4VXX12.7P5-YET	EC3F.4XXX12.7P5-YET
8,0m	EC3F.4FXX12.008-YET	EC3F.4JXX12.008-YET	EC3F.4VXX12.008-YET	EC3F.4XXX12.008-YET
9,0m	EC3F.4FXX12.009-YET	EC3F.4JXX12.009-YET	EC3F.4VXX12.009-YET	EC3F.4XXX12.009-YET
10,0m	EC3F.4FXX12.010-YET	EC3F.4JXX12.010-YET	EC3F.4VXX12.010-YET	EC3F.4XXX12.010-YET
11,0m	EC3F.4FXX12.011-YET	EC3F.4JXX12.011-YET	EC3F.4VXX12.011-YET	EC3F.4XXX12.011-YET
12,0m	EC3F.4FXX12.012-YET	EC3F.4JXX12.012-YET	EC3F.4VXX12.012-YET	EC3F.4XXX12.012-YET
13,0m	EC3F.4FXX12.013-YET	EC3F.4JXX12.013-YET	EC3F.4VXX12.013-YET	EC3F.4XXX12.013-YET
14,0m	EC3F.4FXX12.014-YET	EC3F.4JXX12.014-YET	EC3F.4VXX12.014-YET	EC3F.4XXX12.014-YET
15,0m	EC3F.4FXX12.015-YET	EC3F.4JXX12.015-YET	EC3F.4VXX12.015-YET	EC3F.4XXX12.015-YET

LC/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, MM, Boot length 20mm, Grade B, with test protocol

Fiber type Jacket color Housing color Boot color	G62,5/OM1 grey beige black	G50/OM2 orange beige white	G50/OM3 aqua aqua white	G50/OM4 heather violet heather violet white
0,5m	EC3F.44XX12.0P5-GRGX	EC3F.45XX12.0P5-ORTX	EC3F.4CXX12.0P5-AQT	EC3F.4DXX12.0P5-HVT
1,0m	EC3F.44XX12.001-GRGX	EC3F.45XX12.001-ORTX	EC3F.4CXX12.001-AQT	EC3F.4DXX12.001-HVT
2,0m	EC3F.44XX12.002-GRGX	EC3F.45XX12.002-ORTX	EC3F.4CXX12.002-AQT	EC3F.4DXX12.002-HVT
3,0m	EC3F.44XX12.003-GRGX	EC3F.45XX12.003-ORTX	EC3F.4CXX12.003-AQT	EC3F.4DXX12.003-HVT
4,0m	EC3F.44XX12.004-GRGX	EC3F.45XX12.004-ORTX	EC3F.4CXX12.004-AQT	EC3F.4DXX12.004-HVT
5,0m	EC3F.44XX12.005-GRGX	EC3F.45XX12.005-ORTX	EC3F.4CXX12.005-AQT	EC3F.4DXX12.005-HVT
6,0m	EC3F.44XX12.006-GRGX	EC3F.45XX12.006-ORTX	EC3F.4CXX12.006-AQT	EC3F.4DXX12.006-HVT
7,0m	EC3F.44XX12.007-GRGX	EC3F.45XX12.007-ORTX	EC3F.4CXX12.007-AQT	EC3F.4DXX12.007-HVT
7,5m	EC3F.44XX12.7P5-GRGX	EC3F.45XX12.7P5-ORTX	EC3F.4CXX12.7P5-AQT	EC3F.4DXX12.7P5-HVT
8,0m	EC3F.44XX12.008-GRGX	EC3F.45XX12.008-ORTX	EC3F.4CXX12.008-AQT	EC3F.4DXX12.008-HVT
9,0m	EC3F.44XX12.009-GRGX	EC3F.45XX12.009-ORTX	EC3F.4CXX12.009-AQT	EC3F.4DXX12.009-HVT
10,0m	EC3F.44XX12.010-GRGX	EC3F.45XX12.010-ORTX	EC3F.4CXX12.010-AQT	EC3F.4DXX12.010-HVT
11,0m	EC3F.44XX12.011-GRGX	EC3F.45XX12.011-ORTX	EC3F.4CXX12.011-AQT	EC3F.4DXX12.011-HVT
12,0m	EC3F.44XX12.012-GRGX	EC3F.45XX12.012-ORTX	EC3F.4CXX12.012-AQT	EC3F.4DXX12.012-HVT
13,0m	EC3F.44XX12.013-GRGX	EC3F.45XX12.013-ORTX	EC3F.4CXX12.013-AQT	EC3F.4DXX12.013-HVT
14,0m	EC3F.44XX12.014-GRGX	EC3F.45XX12.014-ORTX	EC3F.4CXX12.014-AQT	EC3F.4DXX12.014-HVT
15,0m	EC3F.44XX12.015-GRGX	EC3F.45XX12.015-ORTX	EC3F.4CXX12.015-AQT	EC3F.4DXX12.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCsx cable pigtail

LC/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 20mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.42XX12.0P5-YET	EC3F.48XX12.0P5-YET	EC3F.49XX12.0P5-YET	EC3F.4MXX12.0P5-YET
1,0m	EC3F.42XX12.001-YET	EC3F.48XX12.001-YET	EC3F.49XX12.001-YET	EC3F.4MXX12.001-YET
2,0m	EC3F.42XX12.002-YET	EC3F.48XX12.002-YET	EC3F.49XX12.002-YET	EC3F.4MXX12.002-YET
3,0m	EC3F.42XX12.003-YET	EC3F.48XX12.003-YET	EC3F.49XX12.003-YET	EC3F.4MXX12.003-YET
4,0m	EC3F.42XX12.004-YET	EC3F.48XX12.004-YET	EC3F.49XX12.004-YET	EC3F.4MXX12.004-YET
5,0m	EC3F.42XX12.005-YET	EC3F.48XX12.005-YET	EC3F.49XX12.005-YET	EC3F.4MXX12.005-YET
6,0m	EC3F.42XX12.006-YET	EC3F.48XX12.006-YET	EC3F.49XX12.006-YET	EC3F.4MXX12.006-YET
7,0m	EC3F.42XX12.007-YET	EC3F.48XX12.007-YET	EC3F.49XX12.007-YET	EC3F.4MXX12.007-YET
7,5m	EC3F.42XX12.7P5-YET	EC3F.48XX12.7P5-YET	EC3F.49XX12.7P5-YET	EC3F.4MXX12.7P5-YET
8,0m	EC3F.42XX12.008-YET	EC3F.48XX12.008-YET	EC3F.49XX12.008-YET	EC3F.4MXX12.008-YET
9,0m	EC3F.42XX12.009-YET	EC3F.48XX12.009-YET	EC3F.49XX12.009-YET	EC3F.4MXX12.009-YET
10,0m	EC3F.42XX12.010-YET	EC3F.48XX12.010-YET	EC3F.49XX12.010-YET	EC3F.4MXX12.010-YET
11,0m	EC3F.42XX12.011-YET	EC3F.48XX12.011-YET	EC3F.49XX12.011-YET	EC3F.4MXX12.011-YET
12,0m	EC3F.42XX12.012-YET	EC3F.48XX12.012-YET	EC3F.49XX12.012-YET	EC3F.4MXX12.012-YET
13,0m	EC3F.42XX12.013-YET	EC3F.48XX12.013-YET	EC3F.49XX12.013-YET	EC3F.4MXX12.013-YET
14,0m	EC3F.42XX12.014-YET	EC3F.48XX12.014-YET	EC3F.49XX12.014-YET	EC3F.4MXX12.014-YET
15,0m	EC3F.42XX12.015-YET	EC3F.48XX12.015-YET	EC3F.49XX12.015-YET	EC3F.4MXX12.015-YET

LC/APCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 20mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.43XX12.0P5-YET	EC3F.4AXX12.0P5-YET	EC3F.4BXX12.0P5-YET	EC3F.4NXX12.0P5-YET
1,0m	EC3F.43XX12.001-YET	EC3F.4AXX12.001-YET	EC3F.4BXX12.001-YET	EC3F.4NXX12.001-YET
2,0m	EC3F.43XX12.002-YET	EC3F.4AXX12.002-YET	EC3F.4BXX12.002-YET	EC3F.4NXX12.002-YET
3,0m	EC3F.43XX12.003-YET	EC3F.4AXX12.003-YET	EC3F.4BXX12.003-YET	EC3F.4NXX12.003-YET
4,0m	EC3F.43XX12.004-YET	EC3F.4AXX12.004-YET	EC3F.4BXX12.004-YET	EC3F.4NXX12.004-YET
5,0m	EC3F.43XX12.005-YET	EC3F.4AXX12.005-YET	EC3F.4BXX12.005-YET	EC3F.4NXX12.005-YET
6,0m	EC3F.43XX12.006-YET	EC3F.4AXX12.006-YET	EC3F.4BXX12.006-YET	EC3F.4NXX12.006-YET
7,0m	EC3F.43XX12.007-YET	EC3F.4AXX12.007-YET	EC3F.4BXX12.007-YET	EC3F.4NXX12.007-YET
7,5m	EC3F.43XX12.7P5-YET	EC3F.4AXX12.7P5-YET	EC3F.4BXX12.7P5-YET	EC3F.4NXX12.7P5-YET
8,0m	EC3F.43XX12.008-YET	EC3F.4AXX12.008-YET	EC3F.4BXX12.008-YET	EC3F.4NXX12.008-YET
9,0m	EC3F.43XX12.009-YET	EC3F.4AXX12.009-YET	EC3F.4BXX12.009-YET	EC3F.4NXX12.009-YET
10,0m	EC3F.43XX12.010-YET	EC3F.4AXX12.010-YET	EC3F.4BXX12.010-YET	EC3F.4NXX12.010-YET
11,0m	EC3F.43XX12.011-YET	EC3F.4AXX12.011-YET	EC3F.4BXX12.011-YET	EC3F.4NXX12.011-YET
12,0m	EC3F.43XX12.012-YET	EC3F.4AXX12.012-YET	EC3F.4BXX12.012-YET	EC3F.4NXX12.012-YET
13,0m	EC3F.43XX12.013-YET	EC3F.4AXX12.013-YET	EC3F.4BXX12.013-YET	EC3F.4NXX12.013-YET
14,0m	EC3F.43XX12.014-YET	EC3F.4AXX12.014-YET	EC3F.4BXX12.014-YET	EC3F.4NXX12.014-YET
15,0m	EC3F.43XX12.015-YET	EC3F.4AXX12.015-YET	EC3F.4BXX12.015-YET	EC3F.4NXX12.015-YET

LC/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, MM, Boot length 20mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.44XX12.0P5-GRT	EC3F.45XX12.0P5-ORT	EC3F.46XX12.0P5-AQT	EC3F.47XX12.0P5-HVT
1,0m	EC3F.44XX12.001-GRT	EC3F.45XX12.001-ORT	EC3F.46XX12.001-AQT	EC3F.47XX12.001-HVT
2,0m	EC3F.44XX12.002-GRT	EC3F.45XX12.002-ORT	EC3F.46XX12.002-AQT	EC3F.47XX12.002-HVT
3,0m	EC3F.44XX12.003-GRT	EC3F.45XX12.003-ORT	EC3F.46XX12.003-AQT	EC3F.47XX12.003-HVT
4,0m	EC3F.44XX12.004-GRT	EC3F.45XX12.004-ORT	EC3F.46XX12.004-AQT	EC3F.47XX12.004-HVT
5,0m	EC3F.44XX12.005-GRT	EC3F.45XX12.005-ORT	EC3F.46XX12.005-AQT	EC3F.47XX12.005-HVT
6,0m	EC3F.44XX12.006-GRT	EC3F.45XX12.006-ORT	EC3F.46XX12.006-AQT	EC3F.47XX12.006-HVT
7,0m	EC3F.44XX12.007-GRT	EC3F.45XX12.007-ORT	EC3F.46XX12.007-AQT	EC3F.47XX12.007-HVT
7,5m	EC3F.44XX12.7P5-GRT	EC3F.45XX12.7P5-ORT	EC3F.46XX12.7P5-AQT	EC3F.47XX12.7P5-HVT
8,0m	EC3F.44XX12.008-GRT	EC3F.45XX12.008-ORT	EC3F.46XX12.008-AQT	EC3F.47XX12.008-HVT
9,0m	EC3F.44XX12.009-GRT	EC3F.45XX12.009-ORT	EC3F.46XX12.009-AQT	EC3F.47XX12.009-HVT
10,0m	EC3F.44XX12.010-GRT	EC3F.45XX12.010-ORT	EC3F.46XX12.010-AQT	EC3F.47XX12.010-HVT
11,0m	EC3F.44XX12.011-GRT	EC3F.45XX12.011-ORT	EC3F.46XX12.011-AQT	EC3F.47XX12.011-HVT
12,0m	EC3F.44XX12.012-GRT	EC3F.45XX12.012-ORT	EC3F.46XX12.012-AQT	EC3F.47XX12.012-HVT
13,0m	EC3F.44XX12.013-GRT	EC3F.45XX12.013-ORT	EC3F.46XX12.013-AQT	EC3F.47XX12.013-HVT
14,0m	EC3F.44XX12.014-GRT	EC3F.45XX12.014-ORT	EC3F.46XX12.014-AQT	EC3F.47XX12.014-HVT
15,0m	EC3F.44XX12.015-GRT	EC3F.45XX12.015-ORT	EC3F.46XX12.015-AQT	EC3F.47XX12.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request



LC/PCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, SM, Boot length 20mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.4EXX16.0P5-YET	EC3F.4IXX16.0P5-YET	EC3F.4UXX16.0P5-YET	EC3F.4WXX16.0P5-YET
1,0m	EC3F.4EXX16.001-YET	EC3F.4IXX16.001-YET	EC3F.4UXX16.001-YET	EC3F.4WXX16.001-YET
2,0m	EC3F.4EXX16.002-YET	EC3F.4IXX16.002-YET	EC3F.4UXX16.002-YET	EC3F.4WXX16.002-YET
3,0m	EC3F.4EXX16.003-YET	EC3F.4IXX16.003-YET	EC3F.4UXX16.003-YET	EC3F.4WXX16.003-YET
4,0m	EC3F.4EXX16.004-YET	EC3F.4IXX16.004-YET	EC3F.4UXX16.004-YET	EC3F.4WXX16.004-YET
5,0m	EC3F.4EXX16.005-YET	EC3F.4IXX16.005-YET	EC3F.4UXX16.005-YET	EC3F.4WXX16.005-YET
6,0m	EC3F.4EXX16.006-YET	EC3F.4IXX16.006-YET	EC3F.4UXX16.006-YET	EC3F.4WXX16.006-YET
7,0m	EC3F.4EXX16.007-YET	EC3F.4IXX16.007-YET	EC3F.4UXX16.007-YET	EC3F.4WXX16.007-YET
7,5m	EC3F.4EXX16.7P5-YET	EC3F.4IXX16.7P5-YET	EC3F.4UXX16.7P5-YET	EC3F.4WXX16.7P5-YET
8,0m	EC3F.4EXX16.008-YET	EC3F.4IXX16.008-YET	EC3F.4UXX16.008-YET	EC3F.4WXX16.008-YET
9,0m	EC3F.4EXX16.009-YET	EC3F.4IXX16.009-YET	EC3F.4UXX16.009-YET	EC3F.4WXX16.009-YET
10,0m	EC3F.4EXX16.010-YET	EC3F.4IXX16.010-YET	EC3F.4UXX16.010-YET	EC3F.4WXX16.010-YET
11,0m	EC3F.4EXX16.011-YET	EC3F.4IXX16.011-YET	EC3F.4UXX16.011-YET	EC3F.4WXX16.011-YET
12,0m	EC3F.4EXX16.012-YET	EC3F.4IXX16.012-YET	EC3F.4UXX16.012-YET	EC3F.4WXX16.012-YET
13,0m	EC3F.4EXX16.013-YET	EC3F.4IXX16.013-YET	EC3F.4UXX16.013-YET	EC3F.4WXX16.013-YET
14,0m	EC3F.4EXX16.014-YET	EC3F.4IXX16.014-YET	EC3F.4UXX16.014-YET	EC3F.4WXX16.014-YET
15,0m	EC3F.4EXX16.015-YET	EC3F.4IXX16.015-YET	EC3F.4UXX16.015-YET	EC3F.4WXX16.015-YET

LC/APCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, SM, Boot length 20mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.4FXX16.0P5-YET	EC3F.4JXX16.0P5-YET	EC3F.4VXX16.0P5-YET	EC3F.4XXX16.0P5-YET
1,0m	EC3F.4FXX16.001-YET	EC3F.4JXX16.001-YET	EC3F.4VXX16.001-YET	EC3F.4XXX16.001-YET
2,0m	EC3F.4FXX16.002-YET	EC3F.4JXX16.002-YET	EC3F.4VXX16.002-YET	EC3F.4XXX16.002-YET
3,0m	EC3F.4FXX16.003-YET	EC3F.4JXX16.003-YET	EC3F.4VXX16.003-YET	EC3F.4XXX16.003-YET
4,0m	EC3F.4FXX16.004-YET	EC3F.4JXX16.004-YET	EC3F.4VXX16.004-YET	EC3F.4XXX16.004-YET
5,0m	EC3F.4FXX16.005-YET	EC3F.4JXX16.005-YET	EC3F.4VXX16.005-YET	EC3F.4XXX16.005-YET
6,0m	EC3F.4FXX16.006-YET	EC3F.4JXX16.006-YET	EC3F.4VXX16.006-YET	EC3F.4XXX16.006-YET
7,0m	EC3F.4FXX16.007-YET	EC3F.4JXX16.007-YET	EC3F.4VXX16.007-YET	EC3F.4XXX16.007-YET
7,5m	EC3F.4FXX16.7P5-YET	EC3F.4JXX16.7P5-YET	EC3F.4VXX16.7P5-YET	EC3F.4XXX16.7P5-YET
8,0m	EC3F.4FXX16.008-YET	EC3F.4JXX16.008-YET	EC3F.4VXX16.008-YET	EC3F.4XXX16.008-YET
9,0m	EC3F.4FXX16.009-YET	EC3F.4JXX16.009-YET	EC3F.4VXX16.009-YET	EC3F.4XXX16.009-YET
10,0m	EC3F.4FXX16.010-YET	EC3F.4JXX16.010-YET	EC3F.4VXX16.010-YET	EC3F.4XXX16.010-YET
11,0m	EC3F.4FXX16.011-YET	EC3F.4JXX16.011-YET	EC3F.4VXX16.011-YET	EC3F.4XXX16.011-YET
12,0m	EC3F.4FXX16.012-YET	EC3F.4JXX16.012-YET	EC3F.4VXX16.012-YET	EC3F.4XXX16.012-YET
13,0m	EC3F.4FXX16.013-YET	EC3F.4JXX16.013-YET	EC3F.4VXX16.013-YET	EC3F.4XXX16.013-YET
14,0m	EC3F.4FXX16.014-YET	EC3F.4JXX16.014-YET	EC3F.4VXX16.014-YET	EC3F.4XXX16.014-YET
15,0m	EC3F.4FXX16.015-YET	EC3F.4JXX16.015-YET	EC3F.4VXX16.015-YET	EC3F.4XXX16.015-YET

LC/PCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, MM, Boot length 20mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.44XX16.0P5-GRTX	EC3F.45XX16.0P5-ORTX	EC3F.4CXX16.0P5-AQT	EC3F.4DXX16.0P5-HVT
1,0m	EC3F.44XX16.001-GRTX	EC3F.45XX16.001-ORTX	EC3F.4CXX16.001-AQT	EC3F.4DXX16.001-HVT
2,0m	EC3F.44XX16.002-GRTX	EC3F.45XX16.002-ORTX	EC3F.4CXX16.002-AQT	EC3F.4DXX16.002-HVT
3,0m	EC3F.44XX16.003-GRTX	EC3F.45XX16.003-ORTX	EC3F.4CXX16.003-AQT	EC3F.4DXX16.003-HVT
4,0m	EC3F.44XX16.004-GRTX	EC3F.45XX16.004-ORTX	EC3F.4CXX16.004-AQT	EC3F.4DXX16.004-HVT
5,0m	EC3F.44XX16.005-GRTX	EC3F.45XX16.005-ORTX	EC3F.4CXX16.005-AQT	EC3F.4DXX16.005-HVT
6,0m	EC3F.44XX16.006-GRTX	EC3F.45XX16.006-ORTX	EC3F.4CXX16.006-AQT	EC3F.4DXX16.006-HVT
7,0m	EC3F.44XX16.007-GRTX	EC3F.45XX16.007-ORTX	EC3F.4CXX16.007-AQT	EC3F.4DXX16.007-HVT
7,5m	EC3F.44XX16.7P5-GRTX	EC3F.45XX16.7P5-ORTX	EC3F.4CXX16.7P5-AQT	EC3F.4DXX16.7P5-HVT
8,0m	EC3F.44XX16.008-GRTX	EC3F.45XX16.008-ORTX	EC3F.4CXX16.008-AQT	EC3F.4DXX16.008-HVT
9,0m	EC3F.44XX16.009-GRTX	EC3F.45XX16.009-ORTX	EC3F.4CXX16.009-AQT	EC3F.4DXX16.009-HVT
10,0m	EC3F.44XX16.010-GRTX	EC3F.45XX16.010-ORTX	EC3F.4CXX16.010-AQT	EC3F.4DXX16.010-HVT
11,0m	EC3F.44XX16.011-GRTX	EC3F.45XX16.011-ORTX	EC3F.4CXX16.011-AQT	EC3F.4DXX16.011-HVT
12,0m	EC3F.44XX16.012-GRTX	EC3F.45XX16.012-ORTX	EC3F.4CXX16.012-AQT	EC3F.4DXX16.012-HVT
13,0m	EC3F.44XX16.013-GRTX	EC3F.45XX16.013-ORTX	EC3F.4CXX16.013-AQT	EC3F.4DXX16.013-HVT
14,0m	EC3F.44XX16.014-GRTX	EC3F.45XX16.014-ORTX	EC3F.4CXX16.014-AQT	EC3F.4DXX16.014-HVT
15,0m	EC3F.44XX16.015-GRTX	EC3F.45XX16.015-ORTX	EC3F.4CXX16.015-AQT	EC3F.4DXX16.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCsx cable pigtail

LC/PCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, SM, Boot length 20mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.42XX16.0P5-YET	EC3F.48XX16.0P5-YET	EC3F.49XX16.0P5-YET	EC3F.4MXX16.0P5-YET
1,0m	EC3F.42XX16.001-YET	EC3F.48XX16.001-YET	EC3F.49XX16.001-YET	EC3F.4MXX16.001-YET
2,0m	EC3F.42XX16.002-YET	EC3F.48XX16.002-YET	EC3F.49XX16.002-YET	EC3F.4MXX16.002-YET
3,0m	EC3F.42XX16.003-YET	EC3F.48XX16.003-YET	EC3F.49XX16.003-YET	EC3F.4MXX16.003-YET
4,0m	EC3F.42XX16.004-YET	EC3F.48XX16.004-YET	EC3F.49XX16.004-YET	EC3F.4MXX16.004-YET
5,0m	EC3F.42XX16.005-YET	EC3F.48XX16.005-YET	EC3F.49XX16.005-YET	EC3F.4MXX16.005-YET
6,0m	EC3F.42XX16.006-YET	EC3F.48XX16.006-YET	EC3F.49XX16.006-YET	EC3F.4MXX16.006-YET
7,0m	EC3F.42XX16.007-YET	EC3F.48XX16.007-YET	EC3F.49XX16.007-YET	EC3F.4MXX16.007-YET
7,5m	EC3F.42XX16.7P5-YET	EC3F.48XX16.7P5-YET	EC3F.49XX16.7P5-YET	EC3F.4MXX16.7P5-YET
8,0m	EC3F.42XX16.008-YET	EC3F.48XX16.008-YET	EC3F.49XX16.008-YET	EC3F.4MXX16.008-YET
9,0m	EC3F.42XX16.009-YET	EC3F.48XX16.009-YET	EC3F.49XX16.009-YET	EC3F.4MXX16.009-YET
10,0m	EC3F.42XX16.010-YET	EC3F.48XX16.010-YET	EC3F.49XX16.010-YET	EC3F.4MXX16.010-YET
11,0m	EC3F.42XX16.011-YET	EC3F.48XX16.011-YET	EC3F.49XX16.011-YET	EC3F.4MXX16.011-YET
12,0m	EC3F.42XX16.012-YET	EC3F.48XX16.012-YET	EC3F.49XX16.012-YET	EC3F.4MXX16.012-YET
13,0m	EC3F.42XX16.013-YET	EC3F.48XX16.013-YET	EC3F.49XX16.013-YET	EC3F.4MXX16.013-YET
14,0m	EC3F.42XX16.014-YET	EC3F.48XX16.014-YET	EC3F.49XX16.014-YET	EC3F.4MXX16.014-YET
15,0m	EC3F.42XX16.015-YET	EC3F.48XX16.015-YET	EC3F.49XX16.015-YET	EC3F.4MXX16.015-YET

LC/APCxs, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, SM, Boot length 20mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.43XX16.0P5-YET	EC3F.4AXX16.0P5-YET	EC3F.4BXX16.0P5-YET	EC3F.4NXX16.0P5-YET
1,0m	EC3F.43XX16.001-YET	EC3F.4AXX16.001-YET	EC3F.4BXX16.001-YET	EC3F.4NXX16.001-YET
2,0m	EC3F.43XX16.002-YET	EC3F.4AXX16.002-YET	EC3F.4BXX16.002-YET	EC3F.4NXX16.002-YET
3,0m	EC3F.43XX16.003-YET	EC3F.4AXX16.003-YET	EC3F.4BXX16.003-YET	EC3F.4NXX16.003-YET
4,0m	EC3F.43XX16.004-YET	EC3F.4AXX16.004-YET	EC3F.4BXX16.004-YET	EC3F.4NXX16.004-YET
5,0m	EC3F.43XX16.005-YET	EC3F.4AXX16.005-YET	EC3F.4BXX16.005-YET	EC3F.4NXX16.005-YET
6,0m	EC3F.43XX16.006-YET	EC3F.4AXX16.006-YET	EC3F.4BXX16.006-YET	EC3F.4NXX16.006-YET
7,0m	EC3F.43XX16.007-YET	EC3F.4AXX16.007-YET	EC3F.4BXX16.007-YET	EC3F.4NXX16.007-YET
7,5m	EC3F.43XX16.7P5-YET	EC3F.4AXX16.7P5-YET	EC3F.4BXX16.7P5-YET	EC3F.4NXX16.7P5-YET
8,0m	EC3F.43XX16.008-YET	EC3F.4AXX16.008-YET	EC3F.4BXX16.008-YET	EC3F.4NXX16.008-YET
9,0m	EC3F.43XX16.009-YET	EC3F.4AXX16.009-YET	EC3F.4BXX16.009-YET	EC3F.4NXX16.009-YET
10,0m	EC3F.43XX16.010-YET	EC3F.4AXX16.010-YET	EC3F.4BXX16.010-YET	EC3F.4NXX16.010-YET
11,0m	EC3F.43XX16.011-YET	EC3F.4AXX16.011-YET	EC3F.4BXX16.011-YET	EC3F.4NXX16.011-YET
12,0m	EC3F.43XX16.012-YET	EC3F.4AXX16.012-YET	EC3F.4BXX16.012-YET	EC3F.4NXX16.012-YET
13,0m	EC3F.43XX16.013-YET	EC3F.4AXX16.013-YET	EC3F.4BXX16.013-YET	EC3F.4NXX16.013-YET
14,0m	EC3F.43XX16.014-YET	EC3F.4AXX16.014-YET	EC3F.4BXX16.014-YET	EC3F.4NXX16.014-YET
15,0m	EC3F.43XX16.015-YET	EC3F.4AXX16.015-YET	EC3F.4BXX16.015-YET	EC3F.4NXX16.015-YET

LC/PCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, MM, Boot length 20mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.44XX16.0P5-GRT	EC3F.45XX16.0P5-ORT	EC3F.46XX16.0P5-AQT	EC3F.47XX16.0P5-HVT
1,0m	EC3F.44XX16.001-GRT	EC3F.45XX16.001-ORT	EC3F.46XX16.001-AQT	EC3F.47XX16.001-HVT
2,0m	EC3F.44XX16.002-GRT	EC3F.45XX16.002-ORT	EC3F.46XX16.002-AQT	EC3F.47XX16.002-HVT
3,0m	EC3F.44XX16.003-GRT	EC3F.45XX16.003-ORT	EC3F.46XX16.003-AQT	EC3F.47XX16.003-HVT
4,0m	EC3F.44XX16.004-GRT	EC3F.45XX16.004-ORT	EC3F.46XX16.004-AQT	EC3F.47XX16.004-HVT
5,0m	EC3F.44XX16.005-GRT	EC3F.45XX16.005-ORT	EC3F.46XX16.005-AQT	EC3F.47XX16.005-HVT
6,0m	EC3F.44XX16.006-GRT	EC3F.45XX16.006-ORT	EC3F.46XX16.006-AQT	EC3F.47XX16.006-HVT
7,0m	EC3F.44XX16.007-GRT	EC3F.45XX16.007-ORT	EC3F.46XX16.007-AQT	EC3F.47XX16.007-HVT
7,5m	EC3F.44XX16.7P5-GRT	EC3F.45XX16.7P5-ORT	EC3F.46XX16.7P5-AQT	EC3F.47XX16.7P5-HVT
8,0m	EC3F.44XX16.008-GRT	EC3F.45XX16.008-ORT	EC3F.46XX16.008-AQT	EC3F.47XX16.008-HVT
9,0m	EC3F.44XX16.009-GRT	EC3F.45XX16.009-ORT	EC3F.46XX16.009-AQT	EC3F.47XX16.009-HVT
10,0m	EC3F.44XX16.010-GRT	EC3F.45XX16.010-ORT	EC3F.46XX16.010-AQT	EC3F.47XX16.010-HVT
11,0m	EC3F.44XX16.011-GRT	EC3F.45XX16.011-ORT	EC3F.46XX16.011-AQT	EC3F.47XX16.011-HVT
12,0m	EC3F.44XX16.012-GRT	EC3F.45XX16.012-ORT	EC3F.46XX16.012-AQT	EC3F.47XX16.012-HVT
13,0m	EC3F.44XX16.013-GRT	EC3F.45XX16.013-ORT	EC3F.46XX16.013-AQT	EC3F.47XX16.013-HVT
14,0m	EC3F.44XX16.014-GRT	EC3F.45XX16.014-ORT	EC3F.46XX16.014-AQT	EC3F.47XX16.014-HVT
15,0m	EC3F.44XX16.015-GRT	EC3F.45XX16.015-ORT	EC3F.46XX16.015-AQT	EC3F.47XX16.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request



LC/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.4EXX18.0P5-YET	EC3F.4IXX18.0P5-YET	EC3F.4UXX18.0P5-YET	EC3F.4VXX18.0P5-YET
1,0m	EC3F.4EXX18.001-YET	EC3F.4IXX18.001-YET	EC3F.4UXX18.001-YET	EC3F.4VXX18.001-YET
2,0m	EC3F.4EXX18.002-YET	EC3F.4IXX18.002-YET	EC3F.4UXX18.002-YET	EC3F.4VXX18.002-YET
3,0m	EC3F.4EXX18.003-YET	EC3F.4IXX18.003-YET	EC3F.4UXX18.003-YET	EC3F.4VXX18.003-YET
4,0m	EC3F.4EXX18.004-YET	EC3F.4IXX18.004-YET	EC3F.4UXX18.004-YET	EC3F.4VXX18.004-YET
5,0m	EC3F.4EXX18.005-YET	EC3F.4IXX18.005-YET	EC3F.4UXX18.005-YET	EC3F.4VXX18.005-YET
6,0m	EC3F.4EXX18.006-YET	EC3F.4IXX18.006-YET	EC3F.4UXX18.006-YET	EC3F.4VXX18.006-YET
7,0m	EC3F.4EXX18.007-YET	EC3F.4IXX18.007-YET	EC3F.4UXX18.007-YET	EC3F.4VXX18.007-YET
7,5m	EC3F.4EXX18.7P5-YET	EC3F.4IXX18.7P5-YET	EC3F.4UXX18.7P5-YET	EC3F.4VXX18.7P5-YET
8,0m	EC3F.4EXX18.008-YET	EC3F.4IXX18.008-YET	EC3F.4UXX18.008-YET	EC3F.4VXX18.008-YET
9,0m	EC3F.4EXX18.009-YET	EC3F.4IXX18.009-YET	EC3F.4UXX18.009-YET	EC3F.4VXX18.009-YET
10,0m	EC3F.4EXX18.010-YET	EC3F.4IXX18.010-YET	EC3F.4UXX18.010-YET	EC3F.4VXX18.010-YET
11,0m	EC3F.4EXX18.011-YET	EC3F.4IXX18.011-YET	EC3F.4UXX18.011-YET	EC3F.4VXX18.011-YET
12,0m	EC3F.4EXX18.012-YET	EC3F.4IXX18.012-YET	EC3F.4UXX18.012-YET	EC3F.4VXX18.012-YET
13,0m	EC3F.4EXX18.013-YET	EC3F.4IXX18.013-YET	EC3F.4UXX18.013-YET	EC3F.4VXX18.013-YET
14,0m	EC3F.4EXX18.014-YET	EC3F.4IXX18.014-YET	EC3F.4UXX18.014-YET	EC3F.4VXX18.014-YET
15,0m	EC3F.4EXX18.015-YET	EC3F.4IXX18.015-YET	EC3F.4UXX18.015-YET	EC3F.4VXX18.015-YET

LC/APCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.4FXX18.0P5-YET	EC3F.4JXX18.0P5-YET	EC3F.4VXX18.0P5-YET	EC3F.4XXX18.0P5-YET
1,0m	EC3F.4FXX18.001-YET	EC3F.4JXX18.001-YET	EC3F.4VXX18.001-YET	EC3F.4XXX18.001-YET
2,0m	EC3F.4FXX18.002-YET	EC3F.4JXX18.002-YET	EC3F.4VXX18.002-YET	EC3F.4XXX18.002-YET
3,0m	EC3F.4FXX18.003-YET	EC3F.4JXX18.003-YET	EC3F.4VXX18.003-YET	EC3F.4XXX18.003-YET
4,0m	EC3F.4FXX18.004-YET	EC3F.4JXX18.004-YET	EC3F.4VXX18.004-YET	EC3F.4XXX18.004-YET
5,0m	EC3F.4FXX18.005-YET	EC3F.4JXX18.005-YET	EC3F.4VXX18.005-YET	EC3F.4XXX18.005-YET
6,0m	EC3F.4FXX18.006-YET	EC3F.4JXX18.006-YET	EC3F.4VXX18.006-YET	EC3F.4XXX18.006-YET
7,0m	EC3F.4FXX18.007-YET	EC3F.4JXX18.007-YET	EC3F.4VXX18.007-YET	EC3F.4XXX18.007-YET
7,5m	EC3F.4FXX18.7P5-YET	EC3F.4JXX18.7P5-YET	EC3F.4VXX18.7P5-YET	EC3F.4XXX18.7P5-YET
8,0m	EC3F.4FXX18.008-YET	EC3F.4JXX18.008-YET	EC3F.4VXX18.008-YET	EC3F.4XXX18.008-YET
9,0m	EC3F.4FXX18.009-YET	EC3F.4JXX18.009-YET	EC3F.4VXX18.009-YET	EC3F.4XXX18.009-YET
10,0m	EC3F.4FXX18.010-YET	EC3F.4JXX18.010-YET	EC3F.4VXX18.010-YET	EC3F.4XXX18.010-YET
11,0m	EC3F.4FXX18.011-YET	EC3F.4JXX18.011-YET	EC3F.4VXX18.011-YET	EC3F.4XXX18.011-YET
12,0m	EC3F.4FXX18.012-YET	EC3F.4JXX18.012-YET	EC3F.4VXX18.012-YET	EC3F.4XXX18.012-YET
13,0m	EC3F.4FXX18.013-YET	EC3F.4JXX18.013-YET	EC3F.4VXX18.013-YET	EC3F.4XXX18.013-YET
14,0m	EC3F.4FXX18.014-YET	EC3F.4JXX18.014-YET	EC3F.4VXX18.014-YET	EC3F.4XXX18.014-YET
15,0m	EC3F.4FXX18.015-YET	EC3F.4JXX18.015-YET	EC3F.4VXX18.015-YET	EC3F.4XXX18.015-YET

LC/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, MM, Boot length 25mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.44XX18.0P5-GRGX	EC3F.45XX18.0P5-ORTX	EC3F.4CXX18.0P5-AQT	EC3F.4DXX18.0P5-HVT
1,0m	EC3F.44XX18.001-GRGX	EC3F.45XX18.001-ORTX	EC3F.4CXX18.001-AQT	EC3F.4DXX18.001-HVT
2,0m	EC3F.44XX18.002-GRGX	EC3F.45XX18.002-ORTX	EC3F.4CXX18.002-AQT	EC3F.4DXX18.002-HVT
3,0m	EC3F.44XX18.003-GRGX	EC3F.45XX18.003-ORTX	EC3F.4CXX18.003-AQT	EC3F.4DXX18.003-HVT
4,0m	EC3F.44XX18.004-GRGX	EC3F.45XX18.004-ORTX	EC3F.4CXX18.004-AQT	EC3F.4DXX18.004-HVT
5,0m	EC3F.44XX18.005-GRGX	EC3F.45XX18.005-ORTX	EC3F.4CXX18.005-AQT	EC3F.4DXX18.005-HVT
6,0m	EC3F.44XX18.006-GRGX	EC3F.45XX18.006-ORTX	EC3F.4CXX18.006-AQT	EC3F.4DXX18.006-HVT
7,0m	EC3F.44XX18.007-GRGX	EC3F.45XX18.007-ORTX	EC3F.4CXX18.007-AQT	EC3F.4DXX18.007-HVT
7,5m	EC3F.44XX18.7P5-GRGX	EC3F.45XX18.7P5-ORTX	EC3F.4CXX18.7P5-AQT	EC3F.4DXX18.7P5-HVT
8,0m	EC3F.44XX18.008-GRGX	EC3F.45XX18.008-ORTX	EC3F.4CXX18.008-AQT	EC3F.4DXX18.008-HVT
9,0m	EC3F.44XX18.009-GRGX	EC3F.45XX18.009-ORTX	EC3F.4CXX18.009-AQT	EC3F.4DXX18.009-HVT
10,0m	EC3F.44XX18.010-GRGX	EC3F.45XX18.010-ORTX	EC3F.4CXX18.010-AQT	EC3F.4DXX18.010-HVT
11,0m	EC3F.44XX18.011-GRGX	EC3F.45XX18.011-ORTX	EC3F.4CXX18.011-AQT	EC3F.4DXX18.011-HVT
12,0m	EC3F.44XX18.012-GRGX	EC3F.45XX18.012-ORTX	EC3F.4CXX18.012-AQT	EC3F.4DXX18.012-HVT
13,0m	EC3F.44XX18.013-GRGX	EC3F.45XX18.013-ORTX	EC3F.4CXX18.013-AQT	EC3F.4DXX18.013-HVT
14,0m	EC3F.44XX18.014-GRGX	EC3F.45XX18.014-ORTX	EC3F.4CXX18.014-AQT	EC3F.4DXX18.014-HVT
15,0m	EC3F.44XX18.015-GRGX	EC3F.45XX18.015-ORTX	EC3F.4CXX18.015-AQT	EC3F.4DXX18.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCsx cable pigtail

LC/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.42XX18.0P5-YET	EC3F.48XX18.0P5-YET	EC3F.49XX18.0P5-YET	EC3F.4MXX18.0P5-YET
1,0m	EC3F.42XX18.001-YET	EC3F.48XX18.001-YET	EC3F.49XX18.001-YET	EC3F.4MXX18.001-YET
2,0m	EC3F.42XX18.002-YET	EC3F.48XX18.002-YET	EC3F.49XX18.002-YET	EC3F.4MXX18.002-YET
3,0m	EC3F.42XX18.003-YET	EC3F.48XX18.003-YET	EC3F.49XX18.003-YET	EC3F.4MXX18.003-YET
4,0m	EC3F.42XX18.004-YET	EC3F.48XX18.004-YET	EC3F.49XX18.004-YET	EC3F.4MXX18.004-YET
5,0m	EC3F.42XX18.005-YET	EC3F.48XX18.005-YET	EC3F.49XX18.005-YET	EC3F.4MXX18.005-YET
6,0m	EC3F.42XX18.006-YET	EC3F.48XX18.006-YET	EC3F.49XX18.006-YET	EC3F.4MXX18.006-YET
7,0m	EC3F.42XX18.007-YET	EC3F.48XX18.007-YET	EC3F.49XX18.007-YET	EC3F.4MXX18.007-YET
7,5m	EC3F.42XX18.7P5-YET	EC3F.48XX18.7P5-YET	EC3F.49XX18.7P5-YET	EC3F.4MXX18.7P5-YET
8,0m	EC3F.42XX18.008-YET	EC3F.48XX18.008-YET	EC3F.49XX18.008-YET	EC3F.4MXX18.008-YET
9,0m	EC3F.42XX18.009-YET	EC3F.48XX18.009-YET	EC3F.49XX18.009-YET	EC3F.4MXX18.009-YET
10,0m	EC3F.42XX18.010-YET	EC3F.48XX18.010-YET	EC3F.49XX18.010-YET	EC3F.4MXX18.010-YET
11,0m	EC3F.42XX18.011-YET	EC3F.48XX18.011-YET	EC3F.49XX18.011-YET	EC3F.4MXX18.011-YET
12,0m	EC3F.42XX18.012-YET	EC3F.48XX18.012-YET	EC3F.49XX18.012-YET	EC3F.4MXX18.012-YET
13,0m	EC3F.42XX18.013-YET	EC3F.48XX18.013-YET	EC3F.49XX18.013-YET	EC3F.4MXX18.013-YET
14,0m	EC3F.42XX18.014-YET	EC3F.48XX18.014-YET	EC3F.49XX18.014-YET	EC3F.4MXX18.014-YET
15,0m	EC3F.42XX18.015-YET	EC3F.48XX18.015-YET	EC3F.49XX18.015-YET	EC3F.4MXX18.015-YET

LC/APCxs, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.43XX18.0P5-YET	EC3F.4AXX18.0P5-YET	EC3F.4BXX18.0P5-YET	EC3F.4NXX18.0P5-YET
1,0m	EC3F.43XX18.001-YET	EC3F.4AXX18.001-YET	EC3F.4BXX18.001-YET	EC3F.4NXX18.001-YET
2,0m	EC3F.43XX18.002-YET	EC3F.4AXX18.002-YET	EC3F.4BXX18.002-YET	EC3F.4NXX18.002-YET
3,0m	EC3F.43XX18.003-YET	EC3F.4AXX18.003-YET	EC3F.4BXX18.003-YET	EC3F.4NXX18.003-YET
4,0m	EC3F.43XX18.004-YET	EC3F.4AXX18.004-YET	EC3F.4BXX18.004-YET	EC3F.4NXX18.004-YET
5,0m	EC3F.43XX18.005-YET	EC3F.4AXX18.005-YET	EC3F.4BXX18.005-YET	EC3F.4NXX18.005-YET
6,0m	EC3F.43XX18.006-YET	EC3F.4AXX18.006-YET	EC3F.4BXX18.006-YET	EC3F.4NXX18.006-YET
7,0m	EC3F.43XX18.007-YET	EC3F.4AXX18.007-YET	EC3F.4BXX18.007-YET	EC3F.4NXX18.007-YET
7,5m	EC3F.43XX18.7P5-YET	EC3F.4AXX18.7P5-YET	EC3F.4BXX18.7P5-YET	EC3F.4NXX18.7P5-YET
8,0m	EC3F.43XX18.008-YET	EC3F.4AXX18.008-YET	EC3F.4BXX18.008-YET	EC3F.4NXX18.008-YET
9,0m	EC3F.43XX18.009-YET	EC3F.4AXX18.009-YET	EC3F.4BXX18.009-YET	EC3F.4NXX18.009-YET
10,0m	EC3F.43XX18.010-YET	EC3F.4AXX18.010-YET	EC3F.4BXX18.010-YET	EC3F.4NXX18.010-YET
11,0m	EC3F.43XX18.011-YET	EC3F.4AXX18.011-YET	EC3F.4BXX18.011-YET	EC3F.4NXX18.011-YET
12,0m	EC3F.43XX18.012-YET	EC3F.4AXX18.012-YET	EC3F.4BXX18.012-YET	EC3F.4NXX18.012-YET
13,0m	EC3F.43XX18.013-YET	EC3F.4AXX18.013-YET	EC3F.4BXX18.013-YET	EC3F.4NXX18.013-YET
14,0m	EC3F.43XX18.014-YET	EC3F.4AXX18.014-YET	EC3F.4BXX18.014-YET	EC3F.4NXX18.014-YET
15,0m	EC3F.43XX18.015-YET	EC3F.4AXX18.015-YET	EC3F.4BXX18.015-YET	EC3F.4NXX18.015-YET

LC/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, MM, Boot length 25mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.44XX18.0P5-GRT	EC3F.45XX18.0P5-ORT	EC3F.46XX18.0P5-AQT	EC3F.47XX18.0P5-HVT
1,0m	EC3F.44XX18.001-GRT	EC3F.45XX18.001-ORT	EC3F.46XX18.001-AQT	EC3F.47XX18.001-HVT
2,0m	EC3F.44XX18.002-GRT	EC3F.45XX18.002-ORT	EC3F.46XX18.002-AQT	EC3F.47XX18.002-HVT
3,0m	EC3F.44XX18.003-GRT	EC3F.45XX18.003-ORT	EC3F.46XX18.003-AQT	EC3F.47XX18.003-HVT
4,0m	EC3F.44XX18.004-GRT	EC3F.45XX18.004-ORT	EC3F.46XX18.004-AQT	EC3F.47XX18.004-HVT
5,0m	EC3F.44XX18.005-GRT	EC3F.45XX18.005-ORT	EC3F.46XX18.005-AQT	EC3F.47XX18.005-HVT
6,0m	EC3F.44XX18.006-GRT	EC3F.45XX18.006-ORT	EC3F.46XX18.006-AQT	EC3F.47XX18.006-HVT
7,0m	EC3F.44XX18.007-GRT	EC3F.45XX18.007-ORT	EC3F.46XX18.007-AQT	EC3F.47XX18.007-HVT
7,5m	EC3F.44XX18.7P5-GRT	EC3F.45XX18.7P5-ORT	EC3F.46XX18.7P5-AQT	EC3F.47XX18.7P5-HVT
8,0m	EC3F.44XX18.008-GRT	EC3F.45XX18.008-ORT	EC3F.46XX18.008-AQT	EC3F.47XX18.008-HVT
9,0m	EC3F.44XX18.009-GRT	EC3F.45XX18.009-ORT	EC3F.46XX18.009-AQT	EC3F.47XX18.009-HVT
10,0m	EC3F.44XX18.010-GRT	EC3F.45XX18.010-ORT	EC3F.46XX18.010-AQT	EC3F.47XX18.010-HVT
11,0m	EC3F.44XX18.011-GRT	EC3F.45XX18.011-ORT	EC3F.46XX18.011-AQT	EC3F.47XX18.011-HVT
12,0m	EC3F.44XX18.012-GRT	EC3F.45XX18.012-ORT	EC3F.46XX18.012-AQT	EC3F.47XX18.012-HVT
13,0m	EC3F.44XX18.013-GRT	EC3F.45XX18.013-ORT	EC3F.46XX18.013-AQT	EC3F.47XX18.013-HVT
14,0m	EC3F.44XX18.014-GRT	EC3F.45XX18.014-ORT	EC3F.46XX18.014-AQT	EC3F.47XX18.014-HVT
15,0m	EC3F.44XX18.015-GRT	EC3F.45XX18.015-ORT	EC3F.46XX18.015-AQT	EC3F.47XX18.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request



LC/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.4EXX20.0P5-YET	EC3F.4IXX20.0P5-YET	EC3F.4UXX20.0P5-YET	EC3F.4VXX20.0P5-YET
1,0m	EC3F.4EXX20.001-YET	EC3F.4IXX20.001-YET	EC3F.4UXX20.001-YET	EC3F.4VXX20.001-YET
2,0m	EC3F.4EXX20.002-YET	EC3F.4IXX20.002-YET	EC3F.4UXX20.002-YET	EC3F.4VXX20.002-YET
3,0m	EC3F.4EXX20.003-YET	EC3F.4IXX20.003-YET	EC3F.4UXX20.003-YET	EC3F.4VXX20.003-YET
4,0m	EC3F.4EXX20.004-YET	EC3F.4IXX20.004-YET	EC3F.4UXX20.004-YET	EC3F.4VXX20.004-YET
5,0m	EC3F.4EXX20.005-YET	EC3F.4IXX20.005-YET	EC3F.4UXX20.005-YET	EC3F.4VXX20.005-YET
6,0m	EC3F.4EXX20.006-YET	EC3F.4IXX20.006-YET	EC3F.4UXX20.006-YET	EC3F.4VXX20.006-YET
7,0m	EC3F.4EXX20.007-YET	EC3F.4IXX20.007-YET	EC3F.4UXX20.007-YET	EC3F.4VXX20.007-YET
7,5m	EC3F.4EXX20.7P5-YET	EC3F.4IXX20.7P5-YET	EC3F.4UXX20.7P5-YET	EC3F.4VXX20.7P5-YET
8,0m	EC3F.4EXX20.008-YET	EC3F.4IXX20.008-YET	EC3F.4UXX20.008-YET	EC3F.4VXX20.008-YET
9,0m	EC3F.4EXX20.009-YET	EC3F.4IXX20.009-YET	EC3F.4UXX20.009-YET	EC3F.4VXX20.009-YET
10,0m	EC3F.4EXX20.010-YET	EC3F.4IXX20.010-YET	EC3F.4UXX20.010-YET	EC3F.4VXX20.010-YET
11,0m	EC3F.4EXX20.011-YET	EC3F.4IXX20.011-YET	EC3F.4UXX20.011-YET	EC3F.4VXX20.011-YET
12,0m	EC3F.4EXX20.012-YET	EC3F.4IXX20.012-YET	EC3F.4UXX20.012-YET	EC3F.4VXX20.012-YET
13,0m	EC3F.4EXX20.013-YET	EC3F.4IXX20.013-YET	EC3F.4UXX20.013-YET	EC3F.4VXX20.013-YET
14,0m	EC3F.4EXX20.014-YET	EC3F.4IXX20.014-YET	EC3F.4UXX20.014-YET	EC3F.4VXX20.014-YET
15,0m	EC3F.4EXX20.015-YET	EC3F.4IXX20.015-YET	EC3F.4UXX20.015-YET	EC3F.4VXX20.015-YET

LC/APCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.4FXX20.0P5-YET	EC3F.4JXX20.0P5-YET	EC3F.4VXX20.0P5-YET	EC3F.4XXX20.0P5-YET
1,0m	EC3F.4FXX20.001-YET	EC3F.4JXX20.001-YET	EC3F.4VXX20.001-YET	EC3F.4XXX20.001-YET
2,0m	EC3F.4FXX20.002-YET	EC3F.4JXX20.002-YET	EC3F.4VXX20.002-YET	EC3F.4XXX20.002-YET
3,0m	EC3F.4FXX20.003-YET	EC3F.4JXX20.003-YET	EC3F.4VXX20.003-YET	EC3F.4XXX20.003-YET
4,0m	EC3F.4FXX20.004-YET	EC3F.4JXX20.004-YET	EC3F.4VXX20.004-YET	EC3F.4XXX20.004-YET
5,0m	EC3F.4FXX20.005-YET	EC3F.4JXX20.005-YET	EC3F.4VXX20.005-YET	EC3F.4XXX20.005-YET
6,0m	EC3F.4FXX20.006-YET	EC3F.4JXX20.006-YET	EC3F.4VXX20.006-YET	EC3F.4XXX20.006-YET
7,0m	EC3F.4FXX20.007-YET	EC3F.4JXX20.007-YET	EC3F.4VXX20.007-YET	EC3F.4XXX20.007-YET
7,5m	EC3F.4FXX20.7P5-YET	EC3F.4JXX20.7P5-YET	EC3F.4VXX20.7P5-YET	EC3F.4XXX20.7P5-YET
8,0m	EC3F.4FXX20.008-YET	EC3F.4JXX20.008-YET	EC3F.4VXX20.008-YET	EC3F.4XXX20.008-YET
9,0m	EC3F.4FXX20.009-YET	EC3F.4JXX20.009-YET	EC3F.4VXX20.009-YET	EC3F.4XXX20.009-YET
10,0m	EC3F.4FXX20.010-YET	EC3F.4JXX20.010-YET	EC3F.4VXX20.010-YET	EC3F.4XXX20.010-YET
11,0m	EC3F.4FXX20.011-YET	EC3F.4JXX20.011-YET	EC3F.4VXX20.011-YET	EC3F.4XXX20.011-YET
12,0m	EC3F.4FXX20.012-YET	EC3F.4JXX20.012-YET	EC3F.4VXX20.012-YET	EC3F.4XXX20.012-YET
13,0m	EC3F.4FXX20.013-YET	EC3F.4JXX20.013-YET	EC3F.4VXX20.013-YET	EC3F.4XXX20.013-YET
14,0m	EC3F.4FXX20.014-YET	EC3F.4JXX20.014-YET	EC3F.4VXX20.014-YET	EC3F.4XXX20.014-YET
15,0m	EC3F.4FXX20.015-YET	EC3F.4JXX20.015-YET	EC3F.4VXX20.015-YET	EC3F.4XXX20.015-YET

LC/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, MM, Boot length 25mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.44XX20.0P5-GRTX	EC3F.45XX20.0P5-ORTX	EC3F.4CXX20.0P5-AQT	EC3F.4DXX20.0P5-HVT
1,0m	EC3F.44XX20.001-GRTX	EC3F.45XX20.001-ORTX	EC3F.4CXX20.001-AQT	EC3F.4DXX20.001-HVT
2,0m	EC3F.44XX20.002-GRTX	EC3F.45XX20.002-ORTX	EC3F.4CXX20.002-AQT	EC3F.4DXX20.002-HVT
3,0m	EC3F.44XX20.003-GRTX	EC3F.45XX20.003-ORTX	EC3F.4CXX20.003-AQT	EC3F.4DXX20.003-HVT
4,0m	EC3F.44XX20.004-GRTX	EC3F.45XX20.004-ORTX	EC3F.4CXX20.004-AQT	EC3F.4DXX20.004-HVT
5,0m	EC3F.44XX20.005-GRTX	EC3F.45XX20.005-ORTX	EC3F.4CXX20.005-AQT	EC3F.4DXX20.005-HVT
6,0m	EC3F.44XX20.006-GRTX	EC3F.45XX20.006-ORTX	EC3F.4CXX20.006-AQT	EC3F.4DXX20.006-HVT
7,0m	EC3F.44XX20.007-GRTX	EC3F.45XX20.007-ORTX	EC3F.4CXX20.007-AQT	EC3F.4DXX20.007-HVT
7,5m	EC3F.44XX20.7P5-GRTX	EC3F.45XX20.7P5-ORTX	EC3F.4CXX20.7P5-AQT	EC3F.4DXX20.7P5-HVT
8,0m	EC3F.44XX20.008-GRTX	EC3F.45XX20.008-ORTX	EC3F.4CXX20.008-AQT	EC3F.4DXX20.008-HVT
9,0m	EC3F.44XX20.009-GRTX	EC3F.45XX20.009-ORTX	EC3F.4CXX20.009-AQT	EC3F.4DXX20.009-HVT
10,0m	EC3F.44XX20.010-GRTX	EC3F.45XX20.010-ORTX	EC3F.4CXX20.010-AQT	EC3F.4DXX20.010-HVT
11,0m	EC3F.44XX20.011-GRTX	EC3F.45XX20.011-ORTX	EC3F.4CXX20.011-AQT	EC3F.4DXX20.011-HVT
12,0m	EC3F.44XX20.012-GRTX	EC3F.45XX20.012-ORTX	EC3F.4CXX20.012-AQT	EC3F.4DXX20.012-HVT
13,0m	EC3F.44XX20.013-GRTX	EC3F.45XX20.013-ORTX	EC3F.4CXX20.013-AQT	EC3F.4DXX20.013-HVT
14,0m	EC3F.44XX20.014-GRTX	EC3F.45XX20.014-ORTX	EC3F.4CXX20.014-AQT	EC3F.4DXX20.014-HVT
15,0m	EC3F.44XX20.015-GRTX	EC3F.45XX20.015-ORTX	EC3F.4CXX20.015-AQT	EC3F.4DXX20.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCsx cable pigtail

LC/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.42XX20.0P5-YET	EC3F.48XX20.0P5-YET	EC3F.49XX20.0P5-YET	EC3F.4MXX20.0P5-YET
1,0m	EC3F.42XX20.001-YET	EC3F.48XX20.001-YET	EC3F.49XX20.001-YET	EC3F.4MXX20.001-YET
2,0m	EC3F.42XX20.002-YET	EC3F.48XX20.002-YET	EC3F.49XX20.002-YET	EC3F.4MXX20.002-YET
3,0m	EC3F.42XX20.003-YET	EC3F.48XX20.003-YET	EC3F.49XX20.003-YET	EC3F.4MXX20.003-YET
4,0m	EC3F.42XX20.004-YET	EC3F.48XX20.004-YET	EC3F.49XX20.004-YET	EC3F.4MXX20.004-YET
5,0m	EC3F.42XX20.005-YET	EC3F.48XX20.005-YET	EC3F.49XX20.005-YET	EC3F.4MXX20.005-YET
6,0m	EC3F.42XX20.006-YET	EC3F.48XX20.006-YET	EC3F.49XX20.006-YET	EC3F.4MXX20.006-YET
7,0m	EC3F.42XX20.007-YET	EC3F.48XX20.007-YET	EC3F.49XX20.007-YET	EC3F.4MXX20.007-YET
7,5m	EC3F.42XX20.7P5-YET	EC3F.48XX20.7P5-YET	EC3F.49XX20.7P5-YET	EC3F.4MXX20.7P5-YET
8,0m	EC3F.42XX20.008-YET	EC3F.48XX20.008-YET	EC3F.49XX20.008-YET	EC3F.4MXX20.008-YET
9,0m	EC3F.42XX20.009-YET	EC3F.48XX20.009-YET	EC3F.49XX20.009-YET	EC3F.4MXX20.009-YET
10,0m	EC3F.42XX20.010-YET	EC3F.48XX20.010-YET	EC3F.49XX20.010-YET	EC3F.4MXX20.010-YET
11,0m	EC3F.42XX20.011-YET	EC3F.48XX20.011-YET	EC3F.49XX20.011-YET	EC3F.4MXX20.011-YET
12,0m	EC3F.42XX20.012-YET	EC3F.48XX20.012-YET	EC3F.49XX20.012-YET	EC3F.4MXX20.012-YET
13,0m	EC3F.42XX20.013-YET	EC3F.48XX20.013-YET	EC3F.49XX20.013-YET	EC3F.4MXX20.013-YET
14,0m	EC3F.42XX20.014-YET	EC3F.48XX20.014-YET	EC3F.49XX20.014-YET	EC3F.4MXX20.014-YET
15,0m	EC3F.42XX20.015-YET	EC3F.48XX20.015-YET	EC3F.49XX20.015-YET	EC3F.4MXX20.015-YET

LC/APCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.43XX20.0P5-YET	EC3F.4AXX20.0P5-YET	EC3F.4BXX20.0P5-YET	EC3F.4NXX20.0P5-YET
1,0m	EC3F.43XX20.001-YET	EC3F.4AXX20.001-YET	EC3F.4BXX20.001-YET	EC3F.4NXX20.001-YET
2,0m	EC3F.43XX20.002-YET	EC3F.4AXX20.002-YET	EC3F.4BXX20.002-YET	EC3F.4NXX20.002-YET
3,0m	EC3F.43XX20.003-YET	EC3F.4AXX20.003-YET	EC3F.4BXX20.003-YET	EC3F.4NXX20.003-YET
4,0m	EC3F.43XX20.004-YET	EC3F.4AXX20.004-YET	EC3F.4BXX20.004-YET	EC3F.4NXX20.004-YET
5,0m	EC3F.43XX20.005-YET	EC3F.4AXX20.005-YET	EC3F.4BXX20.005-YET	EC3F.4NXX20.005-YET
6,0m	EC3F.43XX20.006-YET	EC3F.4AXX20.006-YET	EC3F.4BXX20.006-YET	EC3F.4NXX20.006-YET
7,0m	EC3F.43XX20.007-YET	EC3F.4AXX20.007-YET	EC3F.4BXX20.007-YET	EC3F.4NXX20.007-YET
7,5m	EC3F.43XX20.7P5-YET	EC3F.4AXX20.7P5-YET	EC3F.4BXX20.7P5-YET	EC3F.4NXX20.7P5-YET
8,0m	EC3F.43XX20.008-YET	EC3F.4AXX20.008-YET	EC3F.4BXX20.008-YET	EC3F.4NXX20.008-YET
9,0m	EC3F.43XX20.009-YET	EC3F.4AXX20.009-YET	EC3F.4BXX20.009-YET	EC3F.4NXX20.009-YET
10,0m	EC3F.43XX20.010-YET	EC3F.4AXX20.010-YET	EC3F.4BXX20.010-YET	EC3F.4NXX20.010-YET
11,0m	EC3F.43XX20.011-YET	EC3F.4AXX20.011-YET	EC3F.4BXX20.011-YET	EC3F.4NXX20.011-YET
12,0m	EC3F.43XX20.012-YET	EC3F.4AXX20.012-YET	EC3F.4BXX20.012-YET	EC3F.4NXX20.012-YET
13,0m	EC3F.43XX20.013-YET	EC3F.4AXX20.013-YET	EC3F.4BXX20.013-YET	EC3F.4NXX20.013-YET
14,0m	EC3F.43XX20.014-YET	EC3F.4AXX20.014-YET	EC3F.4BXX20.014-YET	EC3F.4NXX20.014-YET
15,0m	EC3F.43XX20.015-YET	EC3F.4AXX20.015-YET	EC3F.4BXX20.015-YET	EC3F.4NXX20.015-YET

LC/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, MM, Boot length 25mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.44XX20.0P5-GRT	EC3F.45XX20.0P5-ORT	EC3F.46XX20.0P5-AQT	EC3F.47XX20.0P5-HVT
1,0m	EC3F.44XX20.001-GRT	EC3F.45XX20.001-ORT	EC3F.46XX20.001-AQT	EC3F.47XX20.001-HVT
2,0m	EC3F.44XX20.002-GRT	EC3F.45XX20.002-ORT	EC3F.46XX20.002-AQT	EC3F.47XX20.002-HVT
3,0m	EC3F.44XX20.003-GRT	EC3F.45XX20.003-ORT	EC3F.46XX20.003-AQT	EC3F.47XX20.003-HVT
4,0m	EC3F.44XX20.004-GRT	EC3F.45XX20.004-ORT	EC3F.46XX20.004-AQT	EC3F.47XX20.004-HVT
5,0m	EC3F.44XX20.005-GRT	EC3F.45XX20.005-ORT	EC3F.46XX20.005-AQT	EC3F.47XX20.005-HVT
6,0m	EC3F.44XX20.006-GRT	EC3F.45XX20.006-ORT	EC3F.46XX20.006-AQT	EC3F.47XX20.006-HVT
7,0m	EC3F.44XX20.007-GRT	EC3F.45XX20.007-ORT	EC3F.46XX20.007-AQT	EC3F.47XX20.007-HVT
7,5m	EC3F.44XX20.7P5-GRT	EC3F.45XX20.7P5-ORT	EC3F.46XX20.7P5-AQT	EC3F.47XX20.7P5-HVT
8,0m	EC3F.44XX20.008-GRT	EC3F.45XX20.008-ORT	EC3F.46XX20.008-AQT	EC3F.47XX20.008-HVT
9,0m	EC3F.44XX20.009-GRT	EC3F.45XX20.009-ORT	EC3F.46XX20.009-AQT	EC3F.47XX20.009-HVT
10,0m	EC3F.44XX20.010-GRT	EC3F.45XX20.010-ORT	EC3F.46XX20.010-AQT	EC3F.47XX20.010-HVT
11,0m	EC3F.44XX20.011-GRT	EC3F.45XX20.011-ORT	EC3F.46XX20.011-AQT	EC3F.47XX20.011-HVT
12,0m	EC3F.44XX20.012-GRT	EC3F.45XX20.012-ORT	EC3F.46XX20.012-AQT	EC3F.47XX20.012-HVT
13,0m	EC3F.44XX20.013-GRT	EC3F.45XX20.013-ORT	EC3F.46XX20.013-AQT	EC3F.47XX20.013-HVT
14,0m	EC3F.44XX20.014-GRT	EC3F.45XX20.014-ORT	EC3F.46XX20.014-AQT	EC3F.47XX20.014-HVT
15,0m	EC3F.44XX20.015-GRT	EC3F.45XX20.015-ORT	EC3F.46XX20.015-AQT	EC3F.47XX20.015-HVT



SC/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 30,8mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.2EXX12.0P5-YET	EC3F.2IXX12.0P5-YET	EC3F.2UXX12.0P5-YET	EC3F.2WXX12.0P5-YET
1,0m	EC3F.2EXX12.001-YET	EC3F.2IXX12.001-YET	EC3F.2UXX12.001-YET	EC3F.2WXX12.001-YET
2,0m	EC3F.2EXX12.002-YET	EC3F.2IXX12.002-YET	EC3F.2UXX12.002-YET	EC3F.2WXX12.002-YET
3,0m	EC3F.2EXX12.003-YET	EC3F.2IXX12.003-YET	EC3F.2UXX12.003-YET	EC3F.2WXX12.003-YET
4,0m	EC3F.2EXX12.004-YET	EC3F.2IXX12.004-YET	EC3F.2UXX12.004-YET	EC3F.2WXX12.004-YET
5,0m	EC3F.2EXX12.005-YET	EC3F.2IXX12.005-YET	EC3F.2UXX12.005-YET	EC3F.2WXX12.005-YET
6,0m	EC3F.2EXX12.006-YET	EC3F.2IXX12.006-YET	EC3F.2UXX12.006-YET	EC3F.2WXX12.006-YET
7,0m	EC3F.2EXX12.007-YET	EC3F.2IXX12.007-YET	EC3F.2UXX12.007-YET	EC3F.2WXX12.007-YET
7,5m	EC3F.2EXX12.7P5-YET	EC3F.2IXX12.7P5-YET	EC3F.2UXX12.7P5-YET	EC3F.2WXX12.7P5-YET
8,0m	EC3F.2EXX12.008-YET	EC3F.2IXX12.008-YET	EC3F.2UXX12.008-YET	EC3F.2WXX12.008-YET
9,0m	EC3F.2EXX12.009-YET	EC3F.2IXX12.009-YET	EC3F.2UXX12.009-YET	EC3F.2WXX12.009-YET
10,0m	EC3F.2EXX12.010-YET	EC3F.2IXX12.010-YET	EC3F.2UXX12.010-YET	EC3F.2WXX12.010-YET
11,0m	EC3F.2EXX12.011-YET	EC3F.2IXX12.011-YET	EC3F.2UXX12.011-YET	EC3F.2WXX12.011-YET
12,0m	EC3F.2EXX12.012-YET	EC3F.2IXX12.012-YET	EC3F.2UXX12.012-YET	EC3F.2WXX12.012-YET
13,0m	EC3F.2EXX12.013-YET	EC3F.2IXX12.013-YET	EC3F.2UXX12.013-YET	EC3F.2WXX12.013-YET
14,0m	EC3F.2EXX12.014-YET	EC3F.2IXX12.014-YET	EC3F.2UXX12.014-YET	EC3F.2WXX12.014-YET
15,0m	EC3F.2EXX12.015-YET	EC3F.2IXX12.015-YET	EC3F.2UXX12.015-YET	EC3F.2WXX12.015-YET

SC/APCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 30,8mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.2FXX12.0P5-YET	EC3F.2JXX12.0P5-YET	EC3F.2VXX12.0P5-YET	EC3F.2XXX12.0P5-YET
1,0m	EC3F.2FXX12.001-YET	EC3F.2JXX12.001-YET	EC3F.2VXX12.001-YET	EC3F.2XXX12.001-YET
2,0m	EC3F.2FXX12.002-YET	EC3F.2JXX12.002-YET	EC3F.2VXX12.002-YET	EC3F.2XXX12.002-YET
3,0m	EC3F.2FXX12.003-YET	EC3F.2JXX12.003-YET	EC3F.2VXX12.003-YET	EC3F.2XXX12.003-YET
4,0m	EC3F.2FXX12.004-YET	EC3F.2JXX12.004-YET	EC3F.2VXX12.004-YET	EC3F.2XXX12.004-YET
5,0m	EC3F.2FXX12.005-YET	EC3F.2JXX12.005-YET	EC3F.2VXX12.005-YET	EC3F.2XXX12.005-YET
6,0m	EC3F.2FXX12.006-YET	EC3F.2JXX12.006-YET	EC3F.2VXX12.006-YET	EC3F.2XXX12.006-YET
7,0m	EC3F.2FXX12.007-YET	EC3F.2JXX12.007-YET	EC3F.2VXX12.007-YET	EC3F.2XXX12.007-YET
7,5m	EC3F.2FXX12.7P5-YET	EC3F.2JXX12.7P5-YET	EC3F.2VXX12.7P5-YET	EC3F.2XXX12.7P5-YET
8,0m	EC3F.2FXX12.008-YET	EC3F.2JXX12.008-YET	EC3F.2VXX12.008-YET	EC3F.2XXX12.008-YET
9,0m	EC3F.2FXX12.009-YET	EC3F.2JXX12.009-YET	EC3F.2VXX12.009-YET	EC3F.2XXX12.009-YET
10,0m	EC3F.2FXX12.010-YET	EC3F.2JXX12.010-YET	EC3F.2VXX12.010-YET	EC3F.2XXX12.010-YET
11,0m	EC3F.2FXX12.011-YET	EC3F.2JXX12.011-YET	EC3F.2VXX12.011-YET	EC3F.2XXX12.011-YET
12,0m	EC3F.2FXX12.012-YET	EC3F.2JXX12.012-YET	EC3F.2VXX12.012-YET	EC3F.2XXX12.012-YET
13,0m	EC3F.2FXX12.013-YET	EC3F.2JXX12.013-YET	EC3F.2VXX12.013-YET	EC3F.2XXX12.013-YET
14,0m	EC3F.2FXX12.014-YET	EC3F.2JXX12.014-YET	EC3F.2VXX12.014-YET	EC3F.2XXX12.014-YET
15,0m	EC3F.2FXX12.015-YET	EC3F.2JXX12.015-YET	EC3F.2VXX12.015-YET	EC3F.2XXX12.015-YET

SC/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, MM, Boot length 30,8mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.24XX12.0P5-GRGX	EC3F.25XX12.0P5-ORTX	EC3F.2CXX12.0P5-AQT	EC3F.2DXX12.0P5-HVT
1,0m	EC3F.24XX12.001-GRGX	EC3F.25XX12.001-ORTX	EC3F.2CXX12.001-AQT	EC3F.2DXX12.001-HVT
2,0m	EC3F.24XX12.002-GRGX	EC3F.25XX12.002-ORTX	EC3F.2CXX12.002-AQT	EC3F.2DXX12.002-HVT
3,0m	EC3F.24XX12.003-GRGX	EC3F.25XX12.003-ORTX	EC3F.2CXX12.003-AQT	EC3F.2DXX12.003-HVT
4,0m	EC3F.24XX12.004-GRGX	EC3F.25XX12.004-ORTX	EC3F.2CXX12.004-AQT	EC3F.2DXX12.004-HVT
5,0m	EC3F.24XX12.005-GRGX	EC3F.25XX12.005-ORTX	EC3F.2CXX12.005-AQT	EC3F.2DXX12.005-HVT
6,0m	EC3F.24XX12.006-GRGX	EC3F.25XX12.006-ORTX	EC3F.2CXX12.006-AQT	EC3F.2DXX12.006-HVT
7,0m	EC3F.24XX12.007-GRGX	EC3F.25XX12.007-ORTX	EC3F.2CXX12.007-AQT	EC3F.2DXX12.007-HVT
7,5m	EC3F.24XX12.7P5-GRGX	EC3F.25XX12.7P5-ORTX	EC3F.2CXX12.7P5-AQT	EC3F.2DXX12.7P5-HVT
8,0m	EC3F.24XX12.008-GRGX	EC3F.25XX12.008-ORTX	EC3F.2CXX12.008-AQT	EC3F.2DXX12.008-HVT
9,0m	EC3F.24XX12.009-GRGX	EC3F.25XX12.009-ORTX	EC3F.2CXX12.009-AQT	EC3F.2DXX12.009-HVT
10,0m	EC3F.24XX12.010-GRGX	EC3F.25XX12.010-ORTX	EC3F.2CXX12.010-AQT	EC3F.2DXX12.010-HVT
11,0m	EC3F.24XX12.011-GRGX	EC3F.25XX12.011-ORTX	EC3F.2CXX12.011-AQT	EC3F.2DXX12.011-HVT
12,0m	EC3F.24XX12.012-GRGX	EC3F.25XX12.012-ORTX	EC3F.2CXX12.012-AQT	EC3F.2DXX12.012-HVT
13,0m	EC3F.24XX12.013-GRGX	EC3F.25XX12.013-ORTX	EC3F.2CXX12.013-AQT	EC3F.2DXX12.013-HVT
14,0m	EC3F.24XX12.014-GRGX	EC3F.25XX12.014-ORTX	EC3F.2CXX12.014-AQT	EC3F.2DXX12.014-HVT
15,0m	EC3F.24XX12.015-GRGX	EC3F.25XX12.015-ORTX	EC3F.2CXX12.015-AQT	EC3F.2DXX12.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx cable pigtail

SC/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 30,8mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.22XX12.0P5-YET	EC3F.28XX12.0P5-YET	EC3F.29XX12.0P5-YET	EC3F.2MXX12.0P5-YET
1,0m	EC3F.22XX12.001-YET	EC3F.28XX12.001-YET	EC3F.29XX12.001-YET	EC3F.2MXX12.001-YET
2,0m	EC3F.22XX12.002-YET	EC3F.28XX12.002-YET	EC3F.29XX12.002-YET	EC3F.2MXX12.002-YET
3,0m	EC3F.22XX12.003-YET	EC3F.28XX12.003-YET	EC3F.29XX12.003-YET	EC3F.2MXX12.003-YET
4,0m	EC3F.22XX12.004-YET	EC3F.28XX12.004-YET	EC3F.29XX12.004-YET	EC3F.2MXX12.004-YET
5,0m	EC3F.22XX12.005-YET	EC3F.28XX12.005-YET	EC3F.29XX12.005-YET	EC3F.2MXX12.005-YET
6,0m	EC3F.22XX12.006-YET	EC3F.28XX12.006-YET	EC3F.29XX12.006-YET	EC3F.2MXX12.006-YET
7,0m	EC3F.22XX12.007-YET	EC3F.28XX12.007-YET	EC3F.29XX12.007-YET	EC3F.2MXX12.007-YET
7,5m	EC3F.22XX12.7P5-YET	EC3F.28XX12.7P5-YET	EC3F.29XX12.7P5-YET	EC3F.2MXX12.7P5-YET
8,0m	EC3F.22XX12.008-YET	EC3F.28XX12.008-YET	EC3F.29XX12.008-YET	EC3F.2MXX12.008-YET
9,0m	EC3F.22XX12.009-YET	EC3F.28XX12.009-YET	EC3F.29XX12.009-YET	EC3F.2MXX12.009-YET
10,0m	EC3F.22XX12.010-YET	EC3F.28XX12.010-YET	EC3F.29XX12.010-YET	EC3F.2MXX12.010-YET
11,0m	EC3F.22XX12.011-YET	EC3F.28XX12.011-YET	EC3F.29XX12.011-YET	EC3F.2MXX12.011-YET
12,0m	EC3F.22XX12.012-YET	EC3F.28XX12.012-YET	EC3F.29XX12.012-YET	EC3F.2MXX12.012-YET
13,0m	EC3F.22XX12.013-YET	EC3F.28XX12.013-YET	EC3F.29XX12.013-YET	EC3F.2MXX12.013-YET
14,0m	EC3F.22XX12.014-YET	EC3F.28XX12.014-YET	EC3F.29XX12.014-YET	EC3F.2MXX12.014-YET
15,0m	EC3F.22XX12.015-YET	EC3F.28XX12.015-YET	EC3F.29XX12.015-YET	EC3F.2MXX12.015-YET

SC/APCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, SM, Boot length 30,8mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.23XX12.0P5-YET	EC3F.2AXX12.0P5-YET	EC3F.2BXX12.0P5-YET	EC3F.2NXX12.0P5-YET
1,0m	EC3F.23XX12.001-YET	EC3F.2AXX12.001-YET	EC3F.2BXX12.001-YET	EC3F.2NXX12.001-YET
2,0m	EC3F.23XX12.002-YET	EC3F.2AXX12.002-YET	EC3F.2BXX12.002-YET	EC3F.2NXX12.002-YET
3,0m	EC3F.23XX12.003-YET	EC3F.2AXX12.003-YET	EC3F.2BXX12.003-YET	EC3F.2NXX12.003-YET
4,0m	EC3F.23XX12.004-YET	EC3F.2AXX12.004-YET	EC3F.2BXX12.004-YET	EC3F.2NXX12.004-YET
5,0m	EC3F.23XX12.005-YET	EC3F.2AXX12.005-YET	EC3F.2BXX12.005-YET	EC3F.2NXX12.005-YET
6,0m	EC3F.23XX12.006-YET	EC3F.2AXX12.006-YET	EC3F.2BXX12.006-YET	EC3F.2NXX12.006-YET
7,0m	EC3F.23XX12.007-YET	EC3F.2AXX12.007-YET	EC3F.2BXX12.007-YET	EC3F.2NXX12.007-YET
7,5m	EC3F.23XX12.7P5-YET	EC3F.2AXX12.7P5-YET	EC3F.2BXX12.7P5-YET	EC3F.2NXX12.7P5-YET
8,0m	EC3F.23XX12.008-YET	EC3F.2AXX12.008-YET	EC3F.2BXX12.008-YET	EC3F.2NXX12.008-YET
9,0m	EC3F.23XX12.009-YET	EC3F.2AXX12.009-YET	EC3F.2BXX12.009-YET	EC3F.2NXX12.009-YET
10,0m	EC3F.23XX12.010-YET	EC3F.2AXX12.010-YET	EC3F.2BXX12.010-YET	EC3F.2NXX12.010-YET
11,0m	EC3F.23XX12.011-YET	EC3F.2AXX12.011-YET	EC3F.2BXX12.011-YET	EC3F.2NXX12.011-YET
12,0m	EC3F.23XX12.012-YET	EC3F.2AXX12.012-YET	EC3F.2BXX12.012-YET	EC3F.2NXX12.012-YET
13,0m	EC3F.23XX12.013-YET	EC3F.2AXX12.013-YET	EC3F.2BXX12.013-YET	EC3F.2NXX12.013-YET
14,0m	EC3F.23XX12.014-YET	EC3F.2AXX12.014-YET	EC3F.2BXX12.014-YET	EC3F.2NXX12.014-YET
15,0m	EC3F.23XX12.015-YET	EC3F.2AXX12.015-YET	EC3F.2BXX12.015-YET	EC3F.2NXX12.015-YET

SC/PCsx, Simplex cable pigtail, semi tight, OD=1,2mm, LSZH, MM, Boot length 30,8mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.24XX12.0P5-GRT	EC3F.25XX12.0P5-ORT	EC3F.26XX12.0P5-AQT	EC3F.27XX12.0P5-YET
1,0m	EC3F.24XX12.001-GRT	EC3F.25XX12.001-ORT	EC3F.26XX12.001-AQT	EC3F.27XX12.001-YET
2,0m	EC3F.24XX12.002-GRT	EC3F.25XX12.002-ORT	EC3F.26XX12.002-AQT	EC3F.27XX12.002-YET
3,0m	EC3F.24XX12.003-GRT	EC3F.25XX12.003-ORT	EC3F.26XX12.003-AQT	EC3F.27XX12.003-YET
4,0m	EC3F.24XX12.004-GRT	EC3F.25XX12.004-ORT	EC3F.26XX12.004-AQT	EC3F.27XX12.004-YET
5,0m	EC3F.24XX12.005-GRT	EC3F.25XX12.005-ORT	EC3F.26XX12.005-AQT	EC3F.27XX12.005-YET
6,0m	EC3F.24XX12.006-GRT	EC3F.25XX12.006-ORT	EC3F.26XX12.006-AQT	EC3F.27XX12.006-YET
7,0m	EC3F.24XX12.007-GRT	EC3F.25XX12.007-ORT	EC3F.26XX12.007-AQT	EC3F.27XX12.007-YET
7,5m	EC3F.24XX12.7P5-GRT	EC3F.25XX12.7P5-ORT	EC3F.26XX12.7P5-AQT	EC3F.27XX12.7P5-YET
8,0m	EC3F.24XX12.008-GRT	EC3F.25XX12.008-ORT	EC3F.26XX12.008-AQT	EC3F.27XX12.008-YET
9,0m	EC3F.24XX12.009-GRT	EC3F.25XX12.009-ORT	EC3F.26XX12.009-AQT	EC3F.27XX12.009-YET
10,0m	EC3F.24XX12.010-GRT	EC3F.25XX12.010-ORT	EC3F.26XX12.010-AQT	EC3F.27XX12.010-YET
11,0m	EC3F.24XX12.011-GRT	EC3F.25XX12.011-ORT	EC3F.26XX12.011-AQT	EC3F.27XX12.011-YET
12,0m	EC3F.24XX12.012-GRT	EC3F.25XX12.012-ORT	EC3F.26XX12.012-AQT	EC3F.27XX12.012-YET
13,0m	EC3F.24XX12.013-GRT	EC3F.25XX12.013-ORT	EC3F.26XX12.013-AQT	EC3F.27XX12.013-YET
14,0m	EC3F.24XX12.014-GRT	EC3F.25XX12.014-ORT	EC3F.26XX12.014-AQT	EC3F.27XX12.014-YET
15,0m	EC3F.24XX12.015-GRT	EC3F.25XX12.015-ORT	EC3F.26XX12.015-AQT	EC3F.27XX12.015-YET

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request



SC/PCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, SM, Boot length 30,8mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.2EXX16.0P5-YET	EC3F.2IXX16.0P5-YET	EC3F.2UXX16.0P5-YET	EC3F.2WXX16.0P5-YET
1,0m	EC3F.2EXX16.001-YET	EC3F.2IXX16.001-YET	EC3F.2UXX16.001-YET	EC3F.2WXX16.001-YET
2,0m	EC3F.2EXX16.002-YET	EC3F.2IXX16.002-YET	EC3F.2UXX16.002-YET	EC3F.2WXX16.002-YET
3,0m	EC3F.2EXX16.003-YET	EC3F.2IXX16.003-YET	EC3F.2UXX16.003-YET	EC3F.2WXX16.003-YET
4,0m	EC3F.2EXX16.004-YET	EC3F.2IXX16.004-YET	EC3F.2UXX16.004-YET	EC3F.2WXX16.004-YET
5,0m	EC3F.2EXX16.005-YET	EC3F.2IXX16.005-YET	EC3F.2UXX16.005-YET	EC3F.2WXX16.005-YET
6,0m	EC3F.2EXX16.006-YET	EC3F.2IXX16.006-YET	EC3F.2UXX16.006-YET	EC3F.2WXX16.006-YET
7,0m	EC3F.2EXX16.007-YET	EC3F.2IXX16.007-YET	EC3F.2UXX16.007-YET	EC3F.2WXX16.007-YET
7,5m	EC3F.2EXX16.7P5-YET	EC3F.2IXX16.7P5-YET	EC3F.2UXX16.7P5-YET	EC3F.2WXX16.7P5-YET
8,0m	EC3F.2EXX16.008-YET	EC3F.2IXX16.008-YET	EC3F.2UXX16.008-YET	EC3F.2WXX16.008-YET
9,0m	EC3F.2EXX16.009-YET	EC3F.2IXX16.009-YET	EC3F.2UXX16.009-YET	EC3F.2WXX16.009-YET
10,0m	EC3F.2EXX16.010-YET	EC3F.2IXX16.010-YET	EC3F.2UXX16.010-YET	EC3F.2WXX16.010-YET
11,0m	EC3F.2EXX16.011-YET	EC3F.2IXX16.011-YET	EC3F.2UXX16.011-YET	EC3F.2WXX16.011-YET
12,0m	EC3F.2EXX16.012-YET	EC3F.2IXX16.012-YET	EC3F.2UXX16.012-YET	EC3F.2WXX16.012-YET
13,0m	EC3F.2EXX16.013-YET	EC3F.2IXX16.013-YET	EC3F.2UXX16.013-YET	EC3F.2WXX16.013-YET
14,0m	EC3F.2EXX16.014-YET	EC3F.2IXX16.014-YET	EC3F.2UXX16.014-YET	EC3F.2WXX16.014-YET
15,0m	EC3F.2EXX16.015-YET	EC3F.2IXX16.015-YET	EC3F.2UXX16.015-YET	EC3F.2WXX16.015-YET

SC/APCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, SM, Boot length 30,8mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.2FXX16.0P5-YET	EC3F.2JXX16.0P5-YET	EC3F.2VXX16.0P5-YET	EC3F.2XXX16.0P5-YET
1,0m	EC3F.2FXX16.001-YET	EC3F.2JXX16.001-YET	EC3F.2VXX16.001-YET	EC3F.2XXX16.001-YET
2,0m	EC3F.2FXX16.002-YET	EC3F.2JXX16.002-YET	EC3F.2VXX16.002-YET	EC3F.2XXX16.002-YET
3,0m	EC3F.2FXX16.003-YET	EC3F.2JXX16.003-YET	EC3F.2VXX16.003-YET	EC3F.2XXX16.003-YET
4,0m	EC3F.2FXX16.004-YET	EC3F.2JXX16.004-YET	EC3F.2VXX16.004-YET	EC3F.2XXX16.004-YET
5,0m	EC3F.2FXX16.005-YET	EC3F.2JXX16.005-YET	EC3F.2VXX16.005-YET	EC3F.2XXX16.005-YET
6,0m	EC3F.2FXX16.006-YET	EC3F.2JXX16.006-YET	EC3F.2VXX16.006-YET	EC3F.2XXX16.006-YET
7,0m	EC3F.2FXX16.007-YET	EC3F.2JXX16.007-YET	EC3F.2VXX16.007-YET	EC3F.2XXX16.007-YET
7,5m	EC3F.2FXX16.7P5-YET	EC3F.2JXX16.7P5-YET	EC3F.2VXX16.7P5-YET	EC3F.2XXX16.7P5-YET
8,0m	EC3F.2FXX16.008-YET	EC3F.2JXX16.008-YET	EC3F.2VXX16.008-YET	EC3F.2XXX16.008-YET
9,0m	EC3F.2FXX16.009-YET	EC3F.2JXX16.009-YET	EC3F.2VXX16.009-YET	EC3F.2XXX16.009-YET
10,0m	EC3F.2FXX16.010-YET	EC3F.2JXX16.010-YET	EC3F.2VXX16.010-YET	EC3F.2XXX16.010-YET
11,0m	EC3F.2FXX16.011-YET	EC3F.2JXX16.011-YET	EC3F.2VXX16.011-YET	EC3F.2XXX16.011-YET
12,0m	EC3F.2FXX16.012-YET	EC3F.2JXX16.012-YET	EC3F.2VXX16.012-YET	EC3F.2XXX16.012-YET
13,0m	EC3F.2FXX16.013-YET	EC3F.2JXX16.013-YET	EC3F.2VXX16.013-YET	EC3F.2XXX16.013-YET
14,0m	EC3F.2FXX16.014-YET	EC3F.2JXX16.014-YET	EC3F.2VXX16.014-YET	EC3F.2XXX16.014-YET
15,0m	EC3F.2FXX16.015-YET	EC3F.2JXX16.015-YET	EC3F.2VXX16.015-YET	EC3F.2XXX16.015-YET

SC/PCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, MM, Boot length 30,8mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.24XX16.0P5-GRTX	EC3F.25XX16.0P5-ORTX	EC3F.2CXX16.0P5-AQT	EC3F.2DXX16.0P5-HVT
1,0m	EC3F.24XX16.001-GRTX	EC3F.25XX16.001-ORTX	EC3F.2CXX16.001-AQT	EC3F.2DXX16.001-HVT
2,0m	EC3F.24XX16.002-GRTX	EC3F.25XX16.002-ORTX	EC3F.2CXX16.002-AQT	EC3F.2DXX16.002-HVT
3,0m	EC3F.24XX16.003-GRTX	EC3F.25XX16.003-ORTX	EC3F.2CXX16.003-AQT	EC3F.2DXX16.003-HVT
4,0m	EC3F.24XX16.004-GRTX	EC3F.25XX16.004-ORTX	EC3F.2CXX16.004-AQT	EC3F.2DXX16.004-HVT
5,0m	EC3F.24XX16.005-GRTX	EC3F.25XX16.005-ORTX	EC3F.2CXX16.005-AQT	EC3F.2DXX16.005-HVT
6,0m	EC3F.24XX16.006-GRTX	EC3F.25XX16.006-ORTX	EC3F.2CXX16.006-AQT	EC3F.2DXX16.006-HVT
7,0m	EC3F.24XX16.007-GRTX	EC3F.25XX16.007-ORTX	EC3F.2CXX16.007-AQT	EC3F.2DXX16.007-HVT
7,5m	EC3F.24XX16.7P5-GRTX	EC3F.25XX16.7P5-ORTX	EC3F.2CXX16.7P5-AQT	EC3F.2DXX16.7P5-HVT
8,0m	EC3F.24XX16.008-GRTX	EC3F.25XX16.008-ORTX	EC3F.2CXX16.008-AQT	EC3F.2DXX16.008-HVT
9,0m	EC3F.24XX16.009-GRTX	EC3F.25XX16.009-ORTX	EC3F.2CXX16.009-AQT	EC3F.2DXX16.009-HVT
10,0m	EC3F.24XX16.010-GRTX	EC3F.25XX16.010-ORTX	EC3F.2CXX16.010-AQT	EC3F.2DXX16.010-HVT
11,0m	EC3F.24XX16.011-GRTX	EC3F.25XX16.011-ORTX	EC3F.2CXX16.011-AQT	EC3F.2DXX16.011-HVT
12,0m	EC3F.24XX16.012-GRTX	EC3F.25XX16.012-ORTX	EC3F.2CXX16.012-AQT	EC3F.2DXX16.012-HVT
13,0m	EC3F.24XX16.013-GRTX	EC3F.25XX16.013-ORTX	EC3F.2CXX16.013-AQT	EC3F.2DXX16.013-HVT
14,0m	EC3F.24XX16.014-GRTX	EC3F.25XX16.014-ORTX	EC3F.2CXX16.014-AQT	EC3F.2DXX16.014-HVT
15,0m	EC3F.24XX16.015-GRTX	EC3F.25XX16.015-ORTX	EC3F.2CXX16.015-AQT	EC3F.2DXX16.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx cable pigtail

SC/PCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, SM, Boot length 30,8mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.22XX16.0P5-YET	EC3F.28XX16.0P5-YET	EC3F.29XX16.0P5-YET	EC3F.2MXX16.0P5-YET
1,0m	EC3F.22XX16.001-YET	EC3F.28XX16.001-YET	EC3F.29XX16.001-YET	EC3F.2MXX16.001-YET
2,0m	EC3F.22XX16.002-YET	EC3F.28XX16.002-YET	EC3F.29XX16.002-YET	EC3F.2MXX16.002-YET
3,0m	EC3F.22XX16.003-YET	EC3F.28XX16.003-YET	EC3F.29XX16.003-YET	EC3F.2MXX16.003-YET
4,0m	EC3F.22XX16.004-YET	EC3F.28XX16.004-YET	EC3F.29XX16.004-YET	EC3F.2MXX16.004-YET
5,0m	EC3F.22XX16.005-YET	EC3F.28XX16.005-YET	EC3F.29XX16.005-YET	EC3F.2MXX16.005-YET
6,0m	EC3F.22XX16.006-YET	EC3F.28XX16.006-YET	EC3F.29XX16.006-YET	EC3F.2MXX16.006-YET
7,0m	EC3F.22XX16.007-YET	EC3F.28XX16.007-YET	EC3F.29XX16.007-YET	EC3F.2MXX16.007-YET
7,5m	EC3F.22XX16.7P5-YET	EC3F.28XX16.7P5-YET	EC3F.29XX16.7P5-YET	EC3F.2MXX16.7P5-YET
8,0m	EC3F.22XX16.008-YET	EC3F.28XX16.008-YET	EC3F.29XX16.008-YET	EC3F.2MXX16.008-YET
9,0m	EC3F.22XX16.009-YET	EC3F.28XX16.009-YET	EC3F.29XX16.009-YET	EC3F.2MXX16.009-YET
10,0m	EC3F.22XX16.010-YET	EC3F.28XX16.010-YET	EC3F.29XX16.010-YET	EC3F.2MXX16.010-YET
11,0m	EC3F.22XX16.011-YET	EC3F.28XX16.011-YET	EC3F.29XX16.011-YET	EC3F.2MXX16.011-YET
12,0m	EC3F.22XX16.012-YET	EC3F.28XX16.012-YET	EC3F.29XX16.012-YET	EC3F.2MXX16.012-YET
13,0m	EC3F.22XX16.013-YET	EC3F.28XX16.013-YET	EC3F.29XX16.013-YET	EC3F.2MXX16.013-YET
14,0m	EC3F.22XX16.014-YET	EC3F.28XX16.014-YET	EC3F.29XX16.014-YET	EC3F.2MXX16.014-YET
15,0m	EC3F.22XX16.015-YET	EC3F.28XX16.015-YET	EC3F.29XX16.015-YET	EC3F.2MXX16.015-YET

SC/APCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, SM, Boot length 30,8mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.23XX16.0P5-YET	EC3F.2AXX16.0P5-YET	EC3F.2BXX16.0P5-YET	EC3F.2NXX16.0P5-YET
1,0m	EC3F.23XX16.001-YET	EC3F.2AXX16.001-YET	EC3F.2BXX16.001-YET	EC3F.2NXX16.001-YET
2,0m	EC3F.23XX16.002-YET	EC3F.2AXX16.002-YET	EC3F.2BXX16.002-YET	EC3F.2NXX16.002-YET
3,0m	EC3F.23XX16.003-YET	EC3F.2AXX16.003-YET	EC3F.2BXX16.003-YET	EC3F.2NXX16.003-YET
4,0m	EC3F.23XX16.004-YET	EC3F.2AXX16.004-YET	EC3F.2BXX16.004-YET	EC3F.2NXX16.004-YET
5,0m	EC3F.23XX16.005-YET	EC3F.2AXX16.005-YET	EC3F.2BXX16.005-YET	EC3F.2NXX16.005-YET
6,0m	EC3F.23XX16.006-YET	EC3F.2AXX16.006-YET	EC3F.2BXX16.006-YET	EC3F.2NXX16.006-YET
7,0m	EC3F.23XX16.007-YET	EC3F.2AXX16.007-YET	EC3F.2BXX16.007-YET	EC3F.2NXX16.007-YET
7,5m	EC3F.23XX16.7P5-YET	EC3F.2AXX16.7P5-YET	EC3F.2BXX16.7P5-YET	EC3F.2NXX16.7P5-YET
8,0m	EC3F.23XX16.008-YET	EC3F.2AXX16.008-YET	EC3F.2BXX16.008-YET	EC3F.2NXX16.008-YET
9,0m	EC3F.23XX16.009-YET	EC3F.2AXX16.009-YET	EC3F.2BXX16.009-YET	EC3F.2NXX16.009-YET
10,0m	EC3F.23XX16.010-YET	EC3F.2AXX16.010-YET	EC3F.2BXX16.010-YET	EC3F.2NXX16.010-YET
11,0m	EC3F.23XX16.011-YET	EC3F.2AXX16.011-YET	EC3F.2BXX16.011-YET	EC3F.2NXX16.011-YET
12,0m	EC3F.23XX16.012-YET	EC3F.2AXX16.012-YET	EC3F.2BXX16.012-YET	EC3F.2NXX16.012-YET
13,0m	EC3F.23XX16.013-YET	EC3F.2AXX16.013-YET	EC3F.2BXX16.013-YET	EC3F.2NXX16.013-YET
14,0m	EC3F.23XX16.014-YET	EC3F.2AXX16.014-YET	EC3F.2BXX16.014-YET	EC3F.2NXX16.014-YET
15,0m	EC3F.23XX16.015-YET	EC3F.2AXX16.015-YET	EC3F.2BXX16.015-YET	EC3F.2NXX16.015-YET

SC/PCsx, Simplex cable pigtail, semi tight, OD=1,6mm, LSZH, MM, Boot length 30,8mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.24XX16.0P5-GRT	EC3F.25XX16.0P5-ORT	EC3F.26XX16.0P5-AQT	EC3F.27XX16.0P5-YET
1,0m	EC3F.24XX16.001-GRT	EC3F.25XX16.001-ORT	EC3F.26XX16.001-AQT	EC3F.27XX16.001-YET
2,0m	EC3F.24XX16.002-GRT	EC3F.25XX16.002-ORT	EC3F.26XX16.002-AQT	EC3F.27XX16.002-YET
3,0m	EC3F.24XX16.003-GRT	EC3F.25XX16.003-ORT	EC3F.26XX16.003-AQT	EC3F.27XX16.003-YET
4,0m	EC3F.24XX16.004-GRT	EC3F.25XX16.004-ORT	EC3F.26XX16.004-AQT	EC3F.27XX16.004-YET
5,0m	EC3F.24XX16.005-GRT	EC3F.25XX16.005-ORT	EC3F.26XX16.005-AQT	EC3F.27XX16.005-YET
6,0m	EC3F.24XX16.006-GRT	EC3F.25XX16.006-ORT	EC3F.26XX16.006-AQT	EC3F.27XX16.006-YET
7,0m	EC3F.24XX16.007-GRT	EC3F.25XX16.007-ORT	EC3F.26XX16.007-AQT	EC3F.27XX16.007-YET
7,5m	EC3F.24XX16.7P5-GRT	EC3F.25XX16.7P5-ORT	EC3F.26XX16.7P5-AQT	EC3F.27XX16.7P5-YET
8,0m	EC3F.24XX16.008-GRT	EC3F.25XX16.008-ORT	EC3F.26XX16.008-AQT	EC3F.27XX16.008-YET
9,0m	EC3F.24XX16.009-GRT	EC3F.25XX16.009-ORT	EC3F.26XX16.009-AQT	EC3F.27XX16.009-YET
10,0m	EC3F.24XX16.010-GRT	EC3F.25XX16.010-ORT	EC3F.26XX16.010-AQT	EC3F.27XX16.010-YET
11,0m	EC3F.24XX16.011-GRT	EC3F.25XX16.011-ORT	EC3F.26XX16.011-AQT	EC3F.27XX16.011-YET
12,0m	EC3F.24XX16.012-GRT	EC3F.25XX16.012-ORT	EC3F.26XX16.012-AQT	EC3F.27XX16.012-YET
13,0m	EC3F.24XX16.013-GRT	EC3F.25XX16.013-ORT	EC3F.26XX16.013-AQT	EC3F.27XX16.013-YET
14,0m	EC3F.24XX16.014-GRT	EC3F.25XX16.014-ORT	EC3F.26XX16.014-AQT	EC3F.27XX16.014-YET
15,0m	EC3F.24XX16.015-GRT	EC3F.25XX16.015-ORT	EC3F.26XX16.015-AQT	EC3F.27XX16.015-YET

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request



SC/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 30,8mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.2EXX18.0P5-YET	EC3F.2IXX18.0P5-YET	EC3F.2UXX18.0P5-YET	EC3F.2WXX18.0P5-YET
1,0m	EC3F.2EXX18.001-YET	EC3F.2IXX18.001-YET	EC3F.2UXX18.001-YET	EC3F.2WXX18.001-YET
2,0m	EC3F.2EXX18.002-YET	EC3F.2IXX18.002-YET	EC3F.2UXX18.002-YET	EC3F.2WXX18.002-YET
3,0m	EC3F.2EXX18.003-YET	EC3F.2IXX18.003-YET	EC3F.2UXX18.003-YET	EC3F.2WXX18.003-YET
4,0m	EC3F.2EXX18.004-YET	EC3F.2IXX18.004-YET	EC3F.2UXX18.004-YET	EC3F.2WXX18.004-YET
5,0m	EC3F.2EXX18.005-YET	EC3F.2IXX18.005-YET	EC3F.2UXX18.005-YET	EC3F.2WXX18.005-YET
6,0m	EC3F.2EXX18.006-YET	EC3F.2IXX18.006-YET	EC3F.2UXX18.006-YET	EC3F.2WXX18.006-YET
7,0m	EC3F.2EXX18.007-YET	EC3F.2IXX18.007-YET	EC3F.2UXX18.007-YET	EC3F.2WXX18.007-YET
7,5m	EC3F.2EXX18.7P5-YET	EC3F.2IXX18.7P5-YET	EC3F.2UXX18.7P5-YET	EC3F.2WXX18.7P5-YET
8,0m	EC3F.2EXX18.008-YET	EC3F.2IXX18.008-YET	EC3F.2UXX18.008-YET	EC3F.2WXX18.008-YET
9,0m	EC3F.2EXX18.009-YET	EC3F.2IXX18.009-YET	EC3F.2UXX18.009-YET	EC3F.2WXX18.009-YET
10,0m	EC3F.2EXX18.010-YET	EC3F.2IXX18.010-YET	EC3F.2UXX18.010-YET	EC3F.2WXX18.010-YET
11,0m	EC3F.2EXX18.011-YET	EC3F.2IXX18.011-YET	EC3F.2UXX18.011-YET	EC3F.2WXX18.011-YET
12,0m	EC3F.2EXX18.012-YET	EC3F.2IXX18.012-YET	EC3F.2UXX18.012-YET	EC3F.2WXX18.012-YET
13,0m	EC3F.2EXX18.013-YET	EC3F.2IXX18.013-YET	EC3F.2UXX18.013-YET	EC3F.2WXX18.013-YET
14,0m	EC3F.2EXX18.014-YET	EC3F.2IXX18.014-YET	EC3F.2UXX18.014-YET	EC3F.2WXX18.014-YET
15,0m	EC3F.2EXX18.015-YET	EC3F.2IXX18.015-YET	EC3F.2UXX18.015-YET	EC3F.2WXX18.015-YET

SC/APCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 30,8mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.2FXX18.0P5-YET	EC3F.2JXX18.0P5-YET	EC3F.2VXX18.0P5-YET	EC3F.2XXX18.0P5-YET
1,0m	EC3F.2FXX18.001-YET	EC3F.2JXX18.001-YET	EC3F.2VXX18.001-YET	EC3F.2XXX18.001-YET
2,0m	EC3F.2FXX18.002-YET	EC3F.2JXX18.002-YET	EC3F.2VXX18.002-YET	EC3F.2XXX18.002-YET
3,0m	EC3F.2FXX18.003-YET	EC3F.2JXX18.003-YET	EC3F.2VXX18.003-YET	EC3F.2XXX18.003-YET
4,0m	EC3F.2FXX18.004-YET	EC3F.2JXX18.004-YET	EC3F.2VXX18.004-YET	EC3F.2XXX18.004-YET
5,0m	EC3F.2FXX18.005-YET	EC3F.2JXX18.005-YET	EC3F.2VXX18.005-YET	EC3F.2XXX18.005-YET
6,0m	EC3F.2FXX18.006-YET	EC3F.2JXX18.006-YET	EC3F.2VXX18.006-YET	EC3F.2XXX18.006-YET
7,0m	EC3F.2FXX18.007-YET	EC3F.2JXX18.007-YET	EC3F.2VXX18.007-YET	EC3F.2XXX18.007-YET
7,5m	EC3F.2FXX18.7P5-YET	EC3F.2JXX18.7P5-YET	EC3F.2VXX18.7P5-YET	EC3F.2XXX18.7P5-YET
8,0m	EC3F.2FXX18.008-YET	EC3F.2JXX18.008-YET	EC3F.2VXX18.008-YET	EC3F.2XXX18.008-YET
9,0m	EC3F.2FXX18.009-YET	EC3F.2JXX18.009-YET	EC3F.2VXX18.009-YET	EC3F.2XXX18.009-YET
10,0m	EC3F.2FXX18.010-YET	EC3F.2JXX18.010-YET	EC3F.2VXX18.010-YET	EC3F.2XXX18.010-YET
11,0m	EC3F.2FXX18.011-YET	EC3F.2JXX18.011-YET	EC3F.2VXX18.011-YET	EC3F.2XXX18.011-YET
12,0m	EC3F.2FXX18.012-YET	EC3F.2JXX18.012-YET	EC3F.2VXX18.012-YET	EC3F.2XXX18.012-YET
13,0m	EC3F.2FXX18.013-YET	EC3F.2JXX18.013-YET	EC3F.2VXX18.013-YET	EC3F.2XXX18.013-YET
14,0m	EC3F.2FXX18.014-YET	EC3F.2JXX18.014-YET	EC3F.2VXX18.014-YET	EC3F.2XXX18.014-YET
15,0m	EC3F.2FXX18.015-YET	EC3F.2JXX18.015-YET	EC3F.2VXX18.015-YET	EC3F.2XXX18.015-YET

SC/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, MM, Boot length 30,8mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.24XX18.0P5-GRTX	EC3F.25XX18.0P5-ORTX	EC3F.2CXX18.0P5-AQT	EC3F.2DXX18.0P5-HVT
1,0m	EC3F.24XX18.001-GRTX	EC3F.25XX18.001-ORTX	EC3F.2CXX18.001-AQT	EC3F.2DXX18.001-HVT
2,0m	EC3F.24XX18.002-GRTX	EC3F.25XX18.002-ORTX	EC3F.2CXX18.002-AQT	EC3F.2DXX18.002-HVT
3,0m	EC3F.24XX18.003-GRTX	EC3F.25XX18.003-ORTX	EC3F.2CXX18.003-AQT	EC3F.2DXX18.003-HVT
4,0m	EC3F.24XX18.004-GRTX	EC3F.25XX18.004-ORTX	EC3F.2CXX18.004-AQT	EC3F.2DXX18.004-HVT
5,0m	EC3F.24XX18.005-GRTX	EC3F.25XX18.005-ORTX	EC3F.2CXX18.005-AQT	EC3F.2DXX18.005-HVT
6,0m	EC3F.24XX18.006-GRTX	EC3F.25XX18.006-ORTX	EC3F.2CXX18.006-AQT	EC3F.2DXX18.006-HVT
7,0m	EC3F.24XX18.007-GRTX	EC3F.25XX18.007-ORTX	EC3F.2CXX18.007-AQT	EC3F.2DXX18.007-HVT
7,5m	EC3F.24XX18.7P5-GRTX	EC3F.25XX18.7P5-ORTX	EC3F.2CXX18.7P5-AQT	EC3F.2DXX18.7P5-HVT
8,0m	EC3F.24XX18.008-GRTX	EC3F.25XX18.008-ORTX	EC3F.2CXX18.008-AQT	EC3F.2DXX18.008-HVT
9,0m	EC3F.24XX18.009-GRTX	EC3F.25XX18.009-ORTX	EC3F.2CXX18.009-AQT	EC3F.2DXX18.009-HVT
10,0m	EC3F.24XX18.010-GRTX	EC3F.25XX18.010-ORTX	EC3F.2CXX18.010-AQT	EC3F.2DXX18.010-HVT
11,0m	EC3F.24XX18.011-GRTX	EC3F.25XX18.011-ORTX	EC3F.2CXX18.011-AQT	EC3F.2DXX18.011-HVT
12,0m	EC3F.24XX18.012-GRTX	EC3F.25XX18.012-ORTX	EC3F.2CXX18.012-AQT	EC3F.2DXX18.012-HVT
13,0m	EC3F.24XX18.013-GRTX	EC3F.25XX18.013-ORTX	EC3F.2CXX18.013-AQT	EC3F.2DXX18.013-HVT
14,0m	EC3F.24XX18.014-GRTX	EC3F.25XX18.014-ORTX	EC3F.2CXX18.014-AQT	EC3F.2DXX18.014-HVT
15,0m	EC3F.24XX18.015-GRTX	EC3F.25XX18.015-ORTX	EC3F.2CXX18.015-AQT	EC3F.2DXX18.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx cable pigtail

SC/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 30,8mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC35.22XX18.0P5-YET	EC35.28XX18.0P5-YET	EC35.29XX18.0P5-YET	EC35.2MXX18.0P5-YET
1,0m	EC35.22XX18.001-YET	EC35.28XX18.001-YET	EC35.29XX18.001-YET	EC35.2MXX18.001-YET
2,0m	EC35.22XX18.002-YET	EC35.28XX18.002-YET	EC35.29XX18.002-YET	EC35.2MXX18.002-YET
3,0m	EC35.22XX18.003-YET	EC35.28XX18.003-YET	EC35.29XX18.003-YET	EC35.2MXX18.003-YET
4,0m	EC35.22XX18.004-YET	EC35.28XX18.004-YET	EC35.29XX18.004-YET	EC35.2MXX18.004-YET
5,0m	EC35.22XX18.005-YET	EC35.28XX18.005-YET	EC35.29XX18.005-YET	EC35.2MXX18.005-YET
6,0m	EC35.22XX18.006-YET	EC35.28XX18.006-YET	EC35.29XX18.006-YET	EC35.2MXX18.006-YET
7,0m	EC35.22XX18.007-YET	EC35.28XX18.007-YET	EC35.29XX18.007-YET	EC35.2MXX18.007-YET
7,5m	EC35.22XX18.7P5-YET	EC35.28XX18.7P5-YET	EC35.29XX18.7P5-YET	EC35.2MXX18.7P5-YET
8,0m	EC35.22XX18.008-YET	EC35.28XX18.008-YET	EC35.29XX18.008-YET	EC35.2MXX18.008-YET
9,0m	EC35.22XX18.009-YET	EC35.28XX18.009-YET	EC35.29XX18.009-YET	EC35.2MXX18.009-YET
10,0m	EC35.22XX18.010-YET	EC35.28XX18.010-YET	EC35.29XX18.010-YET	EC35.2MXX18.010-YET
11,0m	EC35.22XX18.011-YET	EC35.28XX18.011-YET	EC35.29XX18.011-YET	EC35.2MXX18.011-YET
12,0m	EC35.22XX18.012-YET	EC35.28XX18.012-YET	EC35.29XX18.012-YET	EC35.2MXX18.012-YET
13,0m	EC35.22XX18.013-YET	EC35.28XX18.013-YET	EC35.29XX18.013-YET	EC35.2MXX18.013-YET
14,0m	EC35.22XX18.014-YET	EC35.28XX18.014-YET	EC35.29XX18.014-YET	EC35.2MXX18.014-YET
15,0m	EC35.22XX18.015-YET	EC35.28XX18.015-YET	EC35.29XX18.015-YET	EC35.2MXX18.015-YET

SC/APCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, SM, Boot length 30,8mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC35.23XX18.0P5-YET	EC35.2AXX18.0P5-YET	EC35.2BXX18.0P5-YET	EC35.2NXX18.0P5-YET
1,0m	EC35.23XX18.001-YET	EC35.2AXX18.001-YET	EC35.2BXX18.001-YET	EC35.2NXX18.001-YET
2,0m	EC35.23XX18.002-YET	EC35.2AXX18.002-YET	EC35.2BXX18.002-YET	EC35.2NXX18.002-YET
3,0m	EC35.23XX18.003-YET	EC35.2AXX18.003-YET	EC35.2BXX18.003-YET	EC35.2NXX18.003-YET
4,0m	EC35.23XX18.004-YET	EC35.2AXX18.004-YET	EC35.2BXX18.004-YET	EC35.2NXX18.004-YET
5,0m	EC35.23XX18.005-YET	EC35.2AXX18.005-YET	EC35.2BXX18.005-YET	EC35.2NXX18.005-YET
6,0m	EC35.23XX18.006-YET	EC35.2AXX18.006-YET	EC35.2BXX18.006-YET	EC35.2NXX18.006-YET
7,0m	EC35.23XX18.007-YET	EC35.2AXX18.007-YET	EC35.2BXX18.007-YET	EC35.2NXX18.007-YET
7,5m	EC35.23XX18.7P5-YET	EC35.2AXX18.7P5-YET	EC35.2BXX18.7P5-YET	EC35.2NXX18.7P5-YET
8,0m	EC35.23XX18.008-YET	EC35.2AXX18.008-YET	EC35.2BXX18.008-YET	EC35.2NXX18.008-YET
9,0m	EC35.23XX18.009-YET	EC35.2AXX18.009-YET	EC35.2BXX18.009-YET	EC35.2NXX18.009-YET
10,0m	EC35.23XX18.010-YET	EC35.2AXX18.010-YET	EC35.2BXX18.010-YET	EC35.2NXX18.010-YET
11,0m	EC35.23XX18.011-YET	EC35.2AXX18.011-YET	EC35.2BXX18.011-YET	EC35.2NXX18.011-YET
12,0m	EC35.23XX18.012-YET	EC35.2AXX18.012-YET	EC35.2BXX18.012-YET	EC35.2NXX18.012-YET
13,0m	EC35.23XX18.013-YET	EC35.2AXX18.013-YET	EC35.2BXX18.013-YET	EC35.2NXX18.013-YET
14,0m	EC35.23XX18.014-YET	EC35.2AXX18.014-YET	EC35.2BXX18.014-YET	EC35.2NXX18.014-YET
15,0m	EC35.23XX18.015-YET	EC35.2AXX18.015-YET	EC35.2BXX18.015-YET	EC35.2NXX18.015-YET

SC/PCsx, Simplex cable pigtail, semi tight, OD=1,8mm, LSZH, MM, Boot length 30,8mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.24XX18.0P5-GRT	EC3F.25XX18.0P5-ORT	EC3F.26XX18.0P5-AQT	EC3F.27XX18.0P5-YET
1,0m	EC3F.24XX18.001-GRT	EC3F.25XX18.001-ORT	EC3F.26XX18.001-AQT	EC3F.27XX18.001-YET
2,0m	EC3F.24XX18.002-GRT	EC3F.25XX18.002-ORT	EC3F.26XX18.002-AQT	EC3F.27XX18.002-YET
3,0m	EC3F.24XX18.003-GRT	EC3F.25XX18.003-ORT	EC3F.26XX18.003-AQT	EC3F.27XX18.003-YET
4,0m	EC3F.24XX18.004-GRT	EC3F.25XX18.004-ORT	EC3F.26XX18.004-AQT	EC3F.27XX18.004-YET
5,0m	EC3F.24XX18.005-GRT	EC3F.25XX18.005-ORT	EC3F.26XX18.005-AQT	EC3F.27XX18.005-YET
6,0m	EC3F.24XX18.006-GRT	EC3F.25XX18.006-ORT	EC3F.26XX18.006-AQT	EC3F.27XX18.006-YET
7,0m	EC3F.24XX18.007-GRT	EC3F.25XX18.007-ORT	EC3F.26XX18.007-AQT	EC3F.27XX18.007-YET
7,5m	EC3F.24XX18.7P5-GRT	EC3F.25XX18.7P5-ORT	EC3F.26XX18.7P5-AQT	EC3F.27XX18.7P5-YET
8,0m	EC3F.24XX18.008-GRT	EC3F.25XX18.008-ORT	EC3F.26XX18.008-AQT	EC3F.27XX18.008-YET
9,0m	EC3F.24XX18.009-GRT	EC3F.25XX18.009-ORT	EC3F.26XX18.009-AQT	EC3F.27XX18.009-YET
10,0m	EC3F.24XX18.010-GRT	EC3F.25XX18.010-ORT	EC3F.26XX18.010-AQT	EC3F.27XX18.010-YET
11,0m	EC3F.24XX18.011-GRT	EC3F.25XX18.011-ORT	EC3F.26XX18.011-AQT	EC3F.27XX18.011-YET
12,0m	EC3F.24XX18.012-GRT	EC3F.25XX18.012-ORT	EC3F.26XX18.012-AQT	EC3F.27XX18.012-YET
13,0m	EC3F.24XX18.013-GRT	EC3F.25XX18.013-ORT	EC3F.26XX18.013-AQT	EC3F.27XX18.013-YET
14,0m	EC3F.24XX18.014-GRT	EC3F.25XX18.014-ORT	EC3F.26XX18.014-AQT	EC3F.27XX18.014-YET
15,0m	EC3F.24XX18.015-GRT	EC3F.25XX18.015-ORT	EC3F.26XX18.015-AQT	EC3F.27XX18.015-YET

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request



SC/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.2EXX20.0P5-YET	EC3F.2IXX20.0P5-YET	EC3F.2UXX20.0P5-YET	EC3F.2WXX20.0P5-YET
1,0m	EC3F.2EXX20.001-YET	EC3F.2IXX20.001-YET	EC3F.2UXX20.001-YET	EC3F.2WXX20.001-YET
2,0m	EC3F.2EXX20.002-YET	EC3F.2IXX20.002-YET	EC3F.2UXX20.002-YET	EC3F.2WXX20.002-YET
3,0m	EC3F.2EXX20.003-YET	EC3F.2IXX20.003-YET	EC3F.2UXX20.003-YET	EC3F.2WXX20.003-YET
4,0m	EC3F.2EXX20.004-YET	EC3F.2IXX20.004-YET	EC3F.2UXX20.004-YET	EC3F.2WXX20.004-YET
5,0m	EC3F.2EXX20.005-YET	EC3F.2IXX20.005-YET	EC3F.2UXX20.005-YET	EC3F.2WXX20.005-YET
6,0m	EC3F.2EXX20.006-YET	EC3F.2IXX20.006-YET	EC3F.2UXX20.006-YET	EC3F.2WXX20.006-YET
7,0m	EC3F.2EXX20.007-YET	EC3F.2IXX20.007-YET	EC3F.2UXX20.007-YET	EC3F.2WXX20.007-YET
7,5m	EC3F.2EXX20.7P5-YET	EC3F.2IXX20.7P5-YET	EC3F.2UXX20.7P5-YET	EC3F.2WXX20.7P5-YET
8,0m	EC3F.2EXX20.008-YET	EC3F.2IXX20.008-YET	EC3F.2UXX20.008-YET	EC3F.2WXX20.008-YET
9,0m	EC3F.2EXX20.009-YET	EC3F.2IXX20.009-YET	EC3F.2UXX20.009-YET	EC3F.2WXX20.009-YET
10,0m	EC3F.2EXX20.010-YET	EC3F.2IXX20.010-YET	EC3F.2UXX20.010-YET	EC3F.2WXX20.010-YET
11,0m	EC3F.2EXX20.011-YET	EC3F.2IXX20.011-YET	EC3F.2UXX20.011-YET	EC3F.2WXX20.011-YET
12,0m	EC3F.2EXX20.012-YET	EC3F.2IXX20.012-YET	EC3F.2UXX20.012-YET	EC3F.2WXX20.012-YET
13,0m	EC3F.2EXX20.013-YET	EC3F.2IXX20.013-YET	EC3F.2UXX20.013-YET	EC3F.2WXX20.013-YET
14,0m	EC3F.2EXX20.014-YET	EC3F.2IXX20.014-YET	EC3F.2UXX20.014-YET	EC3F.2WXX20.014-YET
15,0m	EC3F.2EXX20.015-YET	EC3F.2IXX20.015-YET	EC3F.2UXX20.015-YET	EC3F.2WXX20.015-YET

SC/APCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.2FXX20.0P5-YET	EC3F.2JXX20.0P5-YET	EC3F.2VXX20.0P5-YET	EC3F.2XXX20.0P5-YET
1,0m	EC3F.2FXX20.001-YET	EC3F.2JXX20.001-YET	EC3F.2VXX20.001-YET	EC3F.2XXX20.001-YET
2,0m	EC3F.2FXX20.002-YET	EC3F.2JXX20.002-YET	EC3F.2VXX20.002-YET	EC3F.2XXX20.002-YET
3,0m	EC3F.2FXX20.003-YET	EC3F.2JXX20.003-YET	EC3F.2VXX20.003-YET	EC3F.2XXX20.003-YET
4,0m	EC3F.2FXX20.004-YET	EC3F.2JXX20.004-YET	EC3F.2VXX20.004-YET	EC3F.2XXX20.004-YET
5,0m	EC3F.2FXX20.005-YET	EC3F.2JXX20.005-YET	EC3F.2VXX20.005-YET	EC3F.2XXX20.005-YET
6,0m	EC3F.2FXX20.006-YET	EC3F.2JXX20.006-YET	EC3F.2VXX20.006-YET	EC3F.2XXX20.006-YET
7,0m	EC3F.2FXX20.007-YET	EC3F.2JXX20.007-YET	EC3F.2VXX20.007-YET	EC3F.2XXX20.007-YET
7,5m	EC3F.2FXX20.7P5-YET	EC3F.2JXX20.7P5-YET	EC3F.2VXX20.7P5-YET	EC3F.2XXX20.7P5-YET
8,0m	EC3F.2FXX20.008-YET	EC3F.2JXX20.008-YET	EC3F.2VXX20.008-YET	EC3F.2XXX20.008-YET
9,0m	EC3F.2FXX20.009-YET	EC3F.2JXX20.009-YET	EC3F.2VXX20.009-YET	EC3F.2XXX20.009-YET
10,0m	EC3F.2FXX20.010-YET	EC3F.2JXX20.010-YET	EC3F.2VXX20.010-YET	EC3F.2XXX20.010-YET
11,0m	EC3F.2FXX20.011-YET	EC3F.2JXX20.011-YET	EC3F.2VXX20.011-YET	EC3F.2XXX20.011-YET
12,0m	EC3F.2FXX20.012-YET	EC3F.2JXX20.012-YET	EC3F.2VXX20.012-YET	EC3F.2XXX20.012-YET
13,0m	EC3F.2FXX20.013-YET	EC3F.2JXX20.013-YET	EC3F.2VXX20.013-YET	EC3F.2XXX20.013-YET
14,0m	EC3F.2FXX20.014-YET	EC3F.2JXX20.014-YET	EC3F.2VXX20.014-YET	EC3F.2XXX20.014-YET
15,0m	EC3F.2FXX20.015-YET	EC3F.2JXX20.015-YET	EC3F.2VXX20.015-YET	EC3F.2XXX20.015-YET

SC/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.24XX20.0P5-GRGX	EC3F.25XX20.0P5-ORTX	EC3F.2CXX20.0P5-AQT	EC3F.2DXX20.0P5-HVT
1,0m	EC3F.24XX20.001-GRGX	EC3F.25XX20.001-ORTX	EC3F.2CXX20.001-AQT	EC3F.2DXX20.001-HVT
2,0m	EC3F.24XX20.002-GRGX	EC3F.25XX20.002-ORTX	EC3F.2CXX20.002-AQT	EC3F.2DXX20.002-HVT
3,0m	EC3F.24XX20.003-GRGX	EC3F.25XX20.003-ORTX	EC3F.2CXX20.003-AQT	EC3F.2DXX20.003-HVT
4,0m	EC3F.24XX20.004-GRGX	EC3F.25XX20.004-ORTX	EC3F.2CXX20.004-AQT	EC3F.2DXX20.004-HVT
5,0m	EC3F.24XX20.005-GRGX	EC3F.25XX20.005-ORTX	EC3F.2CXX20.005-AQT	EC3F.2DXX20.005-HVT
6,0m	EC3F.24XX20.006-GRGX	EC3F.25XX20.006-ORTX	EC3F.2CXX20.006-AQT	EC3F.2DXX20.006-HVT
7,0m	EC3F.24XX20.007-GRGX	EC3F.25XX20.007-ORTX	EC3F.2CXX20.007-AQT	EC3F.2DXX20.007-HVT
7,5m	EC3F.24XX20.7P5-GRGX	EC3F.25XX20.7P5-ORTX	EC3F.2CXX20.7P5-AQT	EC3F.2DXX20.7P5-HVT
8,0m	EC3F.24XX20.008-GRGX	EC3F.25XX20.008-ORTX	EC3F.2CXX20.008-AQT	EC3F.2DXX20.008-HVT
9,0m	EC3F.24XX20.009-GRGX	EC3F.25XX20.009-ORTX	EC3F.2CXX20.009-AQT	EC3F.2DXX20.009-HVT
10,0m	EC3F.24XX20.010-GRGX	EC3F.25XX20.010-ORTX	EC3F.2CXX20.010-AQT	EC3F.2DXX20.010-HVT
11,0m	EC3F.24XX20.011-GRGX	EC3F.25XX20.011-ORTX	EC3F.2CXX20.011-AQT	EC3F.2DXX20.011-HVT
12,0m	EC3F.24XX20.012-GRGX	EC3F.25XX20.012-ORTX	EC3F.2CXX20.012-AQT	EC3F.2DXX20.012-HVT
13,0m	EC3F.24XX20.013-GRGX	EC3F.25XX20.013-ORTX	EC3F.2CXX20.013-AQT	EC3F.2DXX20.013-HVT
14,0m	EC3F.24XX20.014-GRGX	EC3F.25XX20.014-ORTX	EC3F.2CXX20.014-AQT	EC3F.2DXX20.014-HVT
15,0m	EC3F.24XX20.015-GRGX	EC3F.25XX20.015-ORTX	EC3F.2CXX20.015-AQT	EC3F.2DXX20.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx cable pigtail

SC/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC3F.22XX20.0P5-YET	EC3F.28XX20.0P5-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.0P5-YET
1,0m	EC3F.22XX20.001-YET	EC3F.28XX20.001-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.001-YET
2,0m	EC3F.22XX20.002-YET	EC3F.28XX20.002-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.002-YET
3,0m	EC3F.22XX20.003-YET	EC3F.28XX20.003-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.003-YET
4,0m	EC3F.22XX20.004-YET	EC3F.28XX20.004-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.004-YET
5,0m	EC3F.22XX20.005-YET	EC3F.28XX20.005-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.005-YET
6,0m	EC3F.22XX20.006-YET	EC3F.28XX20.006-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.006-YET
7,0m	EC3F.22XX20.007-YET	EC3F.28XX20.007-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.007-YET
7,5m	EC3F.22XX20.7P5-YET	EC3F.28XX20.7P5-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.7P5-YET
8,0m	EC3F.22XX20.008-YET	EC3F.28XX20.008-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.008-YET
9,0m	EC3F.22XX20.009-YET	EC3F.28XX20.009-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.009-YET
10,0m	EC3F.22XX20.010-YET	EC3F.28XX20.010-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.010-YET
11,0m	EC3F.22XX20.011-YET	EC3F.28XX20.011-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.011-YET
12,0m	EC3F.22XX20.012-YET	EC3F.28XX20.012-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.012-YET
13,0m	EC3F.22XX20.013-YET	EC3F.28XX20.013-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.013-YET
14,0m	EC3F.22XX20.014-YET	EC3F.28XX20.014-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.014-YET
15,0m	EC3F.22XX20.015-YET	EC3F.28XX20.015-YET	EC3F.29XX20.0P5-YET	EC3F.2MXX20.015-YET

SC/APCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC3F.23XX20.0P5-YET	EC3F.2AXX20.0P5-YET	EC3F.2BXX20.0P5-YET	EC3F.2NXX20.0P5-YET
1,0m	EC3F.23XX20.001-YET	EC3F.2AXX20.001-YET	EC3F.2BXX20.001-YET	EC3F.2NXX20.001-YET
2,0m	EC3F.23XX20.002-YET	EC3F.2AXX20.002-YET	EC3F.2BXX20.002-YET	EC3F.2NXX20.002-YET
3,0m	EC3F.23XX20.003-YET	EC3F.2AXX20.003-YET	EC3F.2BXX20.003-YET	EC3F.2NXX20.003-YET
4,0m	EC3F.23XX20.004-YET	EC3F.2AXX20.004-YET	EC3F.2BXX20.004-YET	EC3F.2NXX20.004-YET
5,0m	EC3F.23XX20.005-YET	EC3F.2AXX20.005-YET	EC3F.2BXX20.005-YET	EC3F.2NXX20.005-YET
6,0m	EC3F.23XX20.006-YET	EC3F.2AXX20.006-YET	EC3F.2BXX20.006-YET	EC3F.2NXX20.006-YET
7,0m	EC3F.23XX20.007-YET	EC3F.2AXX20.007-YET	EC3F.2BXX20.007-YET	EC3F.2NXX20.007-YET
7,5m	EC3F.23XX20.7P5-YET	EC3F.2AXX20.7P5-YET	EC3F.2BXX20.7P5-YET	EC3F.2NXX20.7P5-YET
8,0m	EC3F.23XX20.008-YET	EC3F.2AXX20.008-YET	EC3F.2BXX20.008-YET	EC3F.2NXX20.008-YET
9,0m	EC3F.23XX20.009-YET	EC3F.2AXX20.009-YET	EC3F.2BXX20.009-YET	EC3F.2NXX20.009-YET
10,0m	EC3F.23XX20.010-YET	EC3F.2AXX20.010-YET	EC3F.2BXX20.010-YET	EC3F.2NXX20.010-YET
11,0m	EC3F.23XX20.011-YET	EC3F.2AXX20.011-YET	EC3F.2BXX20.011-YET	EC3F.2NXX20.011-YET
12,0m	EC3F.23XX20.012-YET	EC3F.2AXX20.012-YET	EC3F.2BXX20.012-YET	EC3F.2NXX20.012-YET
13,0m	EC3F.23XX20.013-YET	EC3F.2AXX20.013-YET	EC3F.2BXX20.013-YET	EC3F.2NXX20.013-YET
14,0m	EC3F.23XX20.014-YET	EC3F.2AXX20.014-YET	EC3F.2BXX20.014-YET	EC3F.2NXX20.014-YET
15,0m	EC3F.23XX20.015-YET	EC3F.2AXX20.015-YET	EC3F.2BXX20.015-YET	EC3F.2NXX20.015-YET


SC/PCsx, Simplex cable pigtail, semi tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC3F.24XX20.0P5-GRT	EC3F.25XX20.0P5-ORT	EC3F.26XX20.0P5-AQT	EC3F.27XX20.0P5-YET
1,0m	EC3F.24XX20.001-GRT	EC3F.25XX20.001-ORT	EC3F.26XX20.001-AQT	EC3F.27XX20.001-YET
2,0m	EC3F.24XX20.002-GRT	EC3F.25XX20.002-ORT	EC3F.26XX20.002-AQT	EC3F.27XX20.002-YET
3,0m	EC3F.24XX20.003-GRT	EC3F.25XX20.003-ORT	EC3F.26XX20.003-AQT	EC3F.27XX20.003-YET
4,0m	EC3F.24XX20.004-GRT	EC3F.25XX20.004-ORT	EC3F.26XX20.004-AQT	EC3F.27XX20.004-YET
5,0m	EC3F.24XX20.005-GRT	EC3F.25XX20.005-ORT	EC3F.26XX20.005-AQT	EC3F.27XX20.005-YET
6,0m	EC3F.24XX20.006-GRT	EC3F.25XX20.006-ORT	EC3F.26XX20.006-AQT	EC3F.27XX20.006-YET
7,0m	EC3F.24XX20.007-GRT	EC3F.25XX20.007-ORT	EC3F.26XX20.007-AQT	EC3F.27XX20.007-YET
7,5m	EC3F.24XX20.7P5-GRT	EC3F.25XX20.7P5-ORT	EC3F.26XX20.7P5-AQT	EC3F.27XX20.7P5-YET
8,0m	EC3F.24XX20.008-GRT	EC3F.25XX20.008-ORT	EC3F.26XX20.008-AQT	EC3F.27XX20.008-YET
9,0m	EC3F.24XX20.009-GRT	EC3F.25XX20.009-ORT	EC3F.26XX20.009-AQT	EC3F.27XX20.009-YET
10,0m	EC3F.24XX20.010-GRT	EC3F.25XX20.010-ORT	EC3F.26XX20.010-AQT	EC3F.27XX20.010-YET
11,0m	EC3F.24XX20.011-GRT	EC3F.25XX20.011-ORT	EC3F.26XX20.011-AQT	EC3F.27XX20.011-YET
12,0m	EC3F.24XX20.012-GRT	EC3F.25XX20.012-ORT	EC3F.26XX20.012-AQT	EC3F.27XX20.012-YET
13,0m	EC3F.24XX20.013-GRT	EC3F.25XX20.013-ORT	EC3F.26XX20.013-AQT	EC3F.27XX20.013-YET
14,0m	EC3F.24XX20.014-GRT	EC3F.25XX20.014-ORT	EC3F.26XX20.014-AQT	EC3F.27XX20.014-YET
15,0m	EC3F.24XX20.015-GRT	EC3F.25XX20.015-ORT	EC3F.26XX20.015-AQT	EC3F.27XX20.015-YET

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

E2000sx - E2000sx patch cord



E2000/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,8mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC35.7E7E30.0P5-YET	EC35.7I7I30.0P5-YET	EC35.7U7U30.0P5-YET	EC35.7W7W30.0P5-YET
1,0m	EC35.7E7E30.001-YET	EC35.7I7I30.001-YET	EC35.7U7U30.001-YET	EC35.7W7W30.001-YET
2,0m	EC35.7E7E30.002-YET	EC35.7I7I30.002-YET	EC35.7U7U30.002-YET	EC35.7W7W30.002-YET
3,0m	EC35.7E7E30.003-YET	EC35.7I7I30.003-YET	EC35.7U7U30.003-YET	EC35.7W7W30.003-YET
4,0m	EC35.7E7E30.004-YET	EC35.7I7I30.004-YET	EC35.7U7U30.004-YET	EC35.7W7W30.004-YET
5,0m	EC35.7E7E30.005-YET	EC35.7I7I30.005-YET	EC35.7U7U30.005-YET	EC35.7W7W30.005-YET
6,0m	EC35.7E7E30.006-YET	EC35.7I7I30.006-YET	EC35.7U7U30.006-YET	EC35.7W7W30.006-YET
7,0m	EC35.7E7E30.007-YET	EC35.7I7I30.007-YET	EC35.7U7U30.007-YET	EC35.7W7W30.007-YET
7,5m	EC35.7E7E30.7P5-YET	EC35.7I7I30.7P5-YET	EC35.7U7U30.7P5-YET	EC35.7W7W30.7P5-YET
8,0m	EC35.7E7E30.008-YET	EC35.7I7I30.008-YET	EC35.7U7U30.008-YET	EC35.7W7W30.008-YET
9,0m	EC35.7E7E30.009-YET	EC35.7I7I30.009-YET	EC35.7U7U30.009-YET	EC35.7W7W30.009-YET
10,0m	EC35.7E7E30.010-YET	EC35.7I7I30.010-YET	EC35.7U7U30.010-YET	EC35.7W7W30.010-YET
11,0m	EC35.7E7E30.011-YET	EC35.7I7I30.011-YET	EC35.7U7U30.011-YET	EC35.7W7W30.011-YET
12,0m	EC35.7E7E30.012-YET	EC35.7I7I30.012-YET	EC35.7U7U30.012-YET	EC35.7W7W30.012-YET
13,0m	EC35.7E7E30.013-YET	EC35.7I7I30.013-YET	EC35.7U7U30.013-YET	EC35.7W7W30.013-YET
14,0m	EC35.7E7E30.014-YET	EC35.7I7I30.014-YET	EC35.7U7U30.014-YET	EC35.7W7W30.014-YET
15,0m	EC35.7E7E30.015-YET	EC35.7I7I30.015-YET	EC35.7U7U30.015-YET	EC35.7W7W30.015-YET

E2000/APCsx-E2000/APCsx, Simplex patch cord, tight, OD=2,8mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC35.7F7F30.0P5-YET	EC35.7R7R30.0P5-YET	EC35.7V7V30.0P5-YET	EC35.7X7X30.0P5-YET
1,0m	EC35.7F7F30.001-YET	EC35.7R7R30.001-YET	EC35.7V7V30.001-YET	EC35.7X7X30.001-YET
2,0m	EC35.7F7F30.002-YET	EC35.7R7R30.002-YET	EC35.7V7V30.002-YET	EC35.7X7X30.002-YET
3,0m	EC35.7F7F30.003-YET	EC35.7R7R30.003-YET	EC35.7V7V30.003-YET	EC35.7X7X30.003-YET
4,0m	EC35.7F7F30.004-YET	EC35.7R7R30.004-YET	EC35.7V7V30.004-YET	EC35.7X7X30.004-YET
5,0m	EC35.7F7F30.005-YET	EC35.7R7R30.005-YET	EC35.7V7V30.005-YET	EC35.7X7X30.005-YET
6,0m	EC35.7F7F30.006-YET	EC35.7R7R30.006-YET	EC35.7V7V30.006-YET	EC35.7X7X30.006-YET
7,0m	EC35.7F7F30.007-YET	EC35.7R7R30.007-YET	EC35.7V7V30.007-YET	EC35.7X7X30.007-YET
7,5m	EC35.7F7F30.7P5-YET	EC35.7R7R30.7P5-YET	EC35.7V7V30.7P5-YET	EC35.7X7X30.7P5-YET
8,0m	EC35.7F7F30.008-YET	EC35.7R7R30.008-YET	EC35.7V7V30.008-YET	EC35.7X7X30.008-YET
9,0m	EC35.7F7F30.009-YET	EC35.7R7R30.009-YET	EC35.7V7V30.009-YET	EC35.7X7X30.009-YET
10,0m	EC35.7F7F30.010-YET	EC35.7R7R30.010-YET	EC35.7V7V30.010-YET	EC35.7X7X30.010-YET
11,0m	EC35.7F7F30.011-YET	EC35.7R7R30.011-YET	EC35.7V7V30.011-YET	EC35.7X7X30.011-YET
12,0m	EC35.7F7F30.012-YET	EC35.7R7R30.012-YET	EC35.7V7V30.012-YET	EC35.7X7X30.012-YET
13,0m	EC35.7F7F30.013-YET	EC35.7R7R30.013-YET	EC35.7V7V30.013-YET	EC35.7X7X30.013-YET
14,0m	EC35.7F7F30.014-YET	EC35.7R7R30.014-YET	EC35.7V7V30.014-YET	EC35.7X7X30.014-YET
15,0m	EC35.7F7F30.015-YET	EC35.7R7R30.015-YET	EC35.7V7V30.015-YET	EC35.7X7X30.015-YET

E2000/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,8mm, LSZH, MM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color			aqua	aqua
Housing color			beige	beige
Boot color			black	black
Lever color			aqua	aqua
0,5m	N/A	N/A	EC35.7C7C30.0P5-AQT	EC35.7D7D30.0P5-AQT
1,0m	N/A	N/A	EC35.7C7C30.001-AQT	EC35.7D7D30.001-AQT
2,0m	N/A	N/A	EC35.7C7C30.002-AQT	EC35.7D7D30.002-AQT
3,0m	N/A	N/A	EC35.7C7C30.003-AQT	EC35.7D7D30.003-AQT
4,0m	N/A	N/A	EC35.7C7C30.004-AQT	EC35.7D7D30.004-AQT
5,0m	N/A	N/A	EC35.7C7C30.005-AQT	EC35.7D7D30.005-AQT
6,0m	N/A	N/A	EC35.7C7C30.006-AQT	EC35.7D7D30.006-AQT
7,0m	N/A	N/A	EC35.7C7C30.007-AQT	EC35.7D7D30.007-AQT
7,5m	N/A	N/A	EC35.7C7C30.7P5-AQT	EC35.7D7D30.7P5-AQT
8,0m	N/A	N/A	EC35.7C7C30.008-AQT	EC35.7D7D30.008-AQT
9,0m	N/A	N/A	EC35.7C7C30.009-AQT	EC35.7D7D30.009-AQT
10,0m	N/A	N/A	EC35.7C7C30.010-AQT	EC35.7D7D30.010-AQT
11,0m	N/A	N/A	EC35.7C7C30.011-AQT	EC35.7D7D30.011-AQT
12,0m	N/A	N/A	EC35.7C7C30.012-AQT	EC35.7D7D30.012-AQT
13,0m	N/A	N/A	EC35.7C7C30.013-AQT	EC35.7D7D30.013-AQT
14,0m	N/A	N/A	EC35.7C7C30.014-AQT	EC35.7D7D30.014-AQT
15,0m	N/A	N/A	EC35.7C7C30.015-AQT	EC35.7D7D30.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

E2000sx - E2000sx patch cord

E2000/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,8mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC35.727230.0P5-YET	EC35.787830.0P5-YET	EC35.797930.0P5-YET	EC35.7M7M30.0P5-YET
1,0m	EC35.727230.001-YET	EC35.787830.001-YET	EC35.797930.001-YET	EC35.7M7M30.001-YET
2,0m	EC35.727230.002-YET	EC35.787830.002-YET	EC35.797930.002-YET	EC35.7M7M30.002-YET
3,0m	EC35.727230.003-YET	EC35.787830.003-YET	EC35.797930.003-YET	EC35.7M7M30.003-YET
4,0m	EC35.727230.004-YET	EC35.787830.004-YET	EC35.797930.004-YET	EC35.7M7M30.004-YET
5,0m	EC35.727230.005-YET	EC35.787830.005-YET	EC35.797930.005-YET	EC35.7M7M30.005-YET
6,0m	EC35.727230.006-YET	EC35.787830.006-YET	EC35.797930.006-YET	EC35.7M7M30.006-YET
7,0m	EC35.727230.007-YET	EC35.787830.007-YET	EC35.797930.007-YET	EC35.7M7M30.007-YET
7,5m	EC35.727230.7P5-YET	EC35.787830.7P5-YET	EC35.797930.7P5-YET	EC35.7M7M30.7P5-YET
8,0m	EC35.727230.008-YET	EC35.787830.008-YET	EC35.797930.008-YET	EC35.7M7M30.008-YET
9,0m	EC35.727230.009-YET	EC35.787830.009-YET	EC35.797930.009-YET	EC35.7M7M30.009-YET
10,0m	EC35.727230.010-YET	EC35.787830.010-YET	EC35.797930.010-YET	EC35.7M7M30.010-YET
11,0m	EC35.727230.011-YET	EC35.787830.011-YET	EC35.797930.011-YET	EC35.7M7M30.011-YET
12,0m	EC35.727230.012-YET	EC35.787830.012-YET	EC35.797930.012-YET	EC35.7M7M30.012-YET
13,0m	EC35.727230.013-YET	EC35.787830.013-YET	EC35.797930.013-YET	EC35.7M7M30.013-YET
14,0m	EC35.727230.014-YET	EC35.787830.014-YET	EC35.797930.014-YET	EC35.7M7M30.014-YET
15,0m	EC35.727230.015-YET	EC35.787830.015-YET	EC35.797930.015-YET	EC35.7M7M30.015-YET

E2000/APCsx-E2000/APCsx, Simplex patch cord, tight, OD=2,8mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC35.737330.0P5-YET	EC35.7A7A30.0P5-YET	EC35.7B7B30.0P5-YET	EC35.7N7N30.0P5-YET
1,0m	EC35.737330.001-YET	EC35.7A7A30.001-YET	EC35.7B7B30.001-YET	EC35.7N7N30.001-YET
2,0m	EC35.737330.002-YET	EC35.7A7A30.002-YET	EC35.7B7B30.002-YET	EC35.7N7N30.002-YET
3,0m	EC35.737330.003-YET	EC35.7A7A30.003-YET	EC35.7B7B30.003-YET	EC35.7N7N30.003-YET
4,0m	EC35.737330.004-YET	EC35.7A7A30.004-YET	EC35.7B7B30.004-YET	EC35.7N7N30.004-YET
5,0m	EC35.737330.005-YET	EC35.7A7A30.005-YET	EC35.7B7B30.005-YET	EC35.7N7N30.005-YET
6,0m	EC35.737330.006-YET	EC35.7A7A30.006-YET	EC35.7B7B30.006-YET	EC35.7N7N30.006-YET
7,0m	EC35.737330.007-YET	EC35.7A7A30.007-YET	EC35.7B7B30.007-YET	EC35.7N7N30.007-YET
7,5m	EC35.737330.7P5-YET	EC35.7A7A30.7P5-YET	EC35.7B7B30.7P5-YET	EC35.7N7N30.7P5-YET
8,0m	EC35.737330.008-YET	EC35.7A7A30.008-YET	EC35.7B7B30.008-YET	EC35.7N7N30.008-YET
9,0m	EC35.737330.009-YET	EC35.7A7A30.009-YET	EC35.7B7B30.009-YET	EC35.7N7N30.009-YET
10,0m	EC35.737330.010-YET	EC35.7A7A30.010-YET	EC35.7B7B30.010-YET	EC35.7N7N30.010-YET
11,0m	EC35.737330.011-YET	EC35.7A7A30.011-YET	EC35.7B7B30.011-YET	EC35.7N7N30.011-YET
12,0m	EC35.737330.012-YET	EC35.7A7A30.012-YET	EC35.7B7B30.012-YET	EC35.7N7N30.012-YET
13,0m	EC35.737330.013-YET	EC35.7A7A30.013-YET	EC35.7B7B30.013-YET	EC35.7N7N30.013-YET
14,0m	EC35.737330.014-YET	EC35.7A7A30.014-YET	EC35.7B7B30.014-YET	EC35.7N7N30.014-YET
15,0m	EC35.737330.015-YET	EC35.7A7A30.015-YET	EC35.7B7B30.015-YET	EC35.7N7N30.015-YET


E2000/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,8mm, LSZH, MM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	orange	orange	aqua	aqua
Housing color	beige	beige	beige	beige
Boot E2000/LC	black	black/white	black/white	black/white
Lever color	blue	orange	aqua	aqua
0,5m	EC35.747430.0P5-ORT	EC35.757530.0P5-ORT	EC35.767630.0P5-AQT	EC35.777730.0P5-AQT
1,0m	EC35.747430.001-ORT	EC35.757530.001-ORT	EC35.767630.001-AQT	EC35.777730.001-AQT
2,0m	EC35.747430.002-ORT	EC35.757530.002-ORT	EC35.767630.002-AQT	EC35.777730.002-AQT
3,0m	EC35.747430.003-ORT	EC35.757530.003-ORT	EC35.767630.003-AQT	EC35.777730.003-AQT
4,0m	EC35.747430.004-ORT	EC35.757530.004-ORT	EC35.767630.004-AQT	EC35.777730.004-AQT
5,0m	EC35.747430.005-ORT	EC35.757530.005-ORT	EC35.767630.005-AQT	EC35.777730.005-AQT
6,0m	EC35.747430.006-ORT	EC35.757530.006-ORT	EC35.767630.006-AQT	EC35.777730.006-AQT
7,0m	EC35.747430.007-ORT	EC35.757530.007-ORT	EC35.767630.007-AQT	EC35.777730.007-AQT
7,5m	EC35.747430.7P5-ORT	EC35.757530.7P5-ORT	EC35.767630.7P5-AQT	EC35.777730.7P5-AQT
8,0m	EC35.747430.008-ORT	EC35.757530.008-ORT	EC35.767630.008-AQT	EC35.777730.008-AQT
9,0m	EC35.747430.009-ORT	EC35.757530.009-ORT	EC35.767630.009-AQT	EC35.777730.009-AQT
10,0m	EC35.747430.010-ORT	EC35.757530.010-ORT	EC35.767630.010-AQT	EC35.777730.010-AQT
11,0m	EC35.747430.011-ORT	EC35.757530.011-ORT	EC35.767630.011-AQT	EC35.777730.011-AQT
12,0m	EC35.747430.012-ORT	EC35.757530.012-ORT	EC35.767630.012-AQT	EC35.777730.012-AQT
13,0m	EC35.747430.013-ORT	EC35.757530.013-ORT	EC35.767630.013-AQT	EC35.777730.013-AQT
14,0m	EC35.747430.014-ORT	EC35.757530.014-ORT	EC35.767630.014-AQT	EC35.777730.014-AQT
15,0m	EC35.747430.015-ORT	EC35.757530.015-ORT	EC35.767630.015-AQT	EC35.777730.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCsx-LCsx patch cord



LC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm, Grade B, with test protocol

Fiber type	Jacket color	Housing color	Boot color	G652D yellow blue blue	G657A2 yellow blue blue	G657B2 yellow blue blue	G655D yellow blue blue
0,5m				EC35.4E4E20.0P5-YET	EC35.4I4I20.0P5-YET	EC35.4U4U20.0P5-YET	EC35.4W4W20.0P5-YET
1,0m				EC35.4E4E20.001-YET	EC35.4I4I20.001-YET	EC35.4U4U20.001-YET	EC35.4W4W20.001-YET
2,0m				EC35.4E4E20.002-YET	EC35.4I4I20.002-YET	EC35.4U4U20.002-YET	EC35.4W4W20.002-YET
3,0m				EC35.4E4E20.003-YET	EC35.4I4I20.003-YET	EC35.4U4U20.003-YET	EC35.4W4W20.003-YET
4,0m				EC35.4E4E20.004-YET	EC35.4I4I20.004-YET	EC35.4U4U20.004-YET	EC35.4W4W20.004-YET
5,0m				EC35.4E4E20.005-YET	EC35.4I4I20.005-YET	EC35.4U4U20.005-YET	EC35.4W4W20.005-YET
6,0m				EC35.4E4E20.006-YET	EC35.4I4I20.006-YET	EC35.4U4U20.006-YET	EC35.4W4W20.006-YET
7,0m				EC35.4E4E20.007-YET	EC35.4I4I20.007-YET	EC35.4U4U20.007-YET	EC35.4W4W20.007-YET
7,5m				EC35.4E4E20.7P5-YET	EC35.4I4I20.7P5-YET	EC35.4U4U20.7P5-YET	EC35.4W4W20.7P5-YET
8,0m				EC35.4E4E20.008-YET	EC35.4I4I20.008-YET	EC35.4U4U20.008-YET	EC35.4W4W20.008-YET
9,0m				EC35.4E4E20.009-YET	EC35.4I4I20.009-YET	EC35.4U4U20.009-YET	EC35.4W4W20.009-YET
10,0m				EC35.4E4E20.010-YET	EC35.4I4I20.010-YET	EC35.4U4U20.010-YET	EC35.4W4W20.010-YET
11,0m				EC35.4E4E20.011-YET	EC35.4I4I20.011-YET	EC35.4U4U20.011-YET	EC35.4W4W20.011-YET
12,0m				EC35.4E4E20.012-YET	EC35.4I4I20.012-YET	EC35.4U4U20.012-YET	EC35.4W4W20.012-YET
13,0m				EC35.4E4E20.013-YET	EC35.4I4I20.013-YET	EC35.4U4U20.013-YET	EC35.4W4W20.013-YET
14,0m				EC35.4E4E20.014-YET	EC35.4I4I20.014-YET	EC35.4U4U20.014-YET	EC35.4W4W20.014-YET
15,0m				EC35.4E4E20.015-YET	EC35.4I4I20.015-YET	EC35.4U4U20.015-YET	EC35.4W4W20.015-YET

LC/APCsx-LC/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm, Grade B, with test protocol

Fiber type	Jacket color	Housing color	Boot color	G652D yellow green green	G657A2 yellow green green	G657B2 yellow green green	G655D yellow green green
0,5m				EC35.4F4F20.0P5-YET	EC35.4J4J20.0P5-YET	EC35.4V4V20.0P5-YET	EC35.4X4X20.0P5-YET
1,0m				EC35.4F4F20.001-YET	EC35.4J4J20.001-YET	EC35.4V4V20.001-YET	EC35.4X4X20.001-YET
2,0m				EC35.4F4F20.002-YET	EC35.4J4J20.002-YET	EC35.4V4V20.002-YET	EC35.4X4X20.002-YET
3,0m				EC35.4F4F20.003-YET	EC35.4J4J20.003-YET	EC35.4V4V20.003-YET	EC35.4X4X20.003-YET
4,0m				EC35.4F4F20.004-YET	EC35.4J4J20.004-YET	EC35.4V4V20.004-YET	EC35.4X4X20.004-YET
5,0m				EC35.4F4F20.005-YET	EC35.4J4J20.005-YET	EC35.4V4V20.005-YET	EC35.4X4X20.005-YET
6,0m				EC35.4F4F20.006-YET	EC35.4J4J20.006-YET	EC35.4V4V20.006-YET	EC35.4X4X20.006-YET
7,0m				EC35.4F4F20.007-YET	EC35.4J4J20.007-YET	EC35.4V4V20.007-YET	EC35.4X4X20.007-YET
7,5m				EC35.4F4F20.7P5-YET	EC35.4J4J20.7P5-YET	EC35.4V4V20.7P5-YET	EC35.4X4X20.7P5-YET
8,0m				EC35.4F4F20.008-YET	EC35.4J4J20.008-YET	EC35.4V4V20.008-YET	EC35.4X4X20.008-YET
9,0m				EC35.4F4F20.009-YET	EC35.4J4J20.009-YET	EC35.4V4V20.009-YET	EC35.4X4X20.009-YET
10,0m				EC35.4F4F20.010-YET	EC35.4J4J20.010-YET	EC35.4V4V20.010-YET	EC35.4X4X20.010-YET
11,0m				EC35.4F4F20.011-YET	EC35.4J4J20.011-YET	EC35.4V4V20.011-YET	EC35.4X4X20.011-YET
12,0m				EC35.4F4F20.012-YET	EC35.4J4J20.012-YET	EC35.4V4V20.012-YET	EC35.4X4X20.012-YET
13,0m				EC35.4F4F20.013-YET	EC35.4J4J20.013-YET	EC35.4V4V20.013-YET	EC35.4X4X20.013-YET
14,0m				EC35.4F4F20.014-YET	EC35.4J4J20.014-YET	EC35.4V4V20.014-YET	EC35.4X4X20.014-YET
15,0m				EC35.4F4F20.015-YET	EC35.4J4J20.015-YET	EC35.4V4V20.015-YET	EC35.4X4X20.015-YET

LC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 25mm, Grade B, with test protocol

Fiber type	Jacket color	Housing color	Boot color	G62,5/OM1 grey beige black	G50/OM2 orange beige white	G50/OM3 aqua aqua white	G50/OM4 heather violet heather violet white
0,5m				EC35.444420.0P5-GRGX	EC35.454520.0P5-ORTX	EC35.4C4C20.0P5-AQQT	EC35.4D4D20.0P5-HVT
1,0m				EC35.444420.001-GRGX	EC35.454520.001-ORTX	EC35.4C4C20.001-AQQT	EC35.4D4D20.001-HVT
2,0m				EC35.444420.002-GRGX	EC35.454520.002-ORTX	EC35.4C4C20.002-AQQT	EC35.4D4D20.002-HVT
3,0m				EC35.444420.003-GRGX	EC35.454520.003-ORTX	EC35.4C4C20.003-AQQT	EC35.4D4D20.003-HVT
4,0m				EC35.444420.004-GRGX	EC35.454520.004-ORTX	EC35.4C4C20.004-AQQT	EC35.4D4D20.004-HVT
5,0m				EC35.444420.005-GRGX	EC35.454520.005-ORTX	EC35.4C4C20.005-AQQT	EC35.4D4D20.005-HVT
6,0m				EC35.444420.006-GRGX	EC35.454520.006-ORTX	EC35.4C4C20.006-AQQT	EC35.4D4D20.006-HVT
7,0m				EC35.444420.007-GRGX	EC35.454520.007-ORTX	EC35.4C4C20.007-AQQT	EC35.4D4D20.007-HVT
7,5m				EC35.444420.7P5-GRGX	EC35.454520.7P5-ORTX	EC35.4C4C20.7P5-AQQT	EC35.4D4D20.7P5-HVT
8,0m				EC35.444420.008-GRGX	EC35.454520.008-ORTX	EC35.4C4C20.008-AQQT	EC35.4D4D20.008-HVT
9,0m				EC35.444420.009-GRGX	EC35.454520.009-ORTX	EC35.4C4C20.009-AQQT	EC35.4D4D20.009-HVT
10,0m				EC35.444420.010-GRGX	EC35.454520.010-ORTX	EC35.4C4C20.010-AQQT	EC35.4D4D20.010-HVT
11,0m				EC35.444420.011-GRGX	EC35.454520.011-ORTX	EC35.4C4C20.011-AQQT	EC35.4D4D20.011-HVT
12,0m				EC35.444420.012-GRGX	EC35.454520.012-ORTX	EC35.4C4C20.012-AQQT	EC35.4D4D20.012-HVT
13,0m				EC35.444420.013-GRGX	EC35.454520.013-ORTX	EC35.4C4C20.013-AQQT	EC35.4D4D20.013-HVT
14,0m				EC35.444420.014-GRGX	EC35.454520.014-ORTX	EC35.4C4C20.014-AQQT	EC35.4D4D20.014-HVT
15,0m				EC35.444420.015-GRGX	EC35.454520.015-ORTX	EC35.4C4C20.015-AQQT	EC35.4D4D20.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCsx-LCsx patch cord

LC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC35.424220.0P5-YET	EC35.484820.0P5-YET	EC35.494920.0P5-YET	EC35.4M4M20.0P5-YET
1,0m	EC35.424220.001-YET	EC35.484820.001-YET	EC35.494920.001-YET	EC35.4M4M20.001-YET
2,0m	EC35.424220.002-YET	EC35.484820.002-YET	EC35.494920.002-YET	EC35.4M4M20.002-YET
3,0m	EC35.424220.003-YET	EC35.484820.003-YET	EC35.494920.003-YET	EC35.4M4M20.003-YET
4,0m	EC35.424220.004-YET	EC35.484820.004-YET	EC35.494920.004-YET	EC35.4M4M20.004-YET
5,0m	EC35.424220.005-YET	EC35.484820.005-YET	EC35.494920.005-YET	EC35.4M4M20.005-YET
6,0m	EC35.424220.006-YET	EC35.484820.006-YET	EC35.494920.006-YET	EC35.4M4M20.006-YET
7,0m	EC35.424220.007-YET	EC35.484820.007-YET	EC35.494920.007-YET	EC35.4M4M20.007-YET
7,5m	EC35.424220.7P5-YET	EC35.484820.7P5-YET	EC35.494920.7P5-YET	EC35.4M4M20.7P5-YET
8,0m	EC35.424220.008-YET	EC35.484820.008-YET	EC35.494920.008-YET	EC35.4M4M20.008-YET
9,0m	EC35.424220.009-YET	EC35.484820.009-YET	EC35.494920.009-YET	EC35.4M4M20.009-YET
10,0m	EC35.424220.010-YET	EC35.484820.010-YET	EC35.494920.010-YET	EC35.4M4M20.010-YET
11,0m	EC35.424220.011-YET	EC35.484820.011-YET	EC35.494920.011-YET	EC35.4M4M20.011-YET
12,0m	EC35.424220.012-YET	EC35.484820.012-YET	EC35.494920.012-YET	EC35.4M4M20.012-YET
13,0m	EC35.424220.013-YET	EC35.484820.013-YET	EC35.494920.013-YET	EC35.4M4M20.013-YET
14,0m	EC35.424220.014-YET	EC35.484820.014-YET	EC35.494920.014-YET	EC35.4M4M20.014-YET
15,0m	EC35.424220.015-YET	EC35.484820.015-YET	EC35.494920.015-YET	EC35.4M4M20.015-YET

LC/APCsx-LC/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC35.434320.0P5-YET	EC35.4A4A20.0P5-YET	EC35.4B4B20.0P5-YET	EC35.4N4N20.0P5-YET
1,0m	EC35.434320.001-YET	EC35.4A4A20.001-YET	EC35.4B4B20.001-YET	EC35.4N4N20.001-YET
2,0m	EC35.434320.002-YET	EC35.4A4A20.002-YET	EC35.4B4B20.002-YET	EC35.4N4N20.002-YET
3,0m	EC35.434320.003-YET	EC35.4A4A20.003-YET	EC35.4B4B20.003-YET	EC35.4N4N20.003-YET
4,0m	EC35.434320.004-YET	EC35.4A4A20.004-YET	EC35.4B4B20.004-YET	EC35.4N4N20.004-YET
5,0m	EC35.434320.005-YET	EC35.4A4A20.005-YET	EC35.4B4B20.005-YET	EC35.4N4N20.005-YET
6,0m	EC35.434320.006-YET	EC35.4A4A20.006-YET	EC35.4B4B20.006-YET	EC35.4N4N20.006-YET
7,0m	EC35.434320.007-YET	EC35.4A4A20.007-YET	EC35.4B4B20.007-YET	EC35.4N4N20.007-YET
7,5m	EC35.434320.7P5-YET	EC35.4A4A20.7P5-YET	EC35.4B4B20.7P5-YET	EC35.4N4N20.7P5-YET
8,0m	EC35.434320.008-YET	EC35.4A4A20.008-YET	EC35.4B4B20.008-YET	EC35.4N4N20.008-YET
9,0m	EC35.434320.009-YET	EC35.4A4A20.009-YET	EC35.4B4B20.009-YET	EC35.4N4N20.009-YET
10,0m	EC35.434320.010-YET	EC35.4A4A20.010-YET	EC35.4B4B20.010-YET	EC35.4N4N20.010-YET
11,0m	EC35.434320.011-YET	EC35.4A4A20.011-YET	EC35.4B4B20.011-YET	EC35.4N4N20.011-YET
12,0m	EC35.434320.012-YET	EC35.4A4A20.012-YET	EC35.4B4B20.012-YET	EC35.4N4N20.012-YET
13,0m	EC35.434320.013-YET	EC35.4A4A20.013-YET	EC35.4B4B20.013-YET	EC35.4N4N20.013-YET
14,0m	EC35.434320.014-YET	EC35.4A4A20.014-YET	EC35.4B4B20.014-YET	EC35.4N4N20.014-YET
15,0m	EC35.434320.015-YET	EC35.4A4A20.015-YET	EC35.4B4B20.015-YET	EC35.4N4N20.015-YET


LC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 25mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC35.444420.0P5-GRT	EC35.454520.0P5-ORT	EC35.464620.0P5-AQT	EC35.474720.0P5-HVT
1,0m	EC35.444420.001-GRT	EC35.454520.001-ORT	EC35.464620.001-AQT	EC35.474720.001-HVT
2,0m	EC35.444420.002-GRT	EC35.454520.002-ORT	EC35.464620.002-AQT	EC35.474720.002-HVT
3,0m	EC35.444420.003-GRT	EC35.454520.003-ORT	EC35.464620.003-AQT	EC35.474720.003-HVT
4,0m	EC35.444420.004-GRT	EC35.454520.004-ORT	EC35.464620.004-AQT	EC35.474720.004-HVT
5,0m	EC35.444420.005-GRT	EC35.454520.005-ORT	EC35.464620.005-AQT	EC35.474720.005-HVT
6,0m	EC35.444420.006-GRT	EC35.454520.006-ORT	EC35.464620.006-AQT	EC35.474720.006-HVT
7,0m	EC35.444420.007-GRT	EC35.454520.007-ORT	EC35.464620.007-AQT	EC35.474720.007-HVT
7,5m	EC35.444420.7P5-GRT	EC35.454520.7P5-ORT	EC35.464620.7P5-AQT	EC35.474720.7P5-HVT
8,0m	EC35.444420.008-GRT	EC35.454520.008-ORT	EC35.464620.008-AQT	EC35.474720.008-HVT
9,0m	EC35.444420.009-GRT	EC35.454520.009-ORT	EC35.464620.009-AQT	EC35.474720.009-HVT
10,0m	EC35.444420.010-GRT	EC35.454520.010-ORT	EC35.464620.010-AQT	EC35.474720.010-HVT
11,0m	EC35.444420.011-GRT	EC35.454520.011-ORT	EC35.464620.011-AQT	EC35.474720.011-HVT
12,0m	EC35.444420.012-GRT	EC35.454520.012-ORT	EC35.464620.012-AQT	EC35.474720.012-HVT
13,0m	EC35.444420.013-GRT	EC35.454520.013-ORT	EC35.464620.013-AQT	EC35.474720.013-HVT
14,0m	EC35.444420.014-GRT	EC35.454520.014-ORT	EC35.464620.014-AQT	EC35.474720.014-HVT
15,0m	EC35.444420.015-GRT	EC35.454520.015-ORT	EC35.464620.015-AQT	EC35.474720.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx-SCsx patch cord



SC/PCsx-SC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC35.2E2E30.0P5-YET	EC35.2I2I30.0P5-YET	EC35.2U2U30.0P5-YET	EC35.2W2W30.0P5-YET
1,0m	EC35.2E2E30.001-YET	EC35.2I2I30.001-YET	EC35.2U2U30.001-YET	EC35.2W2W30.001-YET
2,0m	EC35.2E2E30.002-YET	EC35.2I2I30.002-YET	EC35.2U2U30.002-YET	EC35.2W2W30.002-YET
3,0m	EC35.2E2E30.003-YET	EC35.2I2I30.003-YET	EC35.2U2U30.003-YET	EC35.2W2W30.003-YET
4,0m	EC35.2E2E30.004-YET	EC35.2I2I30.004-YET	EC35.2U2U30.004-YET	EC35.2W2W30.004-YET
5,0m	EC35.2E2E30.005-YET	EC35.2I2I30.005-YET	EC35.2U2U30.005-YET	EC35.2W2W30.005-YET
6,0m	EC35.2E2E30.006-YET	EC35.2I2I30.006-YET	EC35.2U2U30.006-YET	EC35.2W2W30.006-YET
7,0m	EC35.2E2E30.007-YET	EC35.2I2I30.007-YET	EC35.2U2U30.007-YET	EC35.2W2W30.007-YET
7,5m	EC35.2E2E30.7P5-YET	EC35.2I2I30.7P5-YET	EC35.2U2U30.7P5-YET	EC35.2W2W30.7P5-YET
8,0m	EC35.2E2E30.008-YET	EC35.2I2I30.008-YET	EC35.2U2U30.008-YET	EC35.2W2W30.008-YET
9,0m	EC35.2E2E30.009-YET	EC35.2I2I30.009-YET	EC35.2U2U30.009-YET	EC35.2W2W30.009-YET
10,0m	EC35.2E2E30.010-YET	EC35.2I2I30.010-YET	EC35.2U2U30.010-YET	EC35.2W2W30.010-YET
11,0m	EC35.2E2E30.011-YET	EC35.2I2I30.011-YET	EC35.2U2U30.011-YET	EC35.2W2W30.011-YET
12,0m	EC35.2E2E30.012-YET	EC35.2I2I30.012-YET	EC35.2U2U30.012-YET	EC35.2W2W30.012-YET
13,0m	EC35.2E2E30.013-YET	EC35.2I2I30.013-YET	EC35.2U2U30.013-YET	EC35.2W2W30.013-YET
14,0m	EC35.2E2E30.014-YET	EC35.2I2I30.014-YET	EC35.2U2U30.014-YET	EC35.2W2W30.014-YET
15,0m	EC35.2E2E30.015-YET	EC35.2I2I30.015-YET	EC35.2U2U30.015-YET	EC35.2W2W30.015-YET

SC/APCsx-SC/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC35.2F2F30.0P5-YET	EC35.2J2J30.0P5-YET	EC35.2V2V30.0P5-YET	EC35.2X2X30.0P5-YET
1,0m	EC35.2F2F30.001-YET	EC35.2J2J30.001-YET	EC35.2V2V30.001-YET	EC35.2X2X30.001-YET
2,0m	EC35.2F2F30.002-YET	EC35.2J2J30.002-YET	EC35.2V2V30.002-YET	EC35.2X2X30.002-YET
3,0m	EC35.2F2F30.003-YET	EC35.2J2J30.003-YET	EC35.2V2V30.003-YET	EC35.2X2X30.003-YET
4,0m	EC35.2F2F30.004-YET	EC35.2J2J30.004-YET	EC35.2V2V30.004-YET	EC35.2X2X30.004-YET
5,0m	EC35.2F2F30.005-YET	EC35.2J2J30.005-YET	EC35.2V2V30.005-YET	EC35.2X2X30.005-YET
6,0m	EC35.2F2F30.006-YET	EC35.2J2J30.006-YET	EC35.2V2V30.006-YET	EC35.2X2X30.006-YET
7,0m	EC35.2F2F30.007-YET	EC35.2J2J30.007-YET	EC35.2V2V30.007-YET	EC35.2X2X30.007-YET
7,5m	EC35.2F2F30.7P5-YET	EC35.2J2J30.7P5-YET	EC35.2V2V30.7P5-YET	EC35.2X2X30.7P5-YET
8,0m	EC35.2F2F30.008-YET	EC35.2J2J30.008-YET	EC35.2V2V30.008-YET	EC35.2X2X30.008-YET
9,0m	EC35.2F2F30.009-YET	EC35.2J2J30.009-YET	EC35.2V2V30.009-YET	EC35.2X2X30.009-YET
10,0m	EC35.2F2F30.010-YET	EC35.2J2J30.010-YET	EC35.2V2V30.010-YET	EC35.2X2X30.010-YET
11,0m	EC35.2F2F30.011-YET	EC35.2J2J30.011-YET	EC35.2V2V30.011-YET	EC35.2X2X30.011-YET
12,0m	EC35.2F2F30.012-YET	EC35.2J2J30.012-YET	EC35.2V2V30.012-YET	EC35.2X2X30.012-YET
13,0m	EC35.2F2F30.013-YET	EC35.2J2J30.013-YET	EC35.2V2V30.013-YET	EC35.2X2X30.013-YET
14,0m	EC35.2F2F30.014-YET	EC35.2J2J30.014-YET	EC35.2V2V30.014-YET	EC35.2X2X30.014-YET
15,0m	EC35.2F2F30.015-YET	EC35.2J2J30.015-YET	EC35.2V2V30.015-YET	EC35.2X2X30.015-YET

SC/PCsx-SC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC35.242430.0P5-GRGX	EC35.252530.0P5-ORTX	EC35.2C2C30.0P5-AQQT	EC35.2D2D30.0P5-HVT
1,0m	EC35.242430.001-GRGX	EC35.252530.001-ORTX	EC35.2C2C30.001-AQQT	EC35.2D2D30.001-HVT
2,0m	EC35.242430.002-GRGX	EC35.252530.002-ORTX	EC35.2C2C30.002-AQQT	EC35.2D2D30.002-HVT
3,0m	EC35.242430.003-GRGX	EC35.252530.003-ORTX	EC35.2C2C30.003-AQQT	EC35.2D2D30.003-HVT
4,0m	EC35.242430.004-GRGX	EC35.252530.004-ORTX	EC35.2C2C30.004-AQQT	EC35.2D2D30.004-HVT
5,0m	EC35.242430.005-GRGX	EC35.252530.005-ORTX	EC35.2C2C30.005-AQQT	EC35.2D2D30.005-HVT
6,0m	EC35.242430.006-GRGX	EC35.252530.006-ORTX	EC35.2C2C30.006-AQQT	EC35.2D2D30.006-HVT
7,0m	EC35.242430.007-GRGX	EC35.252530.007-ORTX	EC35.2C2C30.007-AQQT	EC35.2D2D30.007-HVT
7,5m	EC35.242430.7P5-GRGX	EC35.252530.7P5-ORTX	EC35.2C2C30.7P5-AQQT	EC35.2D2D30.7P5-HVT
8,0m	EC35.242430.008-GRGX	EC35.252530.008-ORTX	EC35.2C2C30.008-AQQT	EC35.2D2D30.008-HVT
9,0m	EC35.242430.009-GRGX	EC35.252530.009-ORTX	EC35.2C2C30.009-AQQT	EC35.2D2D30.009-HVT
10,0m	EC35.242430.010-GRGX	EC35.252530.010-ORTX	EC35.2C2C30.010-AQQT	EC35.2D2D30.010-HVT
11,0m	EC35.242430.011-GRGX	EC35.252530.011-ORTX	EC35.2C2C30.011-AQQT	EC35.2D2D30.011-HVT
12,0m	EC35.242430.012-GRGX	EC35.252530.012-ORTX	EC35.2C2C30.012-AQQT	EC35.2D2D30.012-HVT
13,0m	EC35.242430.013-GRGX	EC35.252530.013-ORTX	EC35.2C2C30.013-AQQT	EC35.2D2D30.013-HVT
14,0m	EC35.242430.014-GRGX	EC35.252530.014-ORTX	EC35.2C2C30.014-AQQT	EC35.2D2D30.014-HVT
15,0m	EC35.242430.015-GRGX	EC35.252530.015-ORTX	EC35.2C2C30.015-AQQT	EC35.2D2D30.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx-SCsx patch cord

SC/PCsx-SC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC35.222230.0P5-YET	EC35.282830.0P5-YET	EC35.292930.0P5-YET	EC35.2M2M30.0P5-YET
1,0m	EC35.222230.001-YET	EC35.282830.001-YET	EC35.292930.001-YET	EC35.2M2M30.001-YET
2,0m	EC35.222230.002-YET	EC35.282830.002-YET	EC35.292930.002-YET	EC35.2M2M30.002-YET
3,0m	EC35.222230.003-YET	EC35.282830.003-YET	EC35.292930.003-YET	EC35.2M2M30.003-YET
4,0m	EC35.222230.004-YET	EC35.282830.004-YET	EC35.292930.004-YET	EC35.2M2M30.004-YET
5,0m	EC35.222230.005-YET	EC35.282830.005-YET	EC35.292930.005-YET	EC35.2M2M30.005-YET
6,0m	EC35.222230.006-YET	EC35.282830.006-YET	EC35.292930.006-YET	EC35.2M2M30.006-YET
7,0m	EC35.222230.007-YET	EC35.282830.007-YET	EC35.292930.007-YET	EC35.2M2M30.007-YET
7,5m	EC35.222230.7P5-YET	EC35.282830.7P5-YET	EC35.292930.7P5-YET	EC35.2M2M30.7P5-YET
8,0m	EC35.222230.008-YET	EC35.282830.008-YET	EC35.292930.008-YET	EC35.2M2M30.008-YET
9,0m	EC35.222230.009-YET	EC35.282830.009-YET	EC35.292930.009-YET	EC35.2M2M30.009-YET
10,0m	EC35.222230.010-YET	EC35.282830.010-YET	EC35.292930.010-YET	EC35.2M2M30.010-YET
11,0m	EC35.222230.011-YET	EC35.282830.011-YET	EC35.292930.011-YET	EC35.2M2M30.011-YET
12,0m	EC35.222230.012-YET	EC35.282830.012-YET	EC35.292930.012-YET	EC35.2M2M30.012-YET
13,0m	EC35.222230.013-YET	EC35.282830.013-YET	EC35.292930.013-YET	EC35.2M2M30.013-YET
14,0m	EC35.222230.014-YET	EC35.282830.014-YET	EC35.292930.014-YET	EC35.2M2M30.014-YET
15,0m	EC35.222230.015-YET	EC35.282830.015-YET	EC35.292930.015-YET	EC35.2M2M30.015-YET

SC/APCsx-SC/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC35.232330.0P5-YET	EC35.2A2A30.0P5-YET	EC35.2B2B30.0P5-YET	EC35.2N2N30.0P5-YET
1,0m	EC35.232330.001-YET	EC35.2A2A30.001-YET	EC35.2B2B30.001-YET	EC35.2N2N30.001-YET
2,0m	EC35.232330.002-YET	EC35.2A2A30.002-YET	EC35.2B2B30.002-YET	EC35.2N2N30.002-YET
3,0m	EC35.232330.003-YET	EC35.2A2A30.003-YET	EC35.2B2B30.003-YET	EC35.2N2N30.003-YET
4,0m	EC35.232330.004-YET	EC35.2A2A30.004-YET	EC35.2B2B30.004-YET	EC35.2N2N30.004-YET
5,0m	EC35.232330.005-YET	EC35.2A2A30.005-YET	EC35.2B2B30.005-YET	EC35.2N2N30.005-YET
6,0m	EC35.232330.006-YET	EC35.2A2A30.006-YET	EC35.2B2B30.006-YET	EC35.2N2N30.006-YET
7,0m	EC35.232330.007-YET	EC35.2A2A30.007-YET	EC35.2B2B30.007-YET	EC35.2N2N30.007-YET
7,5m	EC35.232330.7P5-YET	EC35.2A2A30.7P5-YET	EC35.2B2B30.7P5-YET	EC35.2N2N30.7P5-YET
8,0m	EC35.232330.008-YET	EC35.2A2A30.008-YET	EC35.2B2B30.008-YET	EC35.2N2N30.008-YET
9,0m	EC35.232330.009-YET	EC35.2A2A30.009-YET	EC35.2B2B30.009-YET	EC35.2N2N30.009-YET
10,0m	EC35.232330.010-YET	EC35.2A2A30.010-YET	EC35.2B2B30.010-YET	EC35.2N2N30.010-YET
11,0m	EC35.232330.011-YET	EC35.2A2A30.011-YET	EC35.2B2B30.011-YET	EC35.2N2N30.011-YET
12,0m	EC35.232330.012-YET	EC35.2A2A30.012-YET	EC35.2B2B30.012-YET	EC35.2N2N30.012-YET
13,0m	EC35.232330.013-YET	EC35.2A2A30.013-YET	EC35.2B2B30.013-YET	EC35.2N2N30.013-YET
14,0m	EC35.232330.014-YET	EC35.2A2A30.014-YET	EC35.2B2B30.014-YET	EC35.2N2N30.014-YET
15,0m	EC35.232330.015-YET	EC35.2A2A30.015-YET	EC35.2B2B30.015-YET	EC35.2N2N30.015-YET


SC/PCsx-SC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC35.242430.0P5-GRT	EC35.252530.0P5-ORT	EC35.262630.0P5-AQT	EC35.272730.0P5-YET
1,0m	EC35.242430.001-GRT	EC35.252530.001-ORT	EC35.262630.001-AQT	EC35.272730.001-YET
2,0m	EC35.242430.002-GRT	EC35.252530.002-ORT	EC35.262630.002-AQT	EC35.272730.002-YET
3,0m	EC35.242430.003-GRT	EC35.252530.003-ORT	EC35.262630.003-AQT	EC35.272730.003-YET
4,0m	EC35.242430.004-GRT	EC35.252530.004-ORT	EC35.262630.004-AQT	EC35.272730.004-YET
5,0m	EC35.242430.005-GRT	EC35.252530.005-ORT	EC35.262630.005-AQT	EC35.272730.005-YET
6,0m	EC35.242430.006-GRT	EC35.252530.006-ORT	EC35.262630.006-AQT	EC35.272730.006-YET
7,0m	EC35.242430.007-GRT	EC35.252530.007-ORT	EC35.262630.007-AQT	EC35.272730.007-YET
7,5m	EC35.242430.7P5-GRT	EC35.252530.7P5-ORT	EC35.262630.7P5-AQT	EC35.272730.7P5-YET
8,0m	EC35.242430.008-GRT	EC35.252530.008-ORT	EC35.262630.008-AQT	EC35.272730.008-YET
9,0m	EC35.242430.009-GRT	EC35.252530.009-ORT	EC35.262630.009-AQT	EC35.272730.009-YET
10,0m	EC35.242430.010-GRT	EC35.252530.010-ORT	EC35.262630.010-AQT	EC35.272730.010-YET
11,0m	EC35.242430.011-GRT	EC35.252530.011-ORT	EC35.262630.011-AQT	EC35.272730.011-YET
12,0m	EC35.242430.012-GRT	EC35.252530.012-ORT	EC35.262630.012-AQT	EC35.272730.012-YET
13,0m	EC35.242430.013-GRT	EC35.252530.013-ORT	EC35.262630.013-AQT	EC35.272730.013-YET
14,0m	EC35.242430.014-GRT	EC35.252530.014-ORT	EC35.262630.014-AQT	EC35.272730.014-YET
15,0m	EC35.242430.015-GRT	EC35.252530.015-ORT	EC35.262630.015-AQT	EC35.272730.015-YET

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

FCsx-FCsx patch cord



FC/PCsx-FC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 43,7mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	blue	blue	blue	blue
0,5m	EC35.1E1E30.0P5-YET	EC35.1I1I30.0P5-YET	EC35.1U1U30.0P5-YET	EC35.1W1W30.0P5-YET
1,0m	EC35.1E1E30.001-YET	EC35.1I1I30.001-YET	EC35.1U1U30.001-YET	EC35.1W1W30.001-YET
2,0m	EC35.1E1E30.002-YET	EC35.1I1I30.002-YET	EC35.1U1U30.002-YET	EC35.1W1W30.002-YET
3,0m	EC35.1E1E30.003-YET	EC35.1I1I30.003-YET	EC35.1U1U30.003-YET	EC35.1W1W30.003-YET
4,0m	EC35.1E1E30.004-YET	EC35.1I1I30.004-YET	EC35.1U1U30.004-YET	EC35.1W1W30.004-YET
5,0m	EC35.1E1E30.005-YET	EC35.1I1I30.005-YET	EC35.1U1U30.005-YET	EC35.1W1W30.005-YET
6,0m	EC35.1E1E30.006-YET	EC35.1I1I30.006-YET	EC35.1U1U30.006-YET	EC35.1W1W30.006-YET
7,0m	EC35.1E1E30.007-YET	EC35.1I1I30.007-YET	EC35.1U1U30.007-YET	EC35.1W1W30.007-YET
7,5m	EC35.1E1E30.7P5-YET	EC35.1I1I30.7P5-YET	EC35.1U1U30.7P5-YET	EC35.1W1W30.7P5-YET
8,0m	EC35.1E1E30.008-YET	EC35.1I1I30.008-YET	EC35.1U1U30.008-YET	EC35.1W1W30.008-YET
9,0m	EC35.1E1E30.009-YET	EC35.1I1I30.009-YET	EC35.1U1U30.009-YET	EC35.1W1W30.009-YET
10,0m	EC35.1E1E30.010-YET	EC35.1I1I30.010-YET	EC35.1U1U30.010-YET	EC35.1W1W30.010-YET
11,0m	EC35.1E1E30.011-YET	EC35.1I1I30.011-YET	EC35.1U1U30.011-YET	EC35.1W1W30.011-YET
12,0m	EC35.1E1E30.012-YET	EC35.1I1I30.012-YET	EC35.1U1U30.012-YET	EC35.1W1W30.012-YET
13,0m	EC35.1E1E30.013-YET	EC35.1I1I30.013-YET	EC35.1U1U30.013-YET	EC35.1W1W30.013-YET
14,0m	EC35.1E1E30.014-YET	EC35.1I1I30.014-YET	EC35.1U1U30.014-YET	EC35.1W1W30.014-YET
15,0m	EC35.1E1E30.015-YET	EC35.1I1I30.015-YET	EC35.1U1U30.015-YET	EC35.1W1W30.015-YET

FC/APCsx-FC/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 43,7mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	green	green	green	green
0,5m	EC35.1F1F30.0P5-YET	EC35.1J1J30.0P5-YET	EC35.1V1V30.0P5-YET	EC35.1X1X30.0P5-YET
1,0m	EC35.1F1F30.001-YET	EC35.1J1J30.001-YET	EC35.1V1V30.001-YET	EC35.1X1X30.001-YET
2,0m	EC35.1F1F30.002-YET	EC35.1J1J30.002-YET	EC35.1V1V30.002-YET	EC35.1X1X30.002-YET
3,0m	EC35.1F1F30.003-YET	EC35.1J1J30.003-YET	EC35.1V1V30.003-YET	EC35.1X1X30.003-YET
4,0m	EC35.1F1F30.004-YET	EC35.1J1J30.004-YET	EC35.1V1V30.004-YET	EC35.1X1X30.004-YET
5,0m	EC35.1F1F30.005-YET	EC35.1J1J30.005-YET	EC35.1V1V30.005-YET	EC35.1X1X30.005-YET
6,0m	EC35.1F1F30.006-YET	EC35.1J1J30.006-YET	EC35.1V1V30.006-YET	EC35.1X1X30.006-YET
7,0m	EC35.1F1F30.007-YET	EC35.1J1J30.007-YET	EC35.1V1V30.007-YET	EC35.1X1X30.007-YET
7,5m	EC35.1F1F30.7P5-YET	EC35.1J1J30.7P5-YET	EC35.1V1V30.7P5-YET	EC35.1X1X30.7P5-YET
8,0m	EC35.1F1F30.008-YET	EC35.1J1J30.008-YET	EC35.1V1V30.008-YET	EC35.1X1X30.008-YET
9,0m	EC35.1F1F30.009-YET	EC35.1J1J30.009-YET	EC35.1V1V30.009-YET	EC35.1X1X30.009-YET
10,0m	EC35.1F1F30.010-YET	EC35.1J1J30.010-YET	EC35.1V1V30.010-YET	EC35.1X1X30.010-YET
11,0m	EC35.1F1F30.011-YET	EC35.1J1J30.011-YET	EC35.1V1V30.011-YET	EC35.1X1X30.011-YET
12,0m	EC35.1F1F30.012-YET	EC35.1J1J30.012-YET	EC35.1V1V30.012-YET	EC35.1X1X30.012-YET
13,0m	EC35.1F1F30.013-YET	EC35.1J1J30.013-YET	EC35.1V1V30.013-YET	EC35.1X1X30.013-YET
14,0m	EC35.1F1F30.014-YET	EC35.1J1J30.014-YET	EC35.1V1V30.014-YET	EC35.1X1X30.014-YET
15,0m	EC35.1F1F30.015-YET	EC35.1J1J30.015-YET	EC35.1V1V30.015-YET	EC35.1X1X30.015-YET

FC/PCsx-FC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	metal	metal	metal	metal
Boot color	black	white	white	white
0,5m	EC35.141430.0P5-GRGX	EC35.151530.0P5-ORTX	EC35.1C1C30.0P5-AQT	EC35.1D1D30.0P5-HVT
1,0m	EC35.141430.001-GRGX	EC35.151530.001-ORTX	EC35.1C1C30.001-AQT	EC35.1D1D30.001-HVT
2,0m	EC35.141430.002-GRGX	EC35.151530.002-ORTX	EC35.1C1C30.002-AQT	EC35.1D1D30.002-HVT
3,0m	EC35.141430.003-GRGX	EC35.151530.003-ORTX	EC35.1C1C30.003-AQT	EC35.1D1D30.003-HVT
4,0m	EC35.141430.004-GRGX	EC35.151530.004-ORTX	EC35.1C1C30.004-AQT	EC35.1D1D30.004-HVT
5,0m	EC35.141430.005-GRGX	EC35.151530.005-ORTX	EC35.1C1C30.005-AQT	EC35.1D1D30.005-HVT
6,0m	EC35.141430.006-GRGX	EC35.151530.006-ORTX	EC35.1C1C30.006-AQT	EC35.1D1D30.006-HVT
7,0m	EC35.141430.007-GRGX	EC35.151530.007-ORTX	EC35.1C1C30.007-AQT	EC35.1D1D30.007-HVT
7,5m	EC35.141430.7P5-GRGX	EC35.151530.7P5-ORTX	EC35.1C1C30.7P5-AQT	EC35.1D1D30.7P5-HVT
8,0m	EC35.141430.008-GRGX	EC35.151528.008-ORTX	EC35.1C1C30.008-AQT	EC35.1D1D30.008-HVT
9,0m	EC35.141430.009-GRGX	EC35.151530.009-ORTX	EC35.1C1C30.009-AQT	EC35.1D1D30.009-HVT
10,0m	EC35.141430.010-GRGX	EC35.151530.010-ORTX	EC35.1C1C30.010-AQT	EC35.1D1D30.010-HVT
11,0m	EC35.141430.011-GRGX	EC35.151530.011-ORTX	EC35.1C1C30.011-AQT	EC35.1D1D30.011-HVT
12,0m	EC35.141430.012-GRGX	EC35.151530.012-ORTX	EC35.1C1C30.012-AQT	EC35.1D1D30.012-HVT
13,0m	EC35.141430.013-GRGX	EC35.151530.013-ORTX	EC35.1C1C30.013-AQT	EC35.1D1D30.013-HVT
14,0m	EC35.141430.014-GRGX	EC35.151530.014-ORTX	EC35.1C1C30.014-AQT	EC35.1D1D30.014-HVT
15,0m	EC35.141430.015-GRGX	EC35.151530.015-ORTX	EC35.1C1C30.015-AQT	EC35.1D1D30.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

FCsx-FCsx patch cord

FC/PCsx-FC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 43,7mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	blue	blue	blue	blue
0,5m	EC35.121230.0P5-YET	EC35.181830.0P5-YET	EC35.191930.0P5-YET	EC35.1M1M30.0P5-YET
1,0m	EC35.121230.001-YET	EC35.181830.001-YET	EC35.191930.001-YET	EC35.1M1M30.001-YET
2,0m	EC35.121230.002-YET	EC35.181830.002-YET	EC35.191930.002-YET	EC35.1M1M30.002-YET
3,0m	EC35.121230.003-YET	EC35.181830.003-YET	EC35.191930.003-YET	EC35.1M1M30.003-YET
4,0m	EC35.121230.004-YET	EC35.181830.004-YET	EC35.191930.004-YET	EC35.1M1M30.004-YET
5,0m	EC35.121230.005-YET	EC35.181830.005-YET	EC35.191930.005-YET	EC35.1M1M30.005-YET
6,0m	EC35.121230.006-YET	EC35.181830.006-YET	EC35.191930.006-YET	EC35.1M1M30.006-YET
7,0m	EC35.121230.007-YET	EC35.181830.007-YET	EC35.191930.007-YET	EC35.1M1M30.007-YET
7,5m	EC35.121230.7P5-YET	EC35.181830.7P5-YET	EC35.191930.7P5-YET	EC35.1M1M30.7P5-YET
8,0m	EC35.121230.008-YET	EC35.181830.008-YET	EC35.191930.008-YET	EC35.1M1M30.008-YET
9,0m	EC35.121230.009-YET	EC35.181830.009-YET	EC35.191930.009-YET	EC35.1M1M30.009-YET
10,0m	EC35.121230.010-YET	EC35.181830.010-YET	EC35.191930.010-YET	EC35.1M1M30.010-YET
11,0m	EC35.121230.011-YET	EC35.181830.011-YET	EC35.191930.011-YET	EC35.1M1M30.011-YET
12,0m	EC35.121230.012-YET	EC35.181830.012-YET	EC35.191930.012-YET	EC35.1M1M30.012-YET
13,0m	EC35.121230.013-YET	EC35.181830.013-YET	EC35.191930.013-YET	EC35.1M1M30.013-YET
14,0m	EC35.121230.014-YET	EC35.181830.014-YET	EC35.191930.014-YET	EC35.1M1M30.014-YET
15,0m	EC35.121230.015-YET	EC35.181830.015-YET	EC35.191930.015-YET	EC35.1M1M30.015-YET

FC/APCsx-FC/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 43,7mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	green	green	green	green
0,5m	EC35.131330.0P5-YET	EC35.1A1A30.0P5-YET	EC35.1B1B30.0P5-YET	EC35.1N1N30.0P5-YET
1,0m	EC35.131330.001-YET	EC35.1A1A30.001-YET	EC35.1B1B30.001-YET	EC35.1N1N30.001-YET
2,0m	EC35.131330.002-YET	EC35.1A1A30.002-YET	EC35.1B1B30.002-YET	EC35.1N1N30.002-YET
3,0m	EC35.131330.003-YET	EC35.1A1A30.003-YET	EC35.1B1B30.003-YET	EC35.1N1N30.003-YET
4,0m	EC35.131330.004-YET	EC35.1A1A30.004-YET	EC35.1B1B30.004-YET	EC35.1N1N30.004-YET
5,0m	EC35.131330.005-YET	EC35.1A1A30.005-YET	EC35.1B1B30.005-YET	EC35.1N1N30.005-YET
6,0m	EC35.131330.006-YET	EC35.1A1A30.006-YET	EC35.1B1B30.006-YET	EC35.1N1N30.006-YET
7,0m	EC35.131330.007-YET	EC35.1A1A30.007-YET	EC35.1B1B30.007-YET	EC35.1N1N30.007-YET
7,5m	EC35.131330.7P5-YET	EC35.1A1A30.7P5-YET	EC35.1B1B30.7P5-YET	EC35.1N1N30.7P5-YET
8,0m	EC35.131330.008-YET	EC35.1A1A30.008-YET	EC35.1B1B30.008-YET	EC35.1N1N30.008-YET
9,0m	EC35.131330.009-YET	EC35.1A1A30.009-YET	EC35.1B1B30.009-YET	EC35.1N1N30.009-YET
10,0m	EC35.131330.010-YET	EC35.1A1A30.010-YET	EC35.1B1B30.010-YET	EC35.1N1N30.010-YET
11,0m	EC35.131330.011-YET	EC35.1A1A30.011-YET	EC35.1B1B30.011-YET	EC35.1N1N30.011-YET
12,0m	EC35.131330.012-YET	EC35.1A1A30.012-YET	EC35.1B1B30.012-YET	EC35.1N1N30.012-YET
13,0m	EC35.131330.013-YET	EC35.1A1A30.013-YET	EC35.1B1B30.013-YET	EC35.1N1N30.013-YET
14,0m	EC35.131330.014-YET	EC35.1A1A30.014-YET	EC35.1B1B30.014-YET	EC35.1N1N30.014-YET
15,0m	EC35.131330.015-YET	EC35.1A1A30.015-YET	EC35.1B1B30.015-YET	EC35.1N1N30.015-YET


FC/PCsx-FC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	metal	metal	metal	metal
Boot color	black	white	white	white
0,5m	EC35.141430.0P5-GRT	EC35.151530.0P5-ORT	EC35.161630.0P5-AQT	EC35.171730.0P5-HVT
1,0m	EC35.141430.001-GRT	EC35.151530.001-ORT	EC35.161630.001-AQT	EC35.171730.001-HVT
2,0m	EC35.141430.002-GRT	EC35.151530.002-ORT	EC35.161630.002-AQT	EC35.171730.002-HVT
3,0m	EC35.141430.003-GRT	EC35.151530.003-ORT	EC35.161630.003-AQT	EC35.171730.003-HVT
4,0m	EC35.141430.004-GRT	EC35.151530.004-ORT	EC35.161630.004-AQT	EC35.171730.004-HVT
5,0m	EC35.141430.005-GRT	EC35.151530.005-ORT	EC35.161630.005-AQT	EC35.171730.005-HVT
6,0m	EC35.141430.006-GRT	EC35.151530.006-ORT	EC35.161630.006-AQT	EC35.171730.006-HVT
7,0m	EC35.141430.007-GRT	EC35.151530.007-ORT	EC35.161630.007-AQT	EC35.171730.007-HVT
7,5m	EC35.141430.7P5-GRT	EC35.151530.7P5-ORT	EC35.161630.7P5-AQT	EC35.171730.7P5-HVT
8,0m	EC35.141430.008-GRT	EC35.151530.008-ORT	EC35.161630.008-AQT	EC35.171730.008-HVT
9,0m	EC35.141430.009-GRT	EC35.151530.009-ORT	EC35.161630.009-AQT	EC35.171730.009-HVT
10,0m	EC35.141430.010-GRT	EC35.151530.010-ORT	EC35.161630.010-AQT	EC35.171730.010-HVT
11,0m	EC35.141430.011-GRT	EC35.151530.011-ORT	EC35.161630.011-AQT	EC35.171730.011-HVT
12,0m	EC35.141430.012-GRT	EC35.151530.012-ORT	EC35.161630.012-AQT	EC35.171730.012-HVT
13,0m	EC35.141430.013-GRT	EC35.151530.013-ORT	EC35.161630.013-AQT	EC35.171730.013-HVT
14,0m	EC35.141430.014-GRT	EC35.151530.014-ORT	EC35.161630.014-AQT	EC35.171730.014-HVT
15,0m	EC35.141430.015-GRT	EC35.151530.015-ORT	EC35.161630.015-AQT	EC35.171730.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

FCsx-LCsx patch cord



FC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm(LC)/43,7mm(FC), Grade B, with test protocol

Fiber type	G652D yellow	G657A2 yellow	G657B2 yellow	G655D yellow
Jacket color	blue/metal	blue/metal	blue/metal	blue/metal
Housing color	blue	blue	blue	blue
Boot color				
0,5m	EC35.1E4E20.0P5-YET	EC35.1I4I20.0P5-YET	EC35.1U4U20.0P5-YET	EC35.1W4W20.0P5-YET
1,0m	EC35.1E4E20.001-YET	EC35.1I4I20.001-YET	EC35.1U4U20.001-YET	EC35.1W4W20.001-YET
2,0m	EC35.1E4E20.002-YET	EC35.1I4I20.002-YET	EC35.1U4U20.002-YET	EC35.1W4W20.002-YET
3,0m	EC35.1E4E20.003-YET	EC35.1I4I20.003-YET	EC35.1U4U20.003-YET	EC35.1W4W20.003-YET
4,0m	EC35.1E4E20.004-YET	EC35.1I4I20.004-YET	EC35.1U4U20.004-YET	EC35.1W4W20.004-YET
5,0m	EC35.1E4E20.005-YET	EC35.1I4I20.005-YET	EC35.1U4U20.005-YET	EC35.1W4W20.005-YET
6,0m	EC35.1E4E20.006-YET	EC35.1I4I20.006-YET	EC35.1U4U20.006-YET	EC35.1W4W20.006-YET
7,0m	EC35.1E4E20.007-YET	EC35.1I4I20.007-YET	EC35.1U4U20.007-YET	EC35.1W4W20.007-YET
7,5m	EC35.1E4E20.7P5-YET	EC35.1I4I20.7P5-YET	EC35.1U4U20.7P5-YET	EC35.1W4W20.7P5-YET
8,0m	EC35.1E4E20.008-YET	EC35.1I4I20.008-YET	EC35.1U4U20.008-YET	EC35.1W4W20.008-YET
9,0m	EC35.1E4E20.009-YET	EC35.1I4I20.009-YET	EC35.1U4U20.009-YET	EC35.1W4W20.009-YET
10,0m	EC35.1E4E20.010-YET	EC35.1I4I20.010-YET	EC35.1U4U20.010-YET	EC35.1W4W20.010-YET
11,0m	EC35.1E4E20.011-YET	EC35.1I4I20.011-YET	EC35.1U4U20.011-YET	EC35.1W4W20.011-YET
12,0m	EC35.1E4E20.012-YET	EC35.1I4I20.012-YET	EC35.1U4U20.012-YET	EC35.1W4W20.012-YET
13,0m	EC35.1E4E20.013-YET	EC35.1I4I20.013-YET	EC35.1U4U20.013-YET	EC35.1W4W20.013-YET
14,0m	EC35.1E4E20.014-YET	EC35.1I4I20.014-YET	EC35.1U4U20.014-YET	EC35.1W4W20.014-YET
15,0m	EC35.1E4E20.015-YET	EC35.1I4I20.015-YET	EC35.1U4U20.015-YET	EC35.1W4W20.015-YET

FC/APCsx-LC/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm(LC)/43,7mm(FC), Grade B, with test protocol

Fiber type	G652D yellow	G657A2 yellow	G657B2 yellow	G655D yellow
Jacket color	green/metal	green/metal	green/metal	green/metal
Housing color	green	green	green	green
Boot color				
0,5m	EC35.1F4F20.0P5-YET	EC35.1R4R20.0P5-YET	EC35.1V4V20.0P5-YET	EC35.1X4X20.0P5-YET
1,0m	EC35.1F4F20.001-YET	EC35.1R4R20.001-YET	EC35.1V4V20.001-YET	EC35.1X4X20.001-YET
2,0m	EC35.1F4F20.002-YET	EC35.1R4R20.002-YET	EC35.1V4V20.002-YET	EC35.1X4X20.002-YET
3,0m	EC35.1F4F20.003-YET	EC35.1R4R20.003-YET	EC35.1V4V20.003-YET	EC35.1X4X20.003-YET
4,0m	EC35.1F4F20.004-YET	EC35.1R4R20.004-YET	EC35.1V4V20.004-YET	EC35.1X4X20.004-YET
5,0m	EC35.1F4F20.005-YET	EC35.1R4R20.005-YET	EC35.1V4V20.005-YET	EC35.1X4X20.005-YET
6,0m	EC35.1F4F20.006-YET	EC35.1R4R20.006-YET	EC35.1V4V20.006-YET	EC35.1X4X20.006-YET
7,0m	EC35.1F4F20.007-YET	EC35.1R4R20.007-YET	EC35.1V4V20.007-YET	EC35.1X4X20.007-YET
7,5m	EC35.1F4F20.7P5-YET	EC35.1R4R20.7P5-YET	EC35.1V4V20.008-YET	EC35.1X4X20.7P5-YET
8,0m	EC35.1F4F20.008-YET	EC35.1R4R20.008-YET	EC35.1V4V20.009-YET	EC35.1X4X20.008-YET
9,0m	EC35.1F4F20.009-YET	EC35.1R4R20.009-YET	EC35.1V4V20.010-YET	EC35.1X4X20.009-YET
10,0m	EC35.1F4F20.010-YET	EC35.1R4R20.010-YET	EC35.1V4V20.011-YET	EC35.1X4X20.010-YET
11,0m	EC35.1F4F20.011-YET	EC35.1R4R20.011-YET	EC35.1V4V20.012-YET	EC35.1X4X20.011-YET
12,0m	EC35.1F4F20.012-YET	EC35.1R4R20.012-YET	EC35.1V4V20.013-YET	EC35.1X4X20.012-YET
13,0m	EC35.1F4F20.013-YET	EC35.1R4R20.013-YET	EC35.1V4V20.015-YET	EC35.1X4X20.013-YET
14,0m	EC35.1F4F20.014-YET	EC35.1R4R20.014-YET	EC35.1V4V20.0P5-YET	EC35.1X4X20.014-YET
15,0m	EC35.1F4F20.015-YET	EC35.1R4R20.015-YET	EC35.1V4V20.0P5-YET	EC35.1X4X20.015-YET

FC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 25mm(LC)/43,7mm(FC), Grade B, with test protocol

Jacket color	grey	orange	aqua	heather violet
Housing color	grey /metal	orange/metal	aqua/metal	heather violet/metal
Boot color	black	white	white	white
0,5m	EC35.144420.0P5-GRTX	EC35.154520.0P5-ORTX	EC35.1C4C20.0P5-AQT	EC35.1D4D20.0P5-HVT
1,0m	EC35.144420.001-GRTX	EC35.154520.001-ORTX	EC35.1C4C20.001-AQT	EC35.1D4D20.001-HVT
2,0m	EC35.144420.002-GRTX	EC35.154520.002-ORTX	EC35.1C4C20.002-AQT	EC35.1D4D20.002-HVT
3,0m	EC35.144420.003-GRTX	EC35.154520.003-ORTX	EC35.1C4C20.003-AQT	EC35.1D4D20.003-HVT
4,0m	EC35.144420.004-GRTX	EC35.154520.004-ORTX	EC35.1C4C20.004-AQT	EC35.1D4D20.004-HVT
5,0m	EC35.144420.005-GRTX	EC35.154520.005-ORTX	EC35.1C4C20.005-AQT	EC35.1D4D20.005-HVT
6,0m	EC35.144420.006-GRTX	EC35.154520.006-ORTX	EC35.1C4C20.006-AQT	EC35.1D4D20.006-HVT
7,0m	EC35.144420.007-GRTX	EC35.154520.007-ORTX	EC35.1C4C20.007-AQT	EC35.1D4D20.007-HVT
7,5m	EC35.144420.7P5-GRTX	EC35.154520.7P5-ORTX	EC35.1C4C20.7P5-AQT	EC35.1D4D20.7P5-HVT
8,0m	EC35.144420.008-GRTX	EC35.154520.008-ORTX	EC35.1C4C20.008-AQT	EC35.1D4D20.008-HVT
9,0m	EC35.144420.009-GRTX	EC35.154520.009-ORTX	EC35.1C4C20.009-AQT	EC35.1D4D20.009-HVT
10,0m	EC35.144420.010-GRTX	EC35.154520.010-ORTX	EC35.1C4C20.010-AQT	EC35.1D4D20.010-HVT
11,0m	EC35.144420.011-GRTX	EC35.154520.011-ORTX	EC35.1C4C20.011-AQT	EC35.1D4D20.011-HVT
12,0m	EC35.144420.012-GRTX	EC35.154520.012-ORTX	EC35.1C4C20.012-AQT	EC35.1D4D20.012-HVT
13,0m	EC35.144420.013-GRTX	EC35.154520.013-ORTX	EC35.1C4C20.013-AQT	EC35.1D4D20.013-HVT
14,0m	EC35.144420.014-GRTX	EC35.154520.014-ORTX	EC35.1C4C20.014-AQT	EC35.1D4D20.014-HVT
15,0m	EC35.144420.015-GRTX	EC35.154520.015-ORTX	EC35.1C4C20.015-AQT	EC35.1D4D20.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCsx-FCsx patch cord

FC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm(LC)/43,7mm(FC), Grade C, with test protocol

Fiber type	G652D yellow	G657A2 yellow	G657B2 yellow	G655D yellow
Jacket color	blue/metal	blue/metal	blue/metal	blue/metal
Housing color	blue	blue	blue	blue
Boot color				
0,5m	EC35.124220.0P5-YET	EC35.184820.0P5-YET	EC35.194920.0P5-YET	EC35.1M4M20.0P5-YET
1,0m	EC35.124220.001-YET	EC35.184820.001-YET	EC35.194920.001-YET	EC35.1M4M20.001-YET
2,0m	EC35.124220.002-YET	EC35.184820.002-YET	EC35.194920.002-YET	EC35.1M4M20.002-YET
3,0m	EC35.124220.003-YET	EC35.184820.003-YET	EC35.194920.003-YET	EC35.1M4M20.003-YET
4,0m	EC35.124220.004-YET	EC35.184820.004-YET	EC35.194920.004-YET	EC35.1M4M20.004-YET
5,0m	EC35.124220.005-YET	EC35.184820.005-YET	EC35.194920.005-YET	EC35.1M4M20.005-YET
6,0m	EC35.124220.006-YET	EC35.184820.006-YET	EC35.194920.006-YET	EC35.1M4M20.006-YET
7,0m	EC35.124220.007-YET	EC35.184820.007-YET	EC35.194920.007-YET	EC35.1M4M20.007-YET
7,5m	EC35.124220.7P5-YET	EC35.184820.7P5-YET	EC35.194920.7P5-YET	EC35.1M4M20.7P5-YET
8,0m	EC35.124220.008-YET	EC35.184820.008-YET	EC35.194920.008-YET	EC35.1M4M20.008-YET
9,0m	EC35.124220.009-YET	EC35.184820.009-YET	EC35.194920.009-YET	EC35.1M4M20.009-YET
10,0m	EC35.124220.010-YET	EC35.184820.010-YET	EC35.194920.010-YET	EC35.1M4M20.010-YET
11,0m	EC35.124220.011-YET	EC35.184820.011-YET	EC35.194920.011-YET	EC35.1M4M20.011-YET
12,0m	EC35.124220.012-YET	EC35.184820.012-YET	EC35.194920.012-YET	EC35.1M4M20.012-YET
13,0m	EC35.124220.013-YET	EC35.184820.013-YET	EC35.194920.013-YET	EC35.1M4M20.013-YET
14,0m	EC35.124220.014-YET	EC35.184820.014-YET	EC35.194920.014-YET	EC35.1M4M20.014-YET
15,0m	EC35.124220.015-YET	EC35.184820.015-YET	EC35.194920.015-YET	EC35.1M4M20.015-YET

FC/APCxs-LC/APCxs, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm(LC)/43,7mm(FC), Grade C, with test protocol

Fiber type	G652D yellow	G657A2 yellow	G657B2 yellow	G655D yellow
Jacket color	green/metal	green/metal	green/metal	green/metal
Housing color	green	green	green	green
Boot color				
0,5m	EC35.134320.0P5-YET	EC35.1A4A20.0P5-YET	EC35.1B4B20.0P5-YET	EC35.1N4N20.0P5-YET
1,0m	EC35.134320.001-YET	EC35.1A4A20.001-YET	EC35.1B4B20.001-YET	EC35.1N4N20.001-YET
2,0m	EC35.134320.002-YET	EC35.1A4A20.002-YET	EC35.1B4B20.002-YET	EC35.1N4N20.002-YET
3,0m	EC35.134320.003-YET	EC35.1A4A20.003-YET	EC35.1B4B20.003-YET	EC35.1N4N20.003-YET
4,0m	EC35.134320.004-YET	EC35.1A4A20.004-YET	EC35.1B4B20.004-YET	EC35.1N4N20.004-YET
5,0m	EC35.134320.005-YET	EC35.1A4A20.005-YET	EC35.1B4B20.005-YET	EC35.1N4N20.005-YET
6,0m	EC35.134320.006-YET	EC35.1A4A20.006-YET	EC35.1B4B20.006-YET	EC35.1N4N20.006-YET
7,0m	EC35.134320.007-YET	EC35.1A4A20.007-YET	EC35.1B4B20.007-YET	EC35.1N4N20.007-YET
7,5m	EC35.134320.7P5-YET	EC35.1A4A20.7P5-YET	EC35.1B4B20.7P5-YET	EC35.1N4N20.7P5-YET
8,0m	EC35.134320.008-YET	EC35.1A4A20.008-YET	EC35.1B4B20.008-YET	EC35.1N4N20.008-YET
9,0m	EC35.134320.009-YET	EC35.1A4A20.009-YET	EC35.1B4B20.009-YET	EC35.1N4N20.009-YET
10,0m	EC35.134320.010-YET	EC35.1A4A20.010-YET	EC35.1B4B20.010-YET	EC35.1N4N20.010-YET
11,0m	EC35.134320.011-YET	EC35.1A4A20.011-YET	EC35.1B4B20.011-YET	EC35.1N4N20.011-YET
12,0m	EC35.134320.012-YET	EC35.1A4A20.012-YET	EC35.1B4B20.012-YET	EC35.1N4N20.012-YET
13,0m	EC35.134320.013-YET	EC35.1A4A20.013-YET	EC35.1B4B20.013-YET	EC35.1N4N20.013-YET
14,0m	EC35.134320.014-YET	EC35.1A4A20.014-YET	EC35.1B4B20.014-YET	EC35.1N4N20.014-YET
15,0m	EC35.134320.015-YET	EC35.1A4A20.015-YET	EC35.1B4B20.015-YET	EC35.1N4N20.015-YET


FC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 25mm(LC)/43,7mm(FC), Grade C, with test protocol

Jacket color	grey	orange	aqua	heather violet
Housing color	grey /metal	orange/metal	aqua/metal	heather violet/metal
Boot color	black	white	white	white
0,5m	EC35.144420.0P5-GRT	EC35.154520.0P5-ORT	EC35.164620.0P5-AQT	EC35.174720.0P5-HVT
1,0m	EC35.144420.001-GRT	EC35.154520.001-ORT	EC35.164620.001-AQT	EC35.174720.001-HVT
2,0m	EC35.144420.002-GRT	EC35.154520.002-ORT	EC35.164620.002-AQT	EC35.174720.002-HVT
3,0m	EC35.144420.003-GRT	EC35.154520.003-ORT	EC35.164620.003-AQT	EC35.174720.003-HVT
4,0m	EC35.144420.004-GRT	EC35.154520.004-ORT	EC35.164620.004-AQT	EC35.174720.004-HVT
5,0m	EC35.144420.005-GRT	EC35.154520.005-ORT	EC35.164620.005-AQT	EC35.174720.005-HVT
6,0m	EC35.144420.006-GRT	EC35.154520.006-ORT	EC35.164620.006-AQT	EC35.174720.006-HVT
7,0m	EC35.144420.007-GRT	EC35.154520.007-ORT	EC35.164620.007-AQT	EC35.174720.007-HVT
7,5m	EC35.144420.7P5-GRT	EC35.154520.7P5-ORT	EC35.164620.7P5-AQT	EC35.174720.7P5-HVT
8,0m	EC35.144420.008-GRT	EC35.154520.008-ORT	EC35.164620.008-AQT	EC35.174720.008-HVT
9,0m	EC35.144420.009-GRT	EC35.154520.009-ORT	EC35.164620.009-AQT	EC35.174720.009-HVT
10,0m	EC35.144420.010-GRT	EC35.154520.010-ORT	EC35.164620.010-AQT	EC35.174720.010-HVT
11,0m	EC35.144420.011-GRT	EC35.154520.011-ORT	EC35.164620.011-AQT	EC35.174720.011-HVT
12,0m	EC35.144420.012-GRT	EC35.154520.012-ORT	EC35.164620.012-AQT	EC35.174720.012-HVT
13,0m	EC35.144420.013-GRT	EC35.154520.013-ORT	EC35.164620.013-AQT	EC35.174720.013-HVT
14,0m	EC35.144420.014-GRT	EC35.154520.014-ORT	EC35.164620.014-AQT	EC35.174720.014-HVT
15,0m	EC35.144420.015-GRT	EC35.154520.015-ORT	EC35.164620.015-AQT	EC35.174720.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx-LCsx patch cord



SC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm(LC)/37,5mm(SC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC35.2E4E20.0P5-YET	EC35.2I4I20.0P5-YET	EC35.2U4U20.0P5-YET	EC35.2W4W20.0P5-YET
1,0m	EC35.2E4E20.001-YET	EC35.2I4I20.001-YET	EC35.2U4U20.001-YET	EC35.2W4W20.001-YET
2,0m	EC35.2E4E20.002-YET	EC35.2I4I20.002-YET	EC35.2U4U20.002-YET	EC35.2W4W20.002-YET
3,0m	EC35.2E4E20.003-YET	EC35.2I4I20.003-YET	EC35.2U4U20.003-YET	EC35.2W4W20.003-YET
4,0m	EC35.2E4E20.004-YET	EC35.2I4I20.004-YET	EC35.2U4U20.004-YET	EC35.2W4W20.004-YET
5,0m	EC35.2E4E20.005-YET	EC35.2I4I20.005-YET	EC35.2U4U20.005-YET	EC35.2W4W20.005-YET
6,0m	EC35.2E4E20.006-YET	EC35.2I4I20.006-YET	EC35.2U4U20.006-YET	EC35.2W4W20.006-YET
7,0m	EC35.2E4E20.007-YET	EC35.2I4I20.007-YET	EC35.2U4U20.007-YET	EC35.2W4W20.007-YET
7,5m	EC35.2E4E20.7P5-YET	EC35.2I4I20.7P5-YET	EC35.2U4U20.7P5-YET	EC35.2W4W20.7P5-YET
8,0m	EC35.2E4E20.008-YET	EC35.2I4I20.008-YET	EC35.2U4U20.008-YET	EC35.2W4W20.008-YET
9,0m	EC35.2E4E20.009-YET	EC35.2I4I20.009-YET	EC35.2U4U20.009-YET	EC35.2W4W20.009-YET
10,0m	EC35.2E4E20.010-YET	EC35.2I4I20.010-YET	EC35.2U4U20.010-YET	EC35.2W4W20.010-YET
11,0m	EC35.2E4E20.011-YET	EC35.2I4I20.011-YET	EC35.2U4U20.011-YET	EC35.2W4W20.011-YET
12,0m	EC35.2E4E20.012-YET	EC35.2I4I20.012-YET	EC35.2U4U20.012-YET	EC35.2W4W20.012-YET
13,0m	EC35.2E4E20.013-YET	EC35.2I4I20.013-YET	EC35.2U4U20.013-YET	EC35.2W4W20.013-YET
14,0m	EC35.2E4E20.014-YET	EC35.2I4I20.014-YET	EC35.2U4U20.014-YET	EC35.2W4W20.014-YET
15,0m	EC35.2E4E20.015-YET	EC35.2I4I20.015-YET	EC35.2U4U20.015-YET	EC35.2W4W20.015-YET

SC/APCsx-LC/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm(LC)/37,5mm(SC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC35.2F4F20.0P5-YET	EC35.2J4J20.0P5-YET	EC35.2V4V20.0P5-YET	EC35.2X4X20.0P5-YET
1,0m	EC35.2F4F20.001-YET	EC35.2J4J20.001-YET	EC35.2V4V20.001-YET	EC35.2X4X20.001-YET
2,0m	EC35.2F4F20.002-YET	EC35.2J4J20.002-YET	EC35.2V4V20.002-YET	EC35.2X4X20.002-YET
3,0m	EC35.2F4F20.003-YET	EC35.2J4J20.003-YET	EC35.2V4V20.003-YET	EC35.2X4X20.003-YET
4,0m	EC35.2F4F20.004-YET	EC35.2J4J20.004-YET	EC35.2V4V20.004-YET	EC35.2X4X20.004-YET
5,0m	EC35.2F4F20.005-YET	EC35.2J4J20.005-YET	EC35.2V4V20.005-YET	EC35.2X4X20.005-YET
6,0m	EC35.2F4F20.006-YET	EC35.2J4J20.006-YET	EC35.2V4V20.006-YET	EC35.2X4X20.006-YET
7,0m	EC35.2F4F20.007-YET	EC35.2J4J20.007-YET	EC35.2V4V20.007-YET	EC35.2X4X20.007-YET
7,5m	EC35.2F4F20.7P5-YET	EC35.2J4J20.7P5-YET	EC35.2V4V20.7P5-YET	EC35.2X4X20.7P5-YET
8,0m	EC35.2F4F20.008-YET	EC35.2J4J20.008-YET	EC35.2V4V20.008-YET	EC35.2X4X20.008-YET
9,0m	EC35.2F4F20.009-YET	EC35.2J4J20.009-YET	EC35.2V4V20.009-YET	EC35.2X4X20.009-YET
10,0m	EC35.2F4F20.010-YET	EC35.2J4J20.010-YET	EC35.2V4V20.010-YET	EC35.2X4X20.010-YET
11,0m	EC35.2F4F20.011-YET	EC35.2J4J20.011-YET	EC35.2V4V20.011-YET	EC35.2X4X20.011-YET
12,0m	EC35.2F4F20.012-YET	EC35.2J4J20.012-YET	EC35.2V4V20.012-YET	EC35.2X4X20.012-YET
13,0m	EC35.2F4F20.013-YET	EC35.2J4J20.013-YET	EC35.2V4V20.013-YET	EC35.2X4X20.013-YET
14,0m	EC35.2F4F20.014-YET	EC35.2J4J20.014-YET	EC35.2V4V20.014-YET	EC35.2X4X20.014-YET
15,0m	EC35.2F4F20.015-YET	EC35.2J4J20.015-YET	EC35.2V4V20.015-YET	EC35.2X4X20.015-YET

SC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 25mm(LC)/37,5mm(SC), Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC35.244420.0P5-GRGX	EC35.254520.0P5-ORTX	EC35.2C4C20.0P5-AQT	EC35.2D4D20.0P5-HVT
1,0m	EC35.244420.001-GRGX	EC35.254520.001-ORTX	EC35.2C4C20.001-AQT	EC35.2D4D20.001-HVT
2,0m	EC35.244420.002-GRGX	EC35.254520.002-ORTX	EC35.2C4C20.002-AQT	EC35.2D4D20.002-HVT
3,0m	EC35.244420.003-GRGX	EC35.254520.003-ORTX	EC35.2C4C20.003-AQT	EC35.2D4D20.003-HVT
4,0m	EC35.244420.004-GRGX	EC35.254520.004-ORTX	EC35.2C4C20.004-AQT	EC35.2D4D20.004-HVT
5,0m	EC35.244420.005-GRGX	EC35.254520.005-ORTX	EC35.2C4C20.005-AQT	EC35.2D4D20.005-HVT
6,0m	EC35.244420.006-GRGX	EC35.254520.006-ORTX	EC35.2C4C20.006-AQT	EC35.2D4D20.006-HVT
7,0m	EC35.244420.007-GRGX	EC35.254520.007-ORTX	EC35.2C4C20.007-AQT	EC35.2D4D20.007-HVT
7,5m	EC35.244420.7P5-GRGX	EC35.254520.7P5-ORTX	EC35.2C4C20.7P5-AQT	EC35.2D4D20.7P5-HVT
8,0m	EC35.244420.008-GRGX	EC35.254520.008-ORTX	EC35.2C4C20.008-AQT	EC35.2D4D20.008-HVT
9,0m	EC35.244420.009-GRGX	EC35.254520.009-ORTX	EC35.2C4C20.009-AQT	EC35.2D4D20.009-HVT
10,0m	EC35.244420.010-GRGX	EC35.254520.010-ORTX	EC35.2C4C20.010-AQT	EC35.2D4D20.010-HVT
11,0m	EC35.244420.011-GRGX	EC35.254520.011-ORTX	EC35.2C4C20.011-AQT	EC35.2D4D20.011-HVT
12,0m	EC35.244420.012-GRGX	EC35.254520.012-ORTX	EC35.2C4C20.012-AQT	EC35.2D4D20.012-HVT
13,0m	EC35.244420.013-GRGX	EC35.254520.013-ORTX	EC35.2C4C20.013-AQT	EC35.2D4D20.013-HVT
14,0m	EC35.244420.014-GRGX	EC35.254520.014-ORTX	EC35.2C4C20.014-AQT	EC35.2D4D20.014-HVT
15,0m	EC35.244420.015-GRGX	EC35.254520.015-ORTX	EC35.2C4C20.015-AQT	EC35.2D4D20.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx-LCsx patch cord

SC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm(LC)/37,5mm(SC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
0,5m	EC35.224220.0P5-YET	EC35.284820.0P5-YET	EC35.294920.0P5-YET	EC35.2M4M20.0P5-YET
1,0m	EC35.224220.001-YET	EC35.284820.001-YET	EC35.294920.001-YET	EC35.2M4M20.001-YET
2,0m	EC35.224220.002-YET	EC35.284820.002-YET	EC35.294920.002-YET	EC35.2M4M20.002-YET
3,0m	EC35.224220.003-YET	EC35.284820.003-YET	EC35.294920.003-YET	EC35.2M4M20.003-YET
4,0m	EC35.224220.004-YET	EC35.284820.004-YET	EC35.294920.004-YET	EC35.2M4M20.004-YET
5,0m	EC35.224220.005-YET	EC35.284820.005-YET	EC35.294920.005-YET	EC35.2M4M20.005-YET
6,0m	EC35.224220.006-YET	EC35.284820.006-YET	EC35.294920.006-YET	EC35.2M4M20.006-YET
7,0m	EC35.224220.007-YET	EC35.284820.007-YET	EC35.294920.007-YET	EC35.2M4M20.007-YET
7,5m	EC35.224220.7P5-YET	EC35.284820.7P5-YET	EC35.294920.7P5-YET	EC35.2M4M20.7P5-YET
8,0m	EC35.224220.008-YET	EC35.284820.008-YET	EC35.294920.008-YET	EC35.2M4M20.008-YET
9,0m	EC35.224220.009-YET	EC35.284820.009-YET	EC35.294920.009-YET	EC35.2M4M20.009-YET
10,0m	EC35.224220.010-YET	EC35.284820.010-YET	EC35.294920.010-YET	EC35.2M4M20.010-YET
11,0m	EC35.224220.011-YET	EC35.284820.011-YET	EC35.294920.011-YET	EC35.2M4M20.011-YET
12,0m	EC35.224220.012-YET	EC35.284820.012-YET	EC35.294920.012-YET	EC35.2M4M20.012-YET
13,0m	EC35.224220.013-YET	EC35.284820.013-YET	EC35.294920.013-YET	EC35.2M4M20.013-YET
14,0m	EC35.224220.014-YET	EC35.284820.014-YET	EC35.294920.014-YET	EC35.2M4M20.014-YET
15,0m	EC35.224220.015-YET	EC35.284820.015-YET	EC35.294920.015-YET	EC35.2M4M20.015-YET

SC/APCxs-LC/APCxs, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 25mm(LC)/37,5mm(SC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
0,5m	EC35.234320.0P5-YET	EC35.2A4A20.0P5-YET	EC35.2B4B20.0P5-YET	EC35.2N4N20.0P5-YET
1,0m	EC35.234320.001-YET	EC35.2A4A20.001-YET	EC35.2B4B20.001-YET	EC35.2N4N20.001-YET
2,0m	EC35.234320.002-YET	EC35.2A4A20.002-YET	EC35.2B4B20.002-YET	EC35.2N4N20.002-YET
3,0m	EC35.234320.003-YET	EC35.2A4A20.003-YET	EC35.2B4B20.003-YET	EC35.2N4N20.003-YET
4,0m	EC35.234320.004-YET	EC35.2A4A20.004-YET	EC35.2B4B20.004-YET	EC35.2N4N20.004-YET
5,0m	EC35.234320.005-YET	EC35.2A4A20.005-YET	EC35.2B4B20.005-YET	EC35.2N4N20.005-YET
6,0m	EC35.234320.006-YET	EC35.2A4A20.006-YET	EC35.2B4B20.006-YET	EC35.2N4N20.006-YET
7,0m	EC35.234320.007-YET	EC35.2A4A20.007-YET	EC35.2B4B20.007-YET	EC35.2N4N20.007-YET
7,5m	EC35.234320.7P5-YET	EC35.2A4A20.7P5-YET	EC35.2B4B20.7P5-YET	EC35.2N4N20.7P5-YET
8,0m	EC35.234320.008-YET	EC35.2A4A20.008-YET	EC35.2B4B20.008-YET	EC35.2N4N20.008-YET
9,0m	EC35.234320.009-YET	EC35.2A4A20.009-YET	EC35.2B4B20.009-YET	EC35.2N4N20.009-YET
10,0m	EC35.234320.010-YET	EC35.2A4A20.010-YET	EC35.2B4B20.010-YET	EC35.2N4N20.010-YET
11,0m	EC35.234320.011-YET	EC35.2A4A20.011-YET	EC35.2B4B20.011-YET	EC35.2N4N20.011-YET
12,0m	EC35.234320.012-YET	EC35.2A4A20.012-YET	EC35.2B4B20.012-YET	EC35.2N4N20.012-YET
13,0m	EC35.234320.013-YET	EC35.2A4A20.013-YET	EC35.2B4B20.013-YET	EC35.2N4N20.013-YET
14,0m	EC35.234320.014-YET	EC35.2A4A20.014-YET	EC35.2B4B20.014-YET	EC35.2N4N20.014-YET
15,0m	EC35.234320.015-YET	EC35.2A4A20.015-YET	EC35.2B4B20.015-YET	EC35.2N4N20.015-YET


SC/PCsx-LC/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 25mm(LC)/37,5mm(SC), Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black	white	white	white
0,5m	EC35.244420.0P5-GRT	EC35.254520.0P5-ORT	EC35.264620.0P5-AQT	EC35.274720.0P5-HVT
1,0m	EC35.244420.001-GRT	EC35.254520.001-ORT	EC35.264620.001-AQT	EC35.274720.001-HVT
2,0m	EC35.244420.002-GRT	EC35.254520.002-ORT	EC35.264620.002-AQT	EC35.274720.002-HVT
3,0m	EC35.244420.003-GRT	EC35.254520.003-ORT	EC35.264620.003-AQT	EC35.274720.003-HVT
4,0m	EC35.244420.004-GRT	EC35.254520.004-ORT	EC35.264620.004-AQT	EC35.274720.004-HVT
5,0m	EC35.244420.005-GRT	EC35.254520.005-ORT	EC35.264620.005-AQT	EC35.274720.005-HVT
6,0m	EC35.244420.006-GRT	EC35.254520.006-ORT	EC35.264620.006-AQT	EC35.274720.006-HVT
7,0m	EC35.244420.007-GRT	EC35.254520.007-ORT	EC35.264620.007-AQT	EC35.274720.007-HVT
7,5m	EC35.244420.7P5-GRT	EC35.254520.7P5-ORT	EC35.264620.7P5-AQT	EC35.274720.7P5-HVT
8,0m	EC35.244420.008-GRT	EC35.254520.008-ORT	EC35.264620.008-AQT	EC35.274720.008-HVT
9,0m	EC35.244420.009-GRT	EC35.254520.009-ORT	EC35.264620.009-AQT	EC35.274720.009-HVT
10,0m	EC35.244420.010-GRT	EC35.254520.010-ORT	EC35.264620.010-AQT	EC35.274720.010-HVT
11,0m	EC35.244420.011-GRT	EC35.254520.011-ORT	EC35.264620.011-AQT	EC35.274720.011-HVT
12,0m	EC35.244420.012-GRT	EC35.254520.012-ORT	EC35.264620.012-AQT	EC35.274720.012-HVT
13,0m	EC35.244420.013-GRT	EC35.254520.013-ORT	EC35.264620.013-AQT	EC35.274720.013-HVT
14,0m	EC35.244420.014-GRT	EC35.254520.014-ORT	EC35.264620.014-AQT	EC35.274720.014-HVT
15,0m	EC35.244420.015-GRT	EC35.254520.015-ORT	EC35.264620.015-AQT	EC35.274720.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCsx-E2000sx patch cord



LC/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm(E2000)/25mm(LC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC35.4E7E20.0P5-YET	EC35.4I7I20.0P5-YET	EC35.4U7U20.0P5-YET	EC35.4W7W20.0P5-YET
1,0m	EC35.4E7E20.001-YET	EC35.4I7I20.001-YET	EC35.4U7U20.001-YET	EC35.4W7W20.001-YET
2,0m	EC35.4E7E20.002-YET	EC35.4I7I20.002-YET	EC35.4U7U20.002-YET	EC35.4W7W20.002-YET
3,0m	EC35.4E7E20.003-YET	EC35.4I7I20.003-YET	EC35.4U7U20.003-YET	EC35.4W7W20.003-YET
4,0m	EC35.4E7E20.004-YET	EC35.4I7I20.004-YET	EC35.4U7U20.004-YET	EC35.4W7W20.004-YET
5,0m	EC35.4E7E20.005-YET	EC35.4I7I20.005-YET	EC35.4U7U20.005-YET	EC35.4W7W20.005-YET
6,0m	EC35.4E7E20.006-YET	EC35.4I7I20.006-YET	EC35.4U7U20.006-YET	EC35.4W7W20.006-YET
7,0m	EC35.4E7E20.007-YET	EC35.4I7I20.007-YET	EC35.4U7U20.007-YET	EC35.4W7W20.007-YET
7,5m	EC35.4E7E20.7P5-YET	EC35.4I7I20.7P5-YET	EC35.4U7U20.7P5-YET	EC35.4W7W20.7P5-YET
8,0m	EC35.4E7E20.008-YET	EC35.4I7I20.008-YET	EC35.4U7U20.008-YET	EC35.4W7W20.008-YET
9,0m	EC35.4E7E20.009-YET	EC35.4I7I20.009-YET	EC35.4U7U20.009-YET	EC35.4W7W20.009-YET
10,0m	EC35.4E7E20.010-YET	EC35.4I7I20.010-YET	EC35.4U7U20.010-YET	EC35.4W7W20.010-YET
11,0m	EC35.4E7E20.011-YET	EC35.4I7I20.011-YET	EC35.4U7U20.011-YET	EC35.4W7W20.011-YET
12,0m	EC35.4E7E20.012-YET	EC35.4I7I20.012-YET	EC35.4U7U20.012-YET	EC35.4W7W20.012-YET
13,0m	EC35.4E7E20.013-YET	EC35.4I7I20.013-YET	EC35.4U7U20.013-YET	EC35.4W7W20.013-YET
14,0m	EC35.4E7E20.014-YET	EC35.4I7I20.014-YET	EC35.4U7U20.014-YET	EC35.4W7W20.014-YET
15,0m	EC35.4E7E20.015-YET	EC35.4I7I20.015-YET	EC35.4U7U20.015-YET	EC35.4W7W20.015-YET

LC/APCxs-E2000/APCxs, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm(E2000)/25mm(LC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC35.4F7F20.0P5-YET	EC35.4R7R20.0P5-YET	EC35.4V7V20.0P5-YET	EC35.4X7X20.0P5-YET
1,0m	EC35.4F7F20.001-YET	EC35.4R7R20.001-YET	EC35.4V7V20.001-YET	EC35.4X7X20.001-YET
2,0m	EC35.4F7F20.002-YET	EC35.4R7R20.002-YET	EC35.4V7V20.002-YET	EC35.4X7X20.002-YET
3,0m	EC35.4F7F20.003-YET	EC35.4R7R20.003-YET	EC35.4V7V20.003-YET	EC35.4X7X20.003-YET
4,0m	EC35.4F7F20.004-YET	EC35.4R7R20.004-YET	EC35.4V7V20.004-YET	EC35.4X7X20.004-YET
5,0m	EC35.4F7F20.005-YET	EC35.4R7R20.005-YET	EC35.4V7V20.005-YET	EC35.4X7X20.005-YET
6,0m	EC35.4F7F20.006-YET	EC35.4R7R20.006-YET	EC35.4V7V20.006-YET	EC35.4X7X20.006-YET
7,0m	EC35.4F7F20.007-YET	EC35.4R7R20.007-YET	EC35.4V7V20.007-YET	EC35.4X7X20.007-YET
7,5m	EC35.4F7F20.7P5-YET	EC35.4R7R20.7P5-YET	EC35.4V7V20.7P5-YET	EC35.4X7X20.7P5-YET
8,0m	EC35.4F7F20.008-YET	EC35.4R7R20.008-YET	EC35.4V7V20.008-YET	EC35.4X7X20.008-YET
9,0m	EC35.4F7F20.009-YET	EC35.4R7R20.009-YET	EC35.4V7V20.009-YET	EC35.4X7X20.009-YET
10,0m	EC35.4F7F20.010-YET	EC35.4R7R20.010-YET	EC35.4V7V20.010-YET	EC35.4X7X20.010-YET
11,0m	EC35.4F7F20.011-YET	EC35.4R7R20.011-YET	EC35.4V7V20.011-YET	EC35.4X7X20.011-YET
12,0m	EC35.4F7F20.012-YET	EC35.4R7R20.012-YET	EC35.4V7V20.012-YET	EC35.4X7X20.012-YET
13,0m	EC35.4F7F20.013-YET	EC35.4R7R20.013-YET	EC35.4V7V20.013-YET	EC35.4X7X20.013-YET
14,0m	EC35.4F7F20.014-YET	EC35.4R7R20.014-YET	EC35.4V7V20.014-YET	EC35.4X7X20.014-YET
15,0m	EC35.4F7F20.015-YET	EC35.4R7R20.015-YET	EC35.4V7V20.015-YET	EC35.4X7X20.015-YET

LC/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm(E2000)/25mm(LC), Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color			aqua	aqua
Housing E2000/LC			beige/aqua	beige/heather violet
Boot E2000/LC			black/white	black/white
Lever color			aqua	aqua
0,5m	N/A	N/A	EC35.4C7C20.0P5-AQT	EC35.4D7D20.0P5-AQT
1,0m	N/A	N/A	EC35.4C7C20.001-AQT	EC35.4D7D20.001-AQT
2,0m	N/A	N/A	EC35.4C7C20.002-AQT	EC35.4D7D20.002-AQT
3,0m	N/A	N/A	EC35.4C7C20.003-AQT	EC35.4D7D20.003-AQT
4,0m	N/A	N/A	EC35.4C7C20.004-AQT	EC35.4D7D20.004-AQT
5,0m	N/A	N/A	EC35.4C7C20.005-AQT	EC35.4D7D20.005-AQT
6,0m	N/A	N/A	EC35.4C7C20.006-AQT	EC35.4D7D20.006-AQT
7,0m	N/A	N/A	EC35.4C7C20.007-AQT	EC35.4D7D20.007-AQT
7,5m	N/A	N/A	EC35.4C7C20.7P5-AQT	EC35.4D7D20.7P5-AQT
8,0m	N/A	N/A	EC35.4C7C20.008-AQT	EC35.4D7D20.008-AQT
9,0m	N/A	N/A	EC35.4C7C20.009-AQT	EC35.4D7D20.009-AQT
10,0m	N/A	N/A	EC35.4C7C20.010-AQT	EC35.4D7D20.010-AQT
11,0m	N/A	N/A	EC35.4C7C20.011-AQT	EC35.4D7D20.011-AQT
12,0m	N/A	N/A	EC35.4C7C20.012-AQT	EC35.4D7D20.012-AQT
13,0m	N/A	N/A	EC35.4C7C20.013-AQT	EC35.4D7D20.013-AQT
14,0m	N/A	N/A	EC35.4C7C20.014-AQT	EC35.4D7D20.014-AQT
15,0m	N/A	N/A	EC35.4C7C20.015-AQT	EC35.4D7D20.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCsx-E2000sx patch cord

LC/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm(E2000)/25mm(LC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC35.427220.0P5-YET	EC35.487820.0P5-YET	EC35.497920.0P5-YET	EC35.4M7M20.0P5-YET
1,0m	EC35.427220.001-YET	EC35.487820.001-YET	EC35.497920.001-YET	EC35.4M7M20.001-YET
2,0m	EC35.427220.002-YET	EC35.487820.002-YET	EC35.497920.002-YET	EC35.4M7M20.002-YET
3,0m	EC35.427220.003-YET	EC35.487820.003-YET	EC35.497920.003-YET	EC35.4M7M20.003-YET
4,0m	EC35.427220.004-YET	EC35.487820.004-YET	EC35.497920.004-YET	EC35.4M7M20.004-YET
5,0m	EC35.427220.005-YET	EC35.487820.005-YET	EC35.497920.005-YET	EC35.4M7M20.005-YET
6,0m	EC35.427220.006-YET	EC35.487820.006-YET	EC35.497920.006-YET	EC35.4M7M20.006-YET
7,0m	EC35.427220.007-YET	EC35.487820.007-YET	EC35.497920.007-YET	EC35.4M7M20.007-YET
7,5m	EC35.427220.7P5-YET	EC35.487820.7P5-YET	EC35.497920.7P5-YET	EC35.4M7M20.7P5-YET
8,0m	EC35.427220.008-YET	EC35.487820.008-YET	EC35.497920.008-YET	EC35.4M7M20.008-YET
9,0m	EC35.427220.009-YET	EC35.487820.009-YET	EC35.497920.009-YET	EC35.4M7M20.009-YET
10,0m	EC35.427220.010-YET	EC35.487820.010-YET	EC35.497920.010-YET	EC35.4M7M20.010-YET
11,0m	EC35.427220.011-YET	EC35.487820.011-YET	EC35.497920.011-YET	EC35.4M7M20.011-YET
12,0m	EC35.427220.012-YET	EC35.487820.012-YET	EC35.497920.012-YET	EC35.4M7M20.012-YET
13,0m	EC35.427220.013-YET	EC35.487820.013-YET	EC35.497920.013-YET	EC35.4M7M20.013-YET
14,0m	EC35.427220.014-YET	EC35.487820.014-YET	EC35.497920.014-YET	EC35.4M7M20.014-YET
15,0m	EC35.427220.015-YET	EC35.487820.015-YET	EC35.497920.015-YET	EC35.4M7M20.015-YET

LC/APCsx-E2000/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm(E2000)/25mm(LC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC35.437320.0P5-YET	EC35.4A7A20.0P5-YET	EC35.4B7B20.0P5-YET	EC35.4N7N20.0P5-YET
1,0m	EC35.437320.001-YET	EC35.4A7A20.001-YET	EC35.4B7B20.001-YET	EC35.4N7N20.001-YET
2,0m	EC35.437320.002-YET	EC35.4A7A20.002-YET	EC35.4B7B20.002-YET	EC35.4N7N20.002-YET
3,0m	EC35.437320.003-YET	EC35.4A7A20.003-YET	EC35.4B7B20.003-YET	EC35.4N7N20.003-YET
4,0m	EC35.437320.004-YET	EC35.4A7A20.004-YET	EC35.4B7B20.004-YET	EC35.4N7N20.004-YET
5,0m	EC35.437320.005-YET	EC35.4A7A20.005-YET	EC35.4B7B20.005-YET	EC35.4N7N20.005-YET
6,0m	EC35.437320.006-YET	EC35.4A7A20.006-YET	EC35.4B7B20.006-YET	EC35.4N7N20.006-YET
7,0m	EC35.437320.007-YET	EC35.4A7A20.007-YET	EC35.4B7B20.007-YET	EC35.4N7N20.007-YET
7,5m	EC35.437320.7P5-YET	EC35.4A7A20.7P5-YET	EC35.4B7B20.7P5-YET	EC35.4N7N20.7P5-YET
8,0m	EC35.437320.008-YET	EC35.4A7A20.008-YET	EC35.4B7B20.008-YET	EC35.4N7N20.008-YET
9,0m	EC35.437320.009-YET	EC35.4A7A20.009-YET	EC35.4B7B20.009-YET	EC35.4N7N20.009-YET
10,0m	EC35.437320.010-YET	EC35.4A7A20.010-YET	EC35.4B7B20.010-YET	EC35.4N7N20.010-YET
11,0m	EC35.437320.011-YET	EC35.4A7A20.011-YET	EC35.4B7B20.011-YET	EC35.4N7N20.011-YET
12,0m	EC35.437320.012-YET	EC35.4A7A20.012-YET	EC35.4B7B20.012-YET	EC35.4N7N20.012-YET
13,0m	EC35.437320.013-YET	EC35.4A7A20.013-YET	EC35.4B7B20.013-YET	EC35.4N7N20.013-YET
14,0m	EC35.437320.014-YET	EC35.4A7A20.014-YET	EC35.4B7B20.014-YET	EC35.4N7N20.014-YET
15,0m	EC35.437320.015-YET	EC35.4A7A20.015-YET	EC35.4B7B20.015-YET	EC35.4N7N20.015-YET


LC/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm(E2000)/25mm(LC), Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	orange	orange	aqua	aqua
Housing E2000/LC	beige/black	beige/white	beige/white	beige/white
Boot color	black	black	black	black
Lever color	blue	orange	aqua	aqua
0,5m	EC35.447420.0P5-ORT	EC35.457520.0P5-ORT	EC35.467620.0P5-AQT	EC35.477720.0P5-AQT
1,0m	EC35.447420.001-ORT	EC35.457520.001-ORT	EC35.467620.001-AQT	EC35.477720.001-AQT
2,0m	EC35.447420.002-ORT	EC35.457520.002-ORT	EC35.467620.002-AQT	EC35.477720.002-AQT
3,0m	EC35.447420.003-ORT	EC35.457520.003-ORT	EC35.467620.003-AQT	EC35.477720.003-AQT
4,0m	EC35.447420.004-ORT	EC35.457520.004-ORT	EC35.467620.004-AQT	EC35.477720.004-AQT
5,0m	EC35.447420.005-ORT	EC35.457520.005-ORT	EC35.467620.005-AQT	EC35.477720.005-AQT
6,0m	EC35.447420.006-ORT	EC35.457520.006-ORT	EC35.467620.006-AQT	EC35.477720.006-AQT
7,0m	EC35.447420.007-ORT	EC35.457520.007-ORT	EC35.467620.007-AQT	EC35.477720.007-AQT
7,5m	EC35.447420.7P5-ORT	EC35.457520.7P5-ORT	EC35.467620.7P5-AQT	EC35.477720.7P5-AQT
8,0m	EC35.447420.008-ORT	EC35.457520.008-ORT	EC35.467620.008-AQT	EC35.477720.008-AQT
9,0m	EC35.447420.009-ORT	EC35.457520.009-ORT	EC35.467620.009-AQT	EC35.477720.009-AQT
10,0m	EC35.447420.010-ORT	EC35.457520.010-ORT	EC35.467620.010-AQT	EC35.477720.010-AQT
11,0m	EC35.447420.011-ORT	EC35.457520.011-ORT	EC35.467620.011-AQT	EC35.477720.011-AQT
12,0m	EC35.447420.012-ORT	EC35.457520.012-ORT	EC35.467620.012-AQT	EC35.477720.012-AQT
13,0m	EC35.447420.013-ORT	EC35.457520.013-ORT	EC35.467620.013-AQT	EC35.477720.013-AQT
14,0m	EC35.447420.014-ORT	EC35.457520.014-ORT	EC35.467620.014-AQT	EC35.477720.014-AQT
15,0m	EC35.447420.015-ORT	EC35.457520.015-ORT	EC35.467620.015-AQT	EC35.477720.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx-E2000sx patch cord



SC/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G652A7	G652B7	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC35.2E7E20.0P5-YET	EC35.2I7I20.0P5-YET	EC35.2U7U20.0P5-YET	EC35.2W7W20.0P5-YET
1,0m	EC35.2E7E20.001-YET	EC35.2I7I20.001-YET	EC35.2U7U20.001-YET	EC35.2W7W20.001-YET
2,0m	EC35.2E7E20.002-YET	EC35.2I7I20.002-YET	EC35.2U7U20.002-YET	EC35.2W7W20.002-YET
3,0m	EC35.2E7E20.003-YET	EC35.2I7I20.003-YET	EC35.2U7U20.003-YET	EC35.2W7W20.003-YET
4,0m	EC35.2E7E20.004-YET	EC35.2I7I20.004-YET	EC35.2U7U20.004-YET	EC35.2W7W20.004-YET
5,0m	EC35.2E7E20.005-YET	EC35.2I7I20.005-YET	EC35.2U7U20.005-YET	EC35.2W7W20.005-YET
6,0m	EC35.2E7E20.006-YET	EC35.2I7I20.006-YET	EC35.2U7U20.006-YET	EC35.2W7W20.006-YET
7,0m	EC35.2E7E20.007-YET	EC35.2I7I20.007-YET	EC35.2U7U20.007-YET	EC35.2W7W20.007-YET
7,5m	EC35.2E7E20.7P5-YET	EC35.2I7I20.7P5-YET	EC35.2U7U20.7P5-YET	EC35.2W7W20.7P5-YET
8,0m	EC35.2E7E20.008-YET	EC35.2I7I20.008-YET	EC35.2U7U20.008-YET	EC35.2W7W20.008-YET
9,0m	EC35.2E7E20.009-YET	EC35.2I7I20.009-YET	EC35.2U7U20.009-YET	EC35.2W7W20.009-YET
10,0m	EC35.2E7E20.010-YET	EC35.2I7I20.010-YET	EC35.2U7U20.010-YET	EC35.2W7W20.010-YET
11,0m	EC35.2E7E20.011-YET	EC35.2I7I20.011-YET	EC35.2U7U20.011-YET	EC35.2W7W20.011-YET
12,0m	EC35.2E7E20.012-YET	EC35.2I7I20.012-YET	EC35.2U7U20.012-YET	EC35.2W7W20.012-YET
13,0m	EC35.2E7E20.013-YET	EC35.2I7I20.013-YET	EC35.2U7U20.013-YET	EC35.2W7W20.013-YET
14,0m	EC35.2E7E20.014-YET	EC35.2I7I20.014-YET	EC35.2U7U20.014-YET	EC35.2W7W20.014-YET
15,0m	EC35.2E7E20.015-YET	EC35.2I7I20.015-YET	EC35.2U7U20.015-YET	EC35.2W7W20.015-YET

SC/APCsx-E2000/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G652A7	G652B7	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC35.2F7F20.0P5-YET	EC35.2R7R20.0P5-YET	EC35.2V7V20.0P5-YET	EC35.2X7X20.0P5-YET
1,0m	EC35.2F7F20.001-YET	EC35.2R7R20.001-YET	EC35.2V7V20.001-YET	EC35.2X7X20.001-YET
2,0m	EC35.2F7F20.002-YET	EC35.2R7R20.002-YET	EC35.2V7V20.002-YET	EC35.2X7X20.002-YET
3,0m	EC35.2F7F20.003-YET	EC35.2R7R20.003-YET	EC35.2V7V20.003-YET	EC35.2X7X20.003-YET
4,0m	EC35.2F7F20.004-YET	EC35.2R7R20.004-YET	EC35.2V7V20.004-YET	EC35.2X7X20.004-YET
5,0m	EC35.2F7F20.005-YET	EC35.2R7R20.005-YET	EC35.2V7V20.005-YET	EC35.2X7X20.005-YET
6,0m	EC35.2F7F20.006-YET	EC35.2R7R20.006-YET	EC35.2V7V20.006-YET	EC35.2X7X20.006-YET
7,0m	EC35.2F7F20.007-YET	EC35.2R7R20.007-YET	EC35.2V7V20.007-YET	EC35.2X7X20.007-YET
7,5m	EC35.2F7F20.7P5-YET	EC35.2R7R20.7P5-YET	EC35.2V7V20.7P5-YET	EC35.2X7X20.7P5-YET
8,0m	EC35.2F7F20.008-YET	EC35.2R7R20.008-YET	EC35.2V7V20.008-YET	EC35.2X7X20.008-YET
9,0m	EC35.2F7F20.009-YET	EC35.2R7R20.009-YET	EC35.2V7V20.009-YET	EC35.2X7X20.009-YET
10,0m	EC35.2F7F20.010-YET	EC35.2R7R20.010-YET	EC35.2V7V20.010-YET	EC35.2X7X20.010-YET
11,0m	EC35.2F7F20.011-YET	EC35.2R7R20.011-YET	EC35.2V7V20.011-YET	EC35.2X7X20.011-YET
12,0m	EC35.2F7F20.012-YET	EC35.2R7R20.012-YET	EC35.2V7V20.012-YET	EC35.2X7X20.012-YET
13,0m	EC35.2F7F20.013-YET	EC35.2R7R20.013-YET	EC35.2V7V20.013-YET	EC35.2X7X20.013-YET
14,0m	EC35.2F7F20.014-YET	EC35.2R7R20.014-YET	EC35.2V7V20.014-YET	EC35.2X7X20.014-YET
15,0m	EC35.2F7F20.015-YET	EC35.2R7R20.015-YET	EC35.2V7V20.015-YET	EC35.2X7X20.015-YET

SC/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color			aqua	aqua
Housing E2000/SC			beige/aqua	beige/heather violet
Boot E2000/SC			black/white	black/white
Lever color			aqua	aqua
0,5m	N/A	N/A	EC35.2C7C20.0P5-AQT	EC35.2D7D20.0P5-HVT
1,0m	N/A	N/A	EC35.2C7C20.001-AQT	EC35.2D7D20.001-HVT
2,0m	N/A	N/A	EC35.2C7C20.002-AQT	EC35.2D7D20.002-HVT
3,0m	N/A	N/A	EC35.2C7C20.003-AQT	EC35.2D7D20.003-HVT
4,0m	N/A	N/A	EC35.2C7C20.004-AQT	EC35.2D7D20.004-HVT
5,0m	N/A	N/A	EC35.2C7C20.005-AQT	EC35.2D7D20.005-HVT
6,0m	N/A	N/A	EC35.2C7C20.006-AQT	EC35.2D7D20.006-HVT
7,0m	N/A	N/A	EC35.2C7C20.007-AQT	EC35.2D7D20.007-HVT
7,5m	N/A	N/A	EC35.2C7C20.7P5-AQT	EC35.2D7D20.7P5-HVT
8,0m	N/A	N/A	EC35.2C7C20.008-AQT	EC35.2D7D20.008-HVT
9,0m	N/A	N/A	EC35.2C7C20.009-AQT	EC35.2D7D20.009-HVT
10,0m	N/A	N/A	EC35.2C7C20.010-AQT	EC35.2D7D20.010-HVT
11,0m	N/A	N/A	EC35.2C7C20.011-AQT	EC35.2D7D20.011-HVT
12,0m	N/A	N/A	EC35.2C7C20.012-AQT	EC35.2D7D20.012-HVT
13,0m	N/A	N/A	EC35.2C7C20.013-AQT	EC35.2D7D20.013-HVT
14,0m	N/A	N/A	EC35.2C7C20.014-AQT	EC35.2D7D20.014-HVT
15,0m	N/A	N/A	EC35.2C7C20.015-AQT	EC35.2D7D20.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCsx-E2000sx patch cord

SC/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G652A7	G652B7	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue	blue	blue	blue
Lever color	blue	blue	blue	blue
0,5m	EC35.227220.0P5-YET	EC35.287820.0P5-YET	EC35.297920.0P5-YET	EC35.2M7M20.0P5-YET
1,0m	EC35.227220.001-YET	EC35.287820.001-YET	EC35.297920.001-YET	EC35.2M7M20.001-YET
2,0m	EC35.227220.002-YET	EC35.287820.002-YET	EC35.297920.002-YET	EC35.2M7M20.002-YET
3,0m	EC35.227220.003-YET	EC35.287820.003-YET	EC35.297920.003-YET	EC35.2M7M20.003-YET
4,0m	EC35.227220.004-YET	EC35.287820.004-YET	EC35.297920.004-YET	EC35.2M7M20.004-YET
5,0m	EC35.227220.005-YET	EC35.287820.005-YET	EC35.297920.005-YET	EC35.2M7M20.005-YET
6,0m	EC35.227220.006-YET	EC35.287820.006-YET	EC35.297920.006-YET	EC35.2M7M20.006-YET
7,0m	EC35.227220.007-YET	EC35.287820.007-YET	EC35.297920.007-YET	EC35.2M7M20.007-YET
7,5m	EC35.227220.7P5-YET	EC35.287820.7P5-YET	EC35.297920.7P5-YET	EC35.2M7M20.7P5-YET
8,0m	EC35.227220.008-YET	EC35.287820.008-YET	EC35.297920.008-YET	EC35.2M7M20.008-YET
9,0m	EC35.227220.009-YET	EC35.287820.009-YET	EC35.297920.009-YET	EC35.2M7M20.009-YET
10,0m	EC35.227220.010-YET	EC35.287820.010-YET	EC35.297920.010-YET	EC35.2M7M20.010-YET
11,0m	EC35.227220.011-YET	EC35.287820.011-YET	EC35.297920.011-YET	EC35.2M7M20.011-YET
12,0m	EC35.227220.012-YET	EC35.287820.012-YET	EC35.297920.012-YET	EC35.2M7M20.012-YET
13,0m	EC35.227220.013-YET	EC35.287820.013-YET	EC35.297920.013-YET	EC35.2M7M20.013-YET
14,0m	EC35.227220.014-YET	EC35.287820.014-YET	EC35.297920.014-YET	EC35.2M7M20.014-YET
15,0m	EC35.227220.015-YET	EC35.287820.015-YET	EC35.297920.015-YET	EC35.2M7M20.015-YET

SC/APCsx-E2000/APCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G652A7	G652B7	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green	green	green	green
Lever color	green	green	green	green
0,5m	EC35.237320.0P5-YET	EC35.2A7A20.0P5-YET	EC35.2B7B20.0P5-YET	EC35.2N7N20.0P5-YET
1,0m	EC35.237320.001-YET	EC35.2A7A20.001-YET	EC35.2B7B20.001-YET	EC35.2N7N20.001-YET
2,0m	EC35.237320.002-YET	EC35.2A7A20.002-YET	EC35.2B7B20.002-YET	EC35.2N7N20.002-YET
3,0m	EC35.237320.003-YET	EC35.2A7A20.003-YET	EC35.2B7B20.003-YET	EC35.2N7N20.003-YET
4,0m	EC35.237320.004-YET	EC35.2A7A20.004-YET	EC35.2B7B20.004-YET	EC35.2N7N20.004-YET
5,0m	EC35.237320.005-YET	EC35.2A7A20.005-YET	EC35.2B7B20.005-YET	EC35.2N7N20.005-YET
6,0m	EC35.237320.006-YET	EC35.2A7A20.006-YET	EC35.2B7B20.006-YET	EC35.2N7N20.006-YET
7,0m	EC35.237320.007-YET	EC35.2A7A20.007-YET	EC35.2B7B20.007-YET	EC35.2N7N20.007-YET
7,5m	EC35.237320.7P5-YET	EC35.2A7A20.7P5-YET	EC35.2B7B20.7P5-YET	EC35.2N7N20.7P5-YET
8,0m	EC35.237320.008-YET	EC35.2A7A20.008-YET	EC35.2B7B20.008-YET	EC35.2N7N20.008-YET
9,0m	EC35.237320.009-YET	EC35.2A7A20.009-YET	EC35.2B7B20.009-YET	EC35.2N7N20.009-YET
10,0m	EC35.237320.010-YET	EC35.2A7A20.010-YET	EC35.2B7B20.010-YET	EC35.2N7N20.010-YET
11,0m	EC35.237320.011-YET	EC35.2A7A20.011-YET	EC35.2B7B20.011-YET	EC35.2N7N20.011-YET
12,0m	EC35.237320.012-YET	EC35.2A7A20.012-YET	EC35.2B7B20.012-YET	EC35.2N7N20.012-YET
13,0m	EC35.237320.013-YET	EC35.2A7A20.013-YET	EC35.2B7B20.013-YET	EC35.2N7N20.013-YET
14,0m	EC35.237320.014-YET	EC35.2A7A20.014-YET	EC35.2B7B20.014-YET	EC35.2N7N20.014-YET
15,0m	EC35.237320.015-YET	EC35.2A7A20.015-YET	EC35.2B7B20.015-YET	EC35.2N7N20.015-YET


SC/PCsx-E2000/PCsx, Simplex patch cord, tight, OD=2,0mm, LSZH, MM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	orange	orange	aqua	aqua
Housing E2000/SC	beige/black	beige/white	beige/white	beige/white
Boot color	black	black	black	black
Lever color	blue	orange	aqua	aqua
0,5m	EC35.247420.0P5-ORT	EC35.257520.0P5-ORT	EC35.267620.0P5-AQT	EC35.277720.0P5-AQT
1,0m	EC35.247420.001-ORT	EC35.257520.001-ORT	EC35.267620.001-AQT	EC35.277720.001-AQT
2,0m	EC35.247420.002-ORT	EC35.257520.002-ORT	EC35.267620.002-AQT	EC35.277720.002-AQT
3,0m	EC35.247420.003-ORT	EC35.257520.003-ORT	EC35.267620.003-AQT	EC35.277720.003-AQT
4,0m	EC35.247420.004-ORT	EC35.257520.004-ORT	EC35.267620.004-AQT	EC35.277720.004-AQT
5,0m	EC35.247420.005-ORT	EC35.257520.005-ORT	EC35.267620.005-AQT	EC35.277720.005-AQT
6,0m	EC35.247420.006-ORT	EC35.257520.006-ORT	EC35.267620.006-AQT	EC35.277720.006-AQT
7,0m	EC35.247420.007-ORT	EC35.257520.007-ORT	EC35.267620.007-AQT	EC35.277720.007-AQT
7,5m	EC35.247420.7P5-ORT	EC35.257520.7P5-ORT	EC35.267620.7P5-AQT	EC35.277720.7P5-AQT
8,0m	EC35.247420.008-ORT	EC35.257520.008-ORT	EC35.267620.008-AQT	EC35.277720.008-AQT
9,0m	EC35.247420.009-ORT	EC35.257520.009-ORT	EC35.267620.009-AQT	EC35.277720.009-AQT
10,0m	EC35.247420.010-ORT	EC35.257520.010-ORT	EC35.267620.010-AQT	EC35.277720.010-AQT
11,0m	EC35.247420.011-ORT	EC35.257520.011-ORT	EC35.267620.011-AQT	EC35.277720.011-AQT
12,0m	EC35.247420.012-ORT	EC35.257520.012-ORT	EC35.267620.012-AQT	EC35.277720.012-AQT
13,0m	EC35.247420.013-ORT	EC35.257520.013-ORT	EC35.267620.013-AQT	EC35.277720.013-AQT
14,0m	EC35.247420.014-ORT	EC35.257520.014-ORT	EC35.267620.014-AQT	EC35.277720.014-AQT
15,0m	EC35.247420.015-ORT	EC35.257520.015-ORT	EC35.267620.015-AQT	EC35.277720.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2E2000sx-2E2000sx, Fig.8 patch cord



2E2000/PCsx-2E2000/PCsx, Duplex patch cord, tight, OD=2,8x5,7mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue/red	blue/red	blue/red	blue/red
Lever color	blue	blue	blue	blue
0,5m	EC36.7E7E30.0P5-YET	EC36.7I7I30.0P5-YET	EC36.7U7U30.0P5-YET	EC36.7W7W30.0P5-YET
1,0m	EC36.7E7E30.001-YET	EC36.7I7I30.001-YET	EC36.7U7U30.001-YET	EC36.7W7W30.001-YET
2,0m	EC36.7E7E30.002-YET	EC36.7I7I30.002-YET	EC36.7U7U30.002-YET	EC36.7W7W30.002-YET
3,0m	EC36.7E7E30.003-YET	EC36.7I7I30.003-YET	EC36.7U7U30.003-YET	EC36.7W7W30.003-YET
4,0m	EC36.7E7E30.004-YET	EC36.7I7I30.004-YET	EC36.7U7U30.004-YET	EC36.7W7W30.004-YET
5,0m	EC36.7E7E30.005-YET	EC36.7I7I30.005-YET	EC36.7U7U30.005-YET	EC36.7W7W30.005-YET
6,0m	EC36.7E7E30.006-YET	EC36.7I7I30.006-YET	EC36.7U7U30.006-YET	EC36.7W7W30.006-YET
7,0m	EC36.7E7E30.007-YET	EC36.7I7I30.007-YET	EC36.7U7U30.007-YET	EC36.7W7W30.007-YET
7,5m	EC36.7E7E30.7P5-YET	EC36.7I7I30.7P5-YET	EC36.7U7U30.7P5-YET	EC36.7W7W30.7P5-YET
8,0m	EC36.7E7E30.008-YET	EC36.7I7I30.008-YET	EC36.7U7U30.008-YET	EC36.7W7W30.008-YET
9,0m	EC36.7E7E30.009-YET	EC36.7I7I30.009-YET	EC36.7U7U30.009-YET	EC36.7W7W30.009-YET
10,0m	EC36.7E7E30.010-YET	EC36.7I7I30.010-YET	EC36.7U7U30.010-YET	EC36.7W7W30.010-YET
11,0m	EC36.7E7E30.011-YET	EC36.7I7I30.011-YET	EC36.7U7U30.011-YET	EC36.7W7W30.011-YET
12,0m	EC36.7E7E30.012-YET	EC36.7I7I30.012-YET	EC36.7U7U30.012-YET	EC36.7W7W30.012-YET
13,0m	EC36.7E7E30.013-YET	EC36.7I7I30.013-YET	EC36.7U7U30.013-YET	EC36.7W7W30.013-YET
14,0m	EC36.7E7E30.014-YET	EC36.7I7I30.014-YET	EC36.7U7U30.014-YET	EC36.7W7W30.014-YET
15,0m	EC36.7E7E30.015-YET	EC36.7I7I30.015-YET	EC36.7U7U30.015-YET	EC36.7W7W30.015-YET

2E2000/APCsx-2E2000/APCsx, Duplex patch cord, tight, OD=2,8x5,7mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green/red	green/red	green/red	green/red
Lever color	green	green	green	green
0,5m	EC36.7F7F30.0P5-YET	EC36.7R7R30.0P5-YET	EC36.7V7V30.0P5-YET	EC36.7X7X30.0P5-YET
1,0m	EC36.7F7F30.001-YET	EC36.7R7R30.001-YET	EC36.7V7V30.001-YET	EC36.7X7X30.001-YET
2,0m	EC36.7F7F30.002-YET	EC36.7R7R30.002-YET	EC36.7V7V30.002-YET	EC36.7X7X30.002-YET
3,0m	EC36.7F7F30.003-YET	EC36.7R7R30.003-YET	EC36.7V7V30.003-YET	EC36.7X7X30.003-YET
4,0m	EC36.7F7F30.004-YET	EC36.7R7R30.004-YET	EC36.7V7V30.004-YET	EC36.7X7X30.004-YET
5,0m	EC36.7F7F30.005-YET	EC36.7R7R30.005-YET	EC36.7V7V30.005-YET	EC36.7X7X30.005-YET
6,0m	EC36.7F7F30.006-YET	EC36.7R7R30.006-YET	EC36.7V7V30.006-YET	EC36.7X7X30.006-YET
7,0m	EC36.7F7F30.007-YET	EC36.7R7R30.007-YET	EC36.7V7V30.007-YET	EC36.7X7X30.007-YET
7,5m	EC36.7F7F30.7P5-YET	EC36.7R7R30.7P5-YET	EC36.7V7V30.7P5-YET	EC36.7X7X30.7P5-YET
8,0m	EC36.7F7F30.008-YET	EC36.7R7R30.008-YET	EC36.7V7V30.008-YET	EC36.7X7X30.008-YET
9,0m	EC36.7F7F30.009-YET	EC36.7R7R30.009-YET	EC36.7V7V30.009-YET	EC36.7X7X30.009-YET
10,0m	EC36.7F7F30.010-YET	EC36.7R7R30.010-YET	EC36.7V7V30.010-YET	EC36.7X7X30.010-YET
11,0m	EC36.7F7F30.011-YET	EC36.7R7R30.011-YET	EC36.7V7V30.011-YET	EC36.7X7X30.011-YET
12,0m	EC36.7F7F30.012-YET	EC36.7R7R30.012-YET	EC36.7V7V30.012-YET	EC36.7X7X30.012-YET
13,0m	EC36.7F7F30.013-YET	EC36.7R7R30.013-YET	EC36.7V7V30.013-YET	EC36.7X7X30.013-YET
14,0m	EC36.7F7F30.014-YET	EC36.7R7R30.014-YET	EC36.7V7V30.014-YET	EC36.7X7X30.014-YET
15,0m	EC36.7F7F30.015-YET	EC36.7R7R30.015-YET	EC36.7V7V30.015-YET	EC36.7X7X30.015-YET

2E2000/PCsx-2E2000/PCsx, Duplex patch cord, tight, OD=2,8x5,7mm, LSZH, MM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color			aqua	aqua
Housing color			beige	beige
Boot color			black/red	black/red
Lever color			aqua	aqua
0,5m	N/A	N/A	EC36.7C7C30.0P5-AQT	EC36.7D7D30.0P5-AQT
1,0m	N/A	N/A	EC36.7C7C30.001-AQT	EC36.7D7D30.001-AQT
2,0m	N/A	N/A	EC36.7C7C30.002-AQT	EC36.7D7D30.002-AQT
3,0m	N/A	N/A	EC36.7C7C30.003-AQT	EC36.7D7D30.003-AQT
4,0m	N/A	N/A	EC36.7C7C30.004-AQT	EC36.7D7D30.004-AQT
5,0m	N/A	N/A	EC36.7C7C30.005-AQT	EC36.7D7D30.005-AQT
6,0m	N/A	N/A	EC36.7C7C30.006-AQT	EC36.7D7D30.006-AQT
7,0m	N/A	N/A	EC36.7C7C30.007-AQT	EC36.7D7D30.007-AQT
7,5m	N/A	N/A	EC36.7C7C30.7P5-AQT	EC36.7D7D30.7P5-AQT
8,0m	N/A	N/A	EC36.7C7C30.008-AQT	EC36.7D7D30.008-AQT
9,0m	N/A	N/A	EC36.7C7C30.009-AQT	EC36.7D7D30.009-AQT
10,0m	N/A	N/A	EC36.7C7C30.010-AQT	EC36.7D7D30.010-AQT
11,0m	N/A	N/A	EC36.7C7C30.011-AQT	EC36.7D7D30.011-AQT
12,0m	N/A	N/A	EC36.7C7C30.012-AQT	EC36.7D7D30.012-AQT
13,0m	N/A	N/A	EC36.7C7C30.013-AQT	EC36.7D7D30.013-AQT
14,0m	N/A	N/A	EC36.7C7C30.014-AQT	EC36.7D7D30.014-AQT
15,0m	N/A	N/A	EC36.7C7C30.015-AQT	EC36.7D7D30.015-AQT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2E2000sx-2E2000sx, Fig.8 patch cord

2E2000/PCsx-2E2000/PCsx, Duplex patch cord, tight, OD=2,8x5,7mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue/red	blue/red	blue/red	blue/red
Lever color	blue	blue	blue	blue
0,5m	EC36.727230.0P5-YET	EC36.787830.0P5-YET	EC36.797930.0P5-YET	EC36.7M7M30.0P5-YET
1,0m	EC36.727230.001-YET	EC36.787830.001-YET	EC36.797930.0P5-YET	EC36.7M7M30.001-YET
2,0m	EC36.727230.002-YET	EC36.787830.002-YET	EC36.797930.0P5-YET	EC36.7M7M30.002-YET
3,0m	EC36.727230.003-YET	EC36.787830.003-YET	EC36.797930.0P5-YET	EC36.7M7M30.003-YET
4,0m	EC36.727230.004-YET	EC36.787830.004-YET	EC36.797930.0P5-YET	EC36.7M7M30.004-YET
5,0m	EC36.727230.005-YET	EC36.787830.005-YET	EC36.797930.0P5-YET	EC36.7M7M30.005-YET
6,0m	EC36.727230.006-YET	EC36.787830.006-YET	EC36.797930.0P5-YET	EC36.7M7M30.006-YET
7,0m	EC36.727230.007-YET	EC36.787830.007-YET	EC36.797930.0P5-YET	EC36.7M7M30.007-YET
7,5m	EC36.727230.7P5-YET	EC36.787830.7P5-YET	EC36.797930.0P5-YET	EC36.7M7M30.7P5-YET
8,0m	EC36.727230.008-YET	EC36.787830.008-YET	EC36.797930.0P5-YET	EC36.7M7M30.008-YET
9,0m	EC36.727230.009-YET	EC36.787830.009-YET	EC36.797930.0P5-YET	EC36.7M7M30.009-YET
10,0m	EC36.727230.010-YET	EC36.787830.010-YET	EC36.797930.0P5-YET	EC36.7M7M30.010-YET
11,0m	EC36.727230.011-YET	EC36.787830.011-YET	EC36.797930.0P5-YET	EC36.7M7M30.011-YET
12,0m	EC36.727230.012-YET	EC36.787830.012-YET	EC36.797930.0P5-YET	EC36.7M7M30.012-YET
13,0m	EC36.727230.013-YET	EC36.787830.013-YET	EC36.797930.0P5-YET	EC36.7M7M30.013-YET
14,0m	EC36.727230.014-YET	EC36.787830.014-YET	EC36.797930.0P5-YET	EC36.7M7M30.014-YET
15,0m	EC36.727230.015-YET	EC36.787830.015-YET	EC36.797930.0P5-YET	EC36.7M7M30.015-YET


2E2000/APCsx-2E2000/APCsx, Duplex patch cord, tight, OD=2,8x5,7mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green/red	green/red	green/red	green/red
Lever color	green	green	green	green
0,5m	EC36.737330.0P5-YET	EC36.7A7A30.0P5-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.0P5-YET
1,0m	EC36.737330.001-YET	EC36.7A7A30.001-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.001-YET
2,0m	EC36.737330.002-YET	EC36.7A7A30.002-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.002-YET
3,0m	EC36.737330.003-YET	EC36.7A7A30.003-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.003-YET
4,0m	EC36.737330.004-YET	EC36.7A7A30.004-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.004-YET
5,0m	EC36.737330.005-YET	EC36.7A7A30.005-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.005-YET
6,0m	EC36.737330.006-YET	EC36.7A7A30.006-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.006-YET
7,0m	EC36.737330.007-YET	EC36.7A7A30.007-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.007-YET
7,5m	EC36.737330.7P5-YET	EC36.7A7A30.7P5-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.7P5-YET
8,0m	EC36.737330.008-YET	EC36.7A7A30.008-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.008-YET
9,0m	EC36.737330.009-YET	EC36.7A7A30.009-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.009-YET
10,0m	EC36.737330.010-YET	EC36.7A7A30.010-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.010-YET
11,0m	EC36.737330.011-YET	EC36.7A7A30.011-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.011-YET
12,0m	EC36.737330.012-YET	EC36.7A7A30.012-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.012-YET
13,0m	EC36.737330.013-YET	EC36.7A7A30.013-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.013-YET
14,0m	EC36.737330.014-YET	EC36.7A7A30.014-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.014-YET
15,0m	EC36.737330.015-YET	EC36.7A7A30.015-YET	EC36.7B7B30.0P5-YET	EC36.7N7N30.015-YET

2E2000/PCsx-2E2000/PCsx, Duplex patch cord, tight, OD=2,8x5,7mm, LSZH, MM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	orange	orange	aqua	aqua
Housing color	beige	beige	beige	beige
Boot color	black/red	black/red	black/red	black/red
Lever color	blue	orange	aqua	aqua
0,5m	EC36.747420.0P5-ORT	EC36.757520.0P5-ORT	EC36.767620.0P5-AQT	EC36.777720.0P5-AQT
1,0m	EC36.747420.001-ORT	EC36.757520.001-ORT	EC36.767620.001-AQT	EC36.777720.001-AQT
2,0m	EC36.747420.002-ORT	EC36.757520.002-ORT	EC36.767620.002-AQT	EC36.777720.002-AQT
3,0m	EC36.747420.003-ORT	EC36.757520.003-ORT	EC36.767620.003-AQT	EC36.777720.003-AQT
4,0m	EC36.747420.004-ORT	EC36.757520.004-ORT	EC36.767620.004-AQT	EC36.777720.004-AQT
5,0m	EC36.747420.005-ORT	EC36.757520.005-ORT	EC36.767620.005-AQT	EC36.777720.005-AQT
6,0m	EC36.747420.006-ORT	EC36.757520.006-ORT	EC36.767620.006-AQT	EC36.777720.006-AQT
7,0m	EC36.747420.007-ORT	EC36.757520.007-ORT	EC36.767620.007-AQT	EC36.777720.007-AQT
7,5m	EC36.747420.7P5-ORT	EC36.757520.7P5-ORT	EC36.767620.7P5-AQT	EC36.777720.7P5-AQT
8,0m	EC36.747420.008-ORT	EC36.757520.008-ORT	EC36.767620.008-AQT	EC36.777720.008-AQT
9,0m	EC36.747420.009-ORT	EC36.757520.009-ORT	EC36.767620.009-AQT	EC36.777720.009-AQT
10,0m	EC36.747420.010-ORT	EC36.757520.010-ORT	EC36.767620.010-AQT	EC36.777720.010-AQT
11,0m	EC36.747420.011-ORT	EC36.757520.011-ORT	EC36.767620.011-AQT	EC36.777720.011-AQT
12,0m	EC36.747420.012-ORT	EC36.757520.012-ORT	EC36.767620.012-AQT	EC36.777720.012-AQT
13,0m	EC36.747420.013-ORT	EC36.757520.013-ORT	EC36.767620.013-AQT	EC36.777720.013-AQT
14,0m	EC36.747420.014-ORT	EC36.757520.014-ORT	EC36.767620.014-AQT	EC36.777720.014-AQT
15,0m	EC36.747420.015-ORT	EC36.757520.015-ORT	EC36.767620.015-AQT	EC36.777720.015-AQT

LCdx-LCdx, Fig.8 patch cord



LC/PCdx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue/white	blue/white	blue/white	blue/white
0,5m	EC36.4E4E20.0P5-YET	EC36.4I4I20.0P5-YET	EC36.4U4U20.0P5-YET	EC36.4W4W20.0P5-YET
1,0m	EC36.4E4E20.001-YET	EC36.4I4I20.001-YET	EC36.4U4U20.001-YET	EC36.4W4W20.001-YET
2,0m	EC36.4E4E20.002-YET	EC36.4I4I20.002-YET	EC36.4U4U20.002-YET	EC36.4W4W20.002-YET
3,0m	EC36.4E4E20.003-YET	EC36.4I4I20.003-YET	EC36.4U4U20.003-YET	EC36.4W4W20.003-YET
4,0m	EC36.4E4E20.004-YET	EC36.4I4I20.004-YET	EC36.4U4U20.004-YET	EC36.4W4W20.004-YET
5,0m	EC36.4E4E20.005-YET	EC36.4I4I20.005-YET	EC36.4U4U20.005-YET	EC36.4W4W20.005-YET
6,0m	EC36.4E4E20.006-YET	EC36.4I4I20.006-YET	EC36.4U4U20.006-YET	EC36.4W4W20.006-YET
7,0m	EC36.4E4E20.007-YET	EC36.4I4I20.007-YET	EC36.4U4U20.007-YET	EC36.4W4W20.007-YET
7,5m	EC36.4E4E20.7P5-YET	EC36.4I4I20.7P5-YET	EC36.4U4U20.7P5-YET	EC36.4W4W20.7P5-YET
8,0m	EC36.4E4E20.008-YET	EC36.4I4I20.008-YET	EC36.4U4U20.008-YET	EC36.4W4W20.008-YET
9,0m	EC36.4E4E20.009-YET	EC36.4I4I20.009-YET	EC36.4U4U20.009-YET	EC36.4W4W20.009-YET
10,0m	EC36.4E4E20.010-YET	EC36.4I4I20.010-YET	EC36.4U4U20.010-YET	EC36.4W4W20.010-YET
11,0m	EC36.4E4E20.011-YET	EC36.4I4I20.011-YET	EC36.4U4U20.011-YET	EC36.4W4W20.011-YET
12,0m	EC36.4E4E20.012-YET	EC36.4I4I20.012-YET	EC36.4U4U20.012-YET	EC36.4W4W20.012-YET
13,0m	EC36.4E4E20.013-YET	EC36.4I4I20.013-YET	EC36.4U4U20.013-YET	EC36.4W4W20.013-YET
14,0m	EC36.4E4E20.014-YET	EC36.4I4I20.014-YET	EC36.4U4U20.014-YET	EC36.4W4W20.014-YET
15,0m	EC36.4E4E20.015-YET	EC36.4I4I20.015-YET	EC36.4U4U20.015-YET	EC36.4W4W20.015-YET

LC/APCdx-LC/APCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.4F4F20.0P5-YET	EC36.4J4J20.0P5-YET	EC36.4V4V20.0P5-YET	EC36.4X4X20.0P5-YET
1,0m	EC36.4F4F20.001-YET	EC36.4J4J20.001-YET	EC36.4V4V20.001-YET	EC36.4X4X20.001-YET
2,0m	EC36.4F4F20.002-YET	EC36.4J4J20.002-YET	EC36.4V4V20.002-YET	EC36.4X4X20.002-YET
3,0m	EC36.4F4F20.003-YET	EC36.4J4J20.003-YET	EC36.4V4V20.003-YET	EC36.4X4X20.003-YET
4,0m	EC36.4F4F20.004-YET	EC36.4J4J20.004-YET	EC36.4V4V20.004-YET	EC36.4X4X20.004-YET
5,0m	EC36.4F4F20.005-YET	EC36.4J4J20.005-YET	EC36.4V4V20.005-YET	EC36.4X4X20.005-YET
6,0m	EC36.4F4F20.006-YET	EC36.4J4J20.006-YET	EC36.4V4V20.006-YET	EC36.4X4X20.006-YET
7,0m	EC36.4F4F20.007-YET	EC36.4J4J20.007-YET	EC36.4V4V20.007-YET	EC36.4X4X20.007-YET
7,5m	EC36.4F4F20.7P5-YET	EC36.4J4J20.7P5-YET	EC36.4V4V20.7P5-YET	EC36.4X4X20.7P5-YET
8,0m	EC36.4F4F20.008-YET	EC36.4J4J20.008-YET	EC36.4V4V20.008-YET	EC36.4X4X20.008-YET
9,0m	EC36.4F4F20.009-YET	EC36.4J4J20.009-YET	EC36.4V4V20.009-YET	EC36.4X4X20.009-YET
10,0m	EC36.4F4F20.010-YET	EC36.4J4J20.010-YET	EC36.4V4V20.010-YET	EC36.4X4X20.010-YET
11,0m	EC36.4F4F20.011-YET	EC36.4J4J20.011-YET	EC36.4V4V20.011-YET	EC36.4X4X20.011-YET
12,0m	EC36.4F4F20.012-YET	EC36.4J4J20.012-YET	EC36.4V4V20.012-YET	EC36.4X4X20.012-YET
13,0m	EC36.4F4F20.013-YET	EC36.4J4J20.013-YET	EC36.4V4V20.013-YET	EC36.4X4X20.013-YET
14,0m	EC36.4F4F20.014-YET	EC36.4J4J20.014-YET	EC36.4V4V20.014-YET	EC36.4X4X20.014-YET
15,0m	EC36.4F4F20.015-YET	EC36.4J4J20.015-YET	EC36.4V4V20.015-YET	EC36.4X4X20.015-YET

LC/PCdx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, MM, Boot length 25mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black/white	blue/white	blue/white	blue/white
0,5m	EC36.444420.0P5-GRTX	EC36.454520.0P5-ORTX	EC36.4C4C20.0P5-AQT	EC36.4D4D20.0P5-HVT
1,0m	EC36.444420.001-GRTX	EC36.454520.001-ORTX	EC36.4C4C20.001-AQT	EC36.4D4D20.001-HVT
2,0m	EC36.444420.002-GRTX	EC36.454520.002-ORTX	EC36.4C4C20.002-AQT	EC36.4D4D20.002-HVT
3,0m	EC36.444420.003-GRTX	EC36.454520.003-ORTX	EC36.4C4C20.003-AQT	EC36.4D4D20.003-HVT
4,0m	EC36.444420.004-GRTX	EC36.454520.004-ORTX	EC36.4C4C20.004-AQT	EC36.4D4D20.004-HVT
5,0m	EC36.444420.005-GRTX	EC36.454520.005-ORTX	EC36.4C4C20.005-AQT	EC36.4D4D20.005-HVT
6,0m	EC36.444420.006-GRTX	EC36.454520.006-ORTX	EC36.4C4C20.006-AQT	EC36.4D4D20.006-HVT
7,0m	EC36.444420.007-GRTX	EC36.454520.007-ORTX	EC36.4C4C20.007-AQT	EC36.4D4D20.007-HVT
7,5m	EC36.444420.7P5-GRTX	EC36.454520.7P5-ORTX	EC36.4C4C20.7P5-AQT	EC36.4D4D20.7P5-HVT
8,0m	EC36.444420.008-GRTX	EC36.454520.008-ORTX	EC36.4C4C20.008-AQT	EC36.4D4D20.008-HVT
9,0m	EC36.444420.009-GRTX	EC36.454520.009-ORTX	EC36.4C4C20.009-AQT	EC36.4D4D20.009-HVT
10,0m	EC36.444420.010-GRTX	EC36.454520.010-ORTX	EC36.4C4C20.010-AQT	EC36.4D4D20.010-HVT
11,0m	EC36.444420.011-GRTX	EC36.454520.011-ORTX	EC36.4C4C20.011-AQT	EC36.4D4D20.011-HVT
12,0m	EC36.444420.012-GRTX	EC36.454520.012-ORTX	EC36.4C4C20.012-AQT	EC36.4D4D20.012-HVT
13,0m	EC36.444420.013-GRTX	EC36.454520.013-ORTX	EC36.4C4C20.013-AQT	EC36.4D4D20.013-HVT
14,0m	EC36.444420.014-GRTX	EC36.454520.014-ORTX	EC36.4C4C20.014-AQT	EC36.4D4D20.014-HVT
15,0m	EC36.444420.015-GRTX	EC36.454520.015-ORTX	EC36.4C4C20.015-AQT	EC36.4D4D20.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCdx-LCdx, Fig.8 patch cord

LC/PCdx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue/white	blue/white	blue/white	blue/white
0,5m	EC36.424220.0P5-YET	EC36.484820.0P5-YET	EC36.494920.0P5-YET	EC36.4M4M20.0P5-YET
1,0m	EC36.424220.001-YET	EC36.484820.001-YET	EC36.494920.001-YET	EC36.4M4M20.001-YET
2,0m	EC36.424220.002-YET	EC36.484820.002-YET	EC36.494920.002-YET	EC36.4M4M20.002-YET
3,0m	EC36.424220.003-YET	EC36.484820.003-YET	EC36.494920.003-YET	EC36.4M4M20.003-YET
4,0m	EC36.424220.004-YET	EC36.484820.004-YET	EC36.494920.004-YET	EC36.4M4M20.004-YET
5,0m	EC36.424220.005-YET	EC36.484820.005-YET	EC36.494920.005-YET	EC36.4M4M20.005-YET
6,0m	EC36.424220.006-YET	EC36.484820.006-YET	EC36.494920.006-YET	EC36.4M4M20.006-YET
7,0m	EC36.424220.007-YET	EC36.484820.007-YET	EC36.494920.007-YET	EC36.4M4M20.007-YET
7,5m	EC36.424220.7P5-YET	EC36.484820.7P5-YET	EC36.494920.7P5-YET	EC36.4M4M20.7P5-YET
8,0m	EC36.424220.008-YET	EC36.484820.008-YET	EC36.494920.008-YET	EC36.4M4M20.008-YET
9,0m	EC36.424220.009-YET	EC36.484820.009-YET	EC36.494920.009-YET	EC36.4M4M20.009-YET
10,0m	EC36.424220.010-YET	EC36.484820.010-YET	EC36.494920.010-YET	EC36.4M4M20.010-YET
11,0m	EC36.424220.011-YET	EC36.484820.011-YET	EC36.494920.011-YET	EC36.4M4M20.011-YET
12,0m	EC36.424220.012-YET	EC36.484820.012-YET	EC36.494920.012-YET	EC36.4M4M20.012-YET
13,0m	EC36.424220.013-YET	EC36.484820.013-YET	EC36.494920.013-YET	EC36.4M4M20.013-YET
14,0m	EC36.424220.014-YET	EC36.484820.014-YET	EC36.494920.014-YET	EC36.4M4M20.014-YET
15,0m	EC36.424220.015-YET	EC36.484820.015-YET	EC36.494920.015-YET	EC36.4M4M20.015-YET

LC/APCdx-LC/APCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.434320.0P5-YET	EC36.4A4A20.0P5-YET	EC36.4B4B20.0P5-YET	EC36.4N4N20.0P5-YET
1,0m	EC36.434320.001-YET	EC36.4A4A20.001-YET	EC36.4B4B20.001-YET	EC36.4N4N20.001-YET
2,0m	EC36.434320.002-YET	EC36.4A4A20.002-YET	EC36.4B4B20.002-YET	EC36.4N4N20.002-YET
3,0m	EC36.434320.003-YET	EC36.4A4A20.003-YET	EC36.4B4B20.003-YET	EC36.4N4N20.003-YET
4,0m	EC36.434320.004-YET	EC36.4A4A20.004-YET	EC36.4B4B20.004-YET	EC36.4N4N20.004-YET
5,0m	EC36.434320.005-YET	EC36.4A4A20.005-YET	EC36.4B4B20.005-YET	EC36.4N4N20.005-YET
6,0m	EC36.434320.006-YET	EC36.4A4A20.006-YET	EC36.4B4B20.006-YET	EC36.4N4N20.006-YET
7,0m	EC36.434320.007-YET	EC36.4A4A20.007-YET	EC36.4B4B20.007-YET	EC36.4N4N20.007-YET
7,5m	EC36.434320.7P5-YET	EC36.4A4A20.7P5-YET	EC36.4B4B20.7P5-YET	EC36.4N4N20.7P5-YET
8,0m	EC36.434320.008-YET	EC36.4A4A20.008-YET	EC36.4B4B20.008-YET	EC36.4N4N20.008-YET
9,0m	EC36.434320.009-YET	EC36.4A4A20.009-YET	EC36.4B4B20.009-YET	EC36.4N4N20.009-YET
10,0m	EC36.434320.010-YET	EC36.4A4A20.010-YET	EC36.4B4B20.010-YET	EC36.4N4N20.010-YET
11,0m	EC36.434320.011-YET	EC36.4A4A20.011-YET	EC36.4B4B20.011-YET	EC36.4N4N20.011-YET
12,0m	EC36.434320.012-YET	EC36.4A4A20.012-YET	EC36.4B4B20.012-YET	EC36.4N4N20.012-YET
13,0m	EC36.434320.013-YET	EC36.4A4A20.013-YET	EC36.4B4B20.013-YET	EC36.4N4N20.013-YET
14,0m	EC36.434320.014-YET	EC36.4A4A20.014-YET	EC36.4B4B20.014-YET	EC36.4N4N20.014-YET
15,0m	EC36.434320.015-YET	EC36.4A4A20.015-YET	EC36.4B4B20.015-YET	EC36.4N4N20.015-YET


LC/PCdx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, MM, Boot length 25mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black/white	blue/white	blue/white	blue/white
0,5m	EC36.444420.0P5-GRT	EC36.454520.0P5-ORT	EC36.464620.0P5-AQT	EC36.474720.0P5-HVT
1,0m	EC36.444420.001-GRT	EC36.454520.001-ORT	EC36.464620.001-AQT	EC36.474720.001-HVT
2,0m	EC36.444420.002-GRT	EC36.454520.002-ORT	EC36.464620.002-AQT	EC36.474720.002-HVT
3,0m	EC36.444420.003-GRT	EC36.454520.003-ORT	EC36.464620.003-AQT	EC36.474720.003-HVT
4,0m	EC36.444420.004-GRT	EC36.454520.004-ORT	EC36.464620.004-AQT	EC36.474720.004-HVT
5,0m	EC36.444420.005-GRT	EC36.454520.005-ORT	EC36.464620.005-AQT	EC36.474720.005-HVT
6,0m	EC36.444420.006-GRT	EC36.454520.006-ORT	EC36.464620.006-AQT	EC36.474720.006-HVT
7,0m	EC36.444420.007-GRT	EC36.454520.007-ORT	EC36.464620.007-AQT	EC36.474720.007-HVT
7,5m	EC36.444420.7P5-GRT	EC36.454520.7P5-ORT	EC36.464620.7P5-AQT	EC36.474720.7P5-HVT
8,0m	EC36.444420.008-GRT	EC36.454520.008-ORT	EC36.464620.008-AQT	EC36.474720.008-HVT
9,0m	EC36.444420.009-GRT	EC36.454520.009-ORT	EC36.464620.009-AQT	EC36.474720.009-HVT
10,0m	EC36.444420.010-GRT	EC36.454520.010-ORT	EC36.464620.010-AQT	EC36.474720.010-HVT
11,0m	EC36.444420.011-GRT	EC36.454520.011-ORT	EC36.464620.011-AQT	EC36.474720.011-HVT
12,0m	EC36.444420.012-GRT	EC36.454520.012-ORT	EC36.464620.012-AQT	EC36.474720.012-HVT
13,0m	EC36.444420.013-GRT	EC36.454520.013-ORT	EC36.464620.013-AQT	EC36.474720.013-HVT
14,0m	EC36.444420.014-GRT	EC36.454520.014-ORT	EC36.464620.014-AQT	EC36.474720.014-HVT
15,0m	EC36.444420.015-GRT	EC36.454520.015-ORT	EC36.464620.015-AQT	EC36.474720.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCdx-SCdx, Fig.8 patch cord



SC/PCdx-SC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue/white	blue/white	blue/white	blue/white
0,5m	EC36.2E2E30.0P5-YET	EC36.2I2I30.0P5-YET	EC36.2U2U30.0P5-YET	EC36.2W2W30.0P5-YET
1,0m	EC36.2E2E30.001-YET	EC36.2I2I30.001-YET	EC36.2U2U30.001-YET	EC36.2W2W30.001-YET
2,0m	EC36.2E2E30.002-YET	EC36.2I2I30.002-YET	EC36.2U2U30.002-YET	EC36.2W2W30.002-YET
3,0m	EC36.2E2E30.003-YET	EC36.2I2I30.003-YET	EC36.2U2U30.003-YET	EC36.2W2W30.003-YET
4,0m	EC36.2E2E30.004-YET	EC36.2I2I30.004-YET	EC36.2U2U30.004-YET	EC36.2W2W30.004-YET
5,0m	EC36.2E2E30.005-YET	EC36.2I2I30.005-YET	EC36.2U2U30.005-YET	EC36.2W2W30.005-YET
6,0m	EC36.2E2E30.006-YET	EC36.2I2I30.006-YET	EC36.2U2U30.006-YET	EC36.2W2W30.006-YET
7,0m	EC36.2E2E30.007-YET	EC36.2I2I30.007-YET	EC36.2U2U30.007-YET	EC36.2W2W30.007-YET
7,5m	EC36.2E2E30.7P5-YET	EC36.2I2I30.7P5-YET	EC36.2U2U30.7P5-YET	EC36.2W2W30.7P5-YET
8,0m	EC36.2E2E30.008-YET	EC36.2I2I30.008-YET	EC36.2U2U30.008-YET	EC36.2W2W30.008-YET
9,0m	EC36.2E2E30.009-YET	EC36.2I2I30.009-YET	EC36.2U2U30.009-YET	EC36.2W2W30.009-YET
10,0m	EC36.2E2E30.010-YET	EC36.2I2I30.010-YET	EC36.2U2U30.010-YET	EC36.2W2W30.010-YET
11,0m	EC36.2E2E30.011-YET	EC36.2I2I30.011-YET	EC36.2U2U30.011-YET	EC36.2W2W30.011-YET
12,0m	EC36.2E2E30.012-YET	EC36.2I2I30.012-YET	EC36.2U2U30.012-YET	EC36.2W2W30.012-YET
13,0m	EC36.2E2E30.013-YET	EC36.2I2I30.013-YET	EC36.2U2U30.013-YET	EC36.2W2W30.013-YET
14,0m	EC36.2E2E30.014-YET	EC36.2I2I30.014-YET	EC36.2U2U30.014-YET	EC36.2W2W30.014-YET
15,0m	EC36.2E2E30.015-YET	EC36.2I2I30.015-YET	EC36.2U2U30.015-YET	EC36.2W2W30.015-YET

SC/APCdx-SC/APCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.2F2F30.0P5-YET	EC36.2J2J30.0P5-YET	EC36.2V2V30.0P5-YET	EC36.2X2X30.0P5-YET
1,0m	EC36.2F2F30.001-YET	EC36.2J2J30.001-YET	EC36.2V2V30.001-YET	EC36.2X2X30.001-YET
2,0m	EC36.2F2F30.002-YET	EC36.2J2J30.002-YET	EC36.2V2V30.002-YET	EC36.2X2X30.002-YET
3,0m	EC36.2F2F30.003-YET	EC36.2J2J30.003-YET	EC36.2V2V30.003-YET	EC36.2X2X30.003-YET
4,0m	EC36.2F2F30.004-YET	EC36.2J2J30.004-YET	EC36.2V2V30.004-YET	EC36.2X2X30.004-YET
5,0m	EC36.2F2F30.005-YET	EC36.2J2J30.005-YET	EC36.2V2V30.005-YET	EC36.2X2X30.005-YET
6,0m	EC36.2F2F30.006-YET	EC36.2J2J30.006-YET	EC36.2V2V30.006-YET	EC36.2X2X30.006-YET
7,0m	EC36.2F2F30.007-YET	EC36.2J2J30.007-YET	EC36.2V2V30.007-YET	EC36.2X2X30.007-YET
7,5m	EC36.2F2F30.7P5-YET	EC36.2J2J30.7P5-YET	EC36.2V2V30.7P5-YET	EC36.2X2X30.7P5-YET
8,0m	EC36.2F2F30.008-YET	EC36.2J2J30.008-YET	EC36.2V2V30.008-YET	EC36.2X2X30.008-YET
9,0m	EC36.2F2F30.009-YET	EC36.2J2J30.009-YET	EC36.2V2V30.009-YET	EC36.2X2X30.009-YET
10,0m	EC36.2F2F30.010-YET	EC36.2J2J30.010-YET	EC36.2V2V30.010-YET	EC36.2X2X30.010-YET
11,0m	EC36.2F2F30.011-YET	EC36.2J2J30.011-YET	EC36.2V2V30.011-YET	EC36.2X2X30.011-YET
12,0m	EC36.2F2F30.012-YET	EC36.2J2J30.012-YET	EC36.2V2V30.012-YET	EC36.2X2X30.012-YET
13,0m	EC36.2F2F30.013-YET	EC36.2J2J30.013-YET	EC36.2V2V30.013-YET	EC36.2X2X30.013-YET
14,0m	EC36.2F2F30.014-YET	EC36.2J2J30.014-YET	EC36.2V2V30.014-YET	EC36.2X2X30.014-YET
15,0m	EC36.2F2F30.015-YET	EC36.2J2J30.015-YET	EC36.2V2V30.015-YET	EC36.2X2X30.015-YET

SC/PCdx-SC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, MM, Boot length 37,5mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black/white	blue/white	blue/white	blue/white
0,5m	EC36.242430.0P5-GRTX	EC36.252530.0P5-ORTX	EC36.2C2C30.0P5-AQT	EC36.2D2D30.0P5-HVT
1,0m	EC36.242430.001-GRTX	EC36.252530.001-ORTX	EC36.2C2C30.001-AQT	EC36.2D2D30.001-HVT
2,0m	EC36.242430.002-GRTX	EC36.252530.002-ORTX	EC36.2C2C30.002-AQT	EC36.2D2D30.002-HVT
3,0m	EC36.242430.003-GRTX	EC36.252530.003-ORTX	EC36.2C2C30.003-AQT	EC36.2D2D30.003-HVT
4,0m	EC36.242430.004-GRTX	EC36.252530.004-ORTX	EC36.2C2C30.004-AQT	EC36.2D2D30.004-HVT
5,0m	EC36.242430.005-GRTX	EC36.252530.005-ORTX	EC36.2C2C30.005-AQT	EC36.2D2D30.005-HVT
6,0m	EC36.242430.006-GRTX	EC36.252530.006-ORTX	EC36.2C2C30.006-AQT	EC36.2D2D30.006-HVT
7,0m	EC36.242430.007-GRTX	EC36.252530.007-ORTX	EC36.2C2C30.007-AQT	EC36.2D2D30.007-HVT
7,5m	EC36.242430.7P5-GRTX	EC36.252530.7P5-ORTX	EC36.2C2C30.7P5-AQT	EC36.2D2D30.7P5-HVT
8,0m	EC36.242430.008-GRTX	EC36.252530.008-ORTX	EC36.2C2C30.008-AQT	EC36.2D2D30.008-HVT
9,0m	EC36.242430.009-GRTX	EC36.252530.009-ORTX	EC36.2C2C30.009-AQT	EC36.2D2D30.009-HVT
10,0m	EC36.242430.010-GRTX	EC36.252530.010-ORTX	EC36.2C2C30.010-AQT	EC36.2D2D30.010-HVT
11,0m	EC36.242430.011-GRTX	EC36.252530.011-ORTX	EC36.2C2C30.011-AQT	EC36.2D2D30.011-HVT
12,0m	EC36.242430.012-GRTX	EC36.252530.012-ORTX	EC36.2C2C30.012-AQT	EC36.2D2D30.012-HVT
13,0m	EC36.242430.013-GRTX	EC36.252530.013-ORTX	EC36.2C2C30.013-AQT	EC36.2D2D30.013-HVT
14,0m	EC36.242430.014-GRTX	EC36.252530.014-ORTX	EC36.2C2C30.014-AQT	EC36.2D2D30.014-HVT
15,0m	EC36.242430.015-GRTX	EC36.252530.015-ORTX	EC36.2C2C30.015-AQT	EC36.2D2D30.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCdx-SCdx, Fig.8 patch cord

SC/PCdx-SC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue/white	blue/white	blue/white	blue/white
0,5m	EC36.22230.0P5-YET	EC36.282830.0P5-YET	EC36.292930.0P5-YET	EC36.2M2M30.0P5-YET
1,0m	EC36.22230.001-YET	EC36.282830.001-YET	EC36.292930.001-YET	EC36.2M2M30.001-YET
2,0m	EC36.22230.002-YET	EC36.282830.002-YET	EC36.292930.002-YET	EC36.2M2M30.002-YET
3,0m	EC36.22230.003-YET	EC36.282830.003-YET	EC36.292930.003-YET	EC36.2M2M30.003-YET
4,0m	EC36.22230.004-YET	EC36.282830.004-YET	EC36.292930.004-YET	EC36.2M2M30.004-YET
5,0m	EC36.22230.005-YET	EC36.282830.005-YET	EC36.292930.005-YET	EC36.2M2M30.005-YET
6,0m	EC36.22230.006-YET	EC36.282830.006-YET	EC36.292930.006-YET	EC36.2M2M30.006-YET
7,0m	EC36.22230.007-YET	EC36.282830.007-YET	EC36.292930.007-YET	EC36.2M2M30.007-YET
7,5m	EC36.22230.7P5-YET	EC36.282830.7P5-YET	EC36.292930.7P5-YET	EC36.2M2M30.7P5-YET
8,0m	EC36.22230.008-YET	EC36.282830.008-YET	EC36.292930.008-YET	EC36.2M2M30.008-YET
9,0m	EC36.22230.009-YET	EC36.282830.009-YET	EC36.292930.009-YET	EC36.2M2M30.009-YET
10,0m	EC36.22230.010-YET	EC36.282830.010-YET	EC36.292930.010-YET	EC36.2M2M30.010-YET
11,0m	EC36.22230.011-YET	EC36.282830.011-YET	EC36.292930.011-YET	EC36.2M2M30.011-YET
12,0m	EC36.22230.012-YET	EC36.282830.012-YET	EC36.292930.012-YET	EC36.2M2M30.012-YET
13,0m	EC36.22230.013-YET	EC36.282830.013-YET	EC36.292930.013-YET	EC36.2M2M30.013-YET
14,0m	EC36.22230.014-YET	EC36.282830.014-YET	EC36.292930.014-YET	EC36.2M2M30.014-YET
15,0m	EC36.22230.015-YET	EC36.282830.015-YET	EC36.292930.015-YET	EC36.2M2M30.015-YET

SC/APCdx-SC/APCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.232330.0P5-YET	EC36.2A2A30.0P5-YET	EC36.2B2B30.0P5-YET	EC36.2N2N30.0P5-YET
1,0m	EC36.232330.001-YET	EC36.2A2A30.001-YET	EC36.2B2B30.001-YET	EC36.2N2N30.001-YET
2,0m	EC36.232330.002-YET	EC36.2A2A30.002-YET	EC36.2B2B30.002-YET	EC36.2N2N30.002-YET
3,0m	EC36.232330.003-YET	EC36.2A2A30.003-YET	EC36.2B2B30.003-YET	EC36.2N2N30.003-YET
4,0m	EC36.232330.004-YET	EC36.2A2A30.004-YET	EC36.2B2B30.004-YET	EC36.2N2N30.004-YET
5,0m	EC36.232330.005-YET	EC36.2A2A30.005-YET	EC36.2B2B30.005-YET	EC36.2N2N30.005-YET
6,0m	EC36.232330.006-YET	EC36.2A2A30.006-YET	EC36.2B2B30.006-YET	EC36.2N2N30.006-YET
7,0m	EC36.232330.007-YET	EC36.2A2A30.007-YET	EC36.2B2B30.007-YET	EC36.2N2N30.007-YET
7,5m	EC36.232330.7P5-YET	EC36.2A2A30.7P5-YET	EC36.2B2B30.7P5-YET	EC36.2N2N30.7P5-YET
8,0m	EC36.232330.008-YET	EC36.2A2A30.008-YET	EC36.2B2B30.008-YET	EC36.2N2N30.008-YET
9,0m	EC36.232330.009-YET	EC36.2A2A30.009-YET	EC36.2B2B30.009-YET	EC36.2N2N30.009-YET
10,0m	EC36.232330.010-YET	EC36.2A2A30.010-YET	EC36.2B2B30.010-YET	EC36.2N2N30.010-YET
11,0m	EC36.232330.011-YET	EC36.2A2A30.011-YET	EC36.2B2B30.011-YET	EC36.2N2N30.011-YET
12,0m	EC36.232330.012-YET	EC36.2A2A30.012-YET	EC36.2B2B30.012-YET	EC36.2N2N30.012-YET
13,0m	EC36.232330.013-YET	EC36.2A2A30.013-YET	EC36.2B2B30.013-YET	EC36.2N2N30.013-YET
14,0m	EC36.232330.014-YET	EC36.2A2A30.014-YET	EC36.2B2B30.014-YET	EC36.2N2N30.014-YET
15,0m	EC36.232330.015-YET	EC36.2A2A30.015-YET	EC36.2B2B30.015-YET	EC36.2N2N30.015-YET


SC/PCdx-SC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, MM, Boot length 37,5mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black/white	blue/white	blue/white	blue/white
0,5m	EC36.242430.0P5-GRT	EC36.252530.0P5-ORT	EC36.262630.0P5-AQT	EC36.272730.0P5-YET
1,0m	EC36.242430.001-GRT	EC36.252530.001-ORT	EC36.262630.001-AQT	EC36.272730.001-YET
2,0m	EC36.242430.002-GRT	EC36.252530.002-ORT	EC36.262630.002-AQT	EC36.272730.002-YET
3,0m	EC36.242430.003-GRT	EC36.252530.003-ORT	EC36.262630.003-AQT	EC36.272730.003-YET
4,0m	EC36.242430.004-GRT	EC36.252530.004-ORT	EC36.262630.004-AQT	EC36.272730.004-YET
5,0m	EC36.242430.005-GRT	EC36.252530.005-ORT	EC36.262630.005-AQT	EC36.272730.005-YET
6,0m	EC36.242430.006-GRT	EC36.252530.006-ORT	EC36.262630.006-AQT	EC36.272730.006-YET
7,0m	EC36.242430.007-GRT	EC36.252530.007-ORT	EC36.262630.007-AQT	EC36.272730.007-YET
7,5m	EC36.242430.7P5-GRT	EC36.252530.7P5-ORT	EC36.262630.7P5-AQT	EC36.272730.7P5-YET
8,0m	EC36.242430.008-GRT	EC36.252530.008-ORT	EC36.262630.008-AQT	EC36.272730.008-YET
9,0m	EC36.242430.009-GRT	EC36.252530.009-ORT	EC36.262630.009-AQT	EC36.272730.009-YET
10,0m	EC36.242430.010-GRT	EC36.252530.010-ORT	EC36.262630.010-AQT	EC36.272730.010-YET
11,0m	EC36.242430.011-GRT	EC36.252530.011-ORT	EC36.262630.011-AQT	EC36.272730.011-YET
12,0m	EC36.242430.012-GRT	EC36.252530.012-ORT	EC36.262630.012-AQT	EC36.272730.012-YET
13,0m	EC36.242430.013-GRT	EC36.252530.013-ORT	EC36.262630.013-AQT	EC36.272730.013-YET
14,0m	EC36.242430.014-GRT	EC36.252530.014-ORT	EC36.262630.014-AQT	EC36.272730.014-YET
15,0m	EC36.242430.015-GRT	EC36.252530.015-ORT	EC36.262630.015-AQT	EC36.272730.015-YET

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2FCsx-2FCsx, Fig.8 patch cord



2FC/PCsx-2FC/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 43,7mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	black/white	black/white	black/white	black/white
0,5m	EC36.1E1E30.0P5-YET	EC36.1I1I30.0P5-YET	EC36.1U1U30.0P5-YET	EC36.1W1W30.0P5-YET
1,0m	EC36.1E1E30.001-YET	EC36.1I1I30.001-YET	EC36.1U1U30.001-YET	EC36.1W1W30.001-YET
2,0m	EC36.1E1E30.002-YET	EC36.1I1I30.002-YET	EC36.1U1U30.002-YET	EC36.1W1W30.002-YET
3,0m	EC36.1E1E30.003-YET	EC36.1I1I30.003-YET	EC36.1U1U30.003-YET	EC36.1W1W30.003-YET
4,0m	EC36.1E1E30.004-YET	EC36.1I1I30.004-YET	EC36.1U1U30.004-YET	EC36.1W1W30.004-YET
5,0m	EC36.1E1E30.005-YET	EC36.1I1I30.005-YET	EC36.1U1U30.005-YET	EC36.1W1W30.005-YET
6,0m	EC36.1E1E30.006-YET	EC36.1I1I30.006-YET	EC36.1U1U30.006-YET	EC36.1W1W30.006-YET
7,0m	EC36.1E1E30.007-YET	EC36.1I1I30.007-YET	EC36.1U1U30.007-YET	EC36.1W1W30.007-YET
7,5m	EC36.1E1E30.7P5-YET	EC36.1I1I30.7P5-YET	EC36.1U1U30.7P5-YET	EC36.1W1W30.7P5-YET
8,0m	EC36.1E1E30.008-YET	EC36.1I1I30.008-YET	EC36.1U1U30.008-YET	EC36.1W1W30.008-YET
9,0m	EC36.1E1E30.009-YET	EC36.1I1I30.009-YET	EC36.1U1U30.009-YET	EC36.1W1W30.009-YET
10,0m	EC36.1E1E30.010-YET	EC36.1I1I30.010-YET	EC36.1U1U30.010-YET	EC36.1W1W30.010-YET
11,0m	EC36.1E1E30.011-YET	EC36.1I1I30.011-YET	EC36.1U1U30.011-YET	EC36.1W1W30.011-YET
12,0m	EC36.1E1E30.012-YET	EC36.1I1I30.012-YET	EC36.1U1U30.012-YET	EC36.1W1W30.012-YET
13,0m	EC36.1E1E30.013-YET	EC36.1I1I30.013-YET	EC36.1U1U30.013-YET	EC36.1W1W30.013-YET
14,0m	EC36.1E1E30.014-YET	EC36.1I1I30.014-YET	EC36.1U1U30.014-YET	EC36.1W1W30.014-YET
15,0m	EC36.1E1E30.015-YET	EC36.1I1I30.015-YET	EC36.1U1U30.015-YET	EC36.1W1W30.015-YET

2FC/APCxs-2FC/APCxs, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 43,7mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.1F1F30.0P5-YET	EC36.1J1J30.0P5-YET	EC36.1V1V30.0P5-YET	EC36.1X1X30.0P5-YET
1,0m	EC36.1F1F30.001-YET	EC36.1J1J30.001-YET	EC36.1V1V30.001-YET	EC36.1X1X30.001-YET
2,0m	EC36.1F1F30.002-YET	EC36.1J1J30.002-YET	EC36.1V1V30.002-YET	EC36.1X1X30.002-YET
3,0m	EC36.1F1F30.003-YET	EC36.1J1J30.003-YET	EC36.1V1V30.003-YET	EC36.1X1X30.003-YET
4,0m	EC36.1F1F30.004-YET	EC36.1J1J30.004-YET	EC36.1V1V30.004-YET	EC36.1X1X30.004-YET
5,0m	EC36.1F1F30.005-YET	EC36.1J1J30.005-YET	EC36.1V1V30.005-YET	EC36.1X1X30.005-YET
6,0m	EC36.1F1F30.006-YET	EC36.1J1J30.006-YET	EC36.1V1V30.006-YET	EC36.1X1X30.006-YET
7,0m	EC36.1F1F30.007-YET	EC36.1J1J30.007-YET	EC36.1V1V30.007-YET	EC36.1X1X30.007-YET
7,5m	EC36.1F1F30.7P5-YET	EC36.1J1J30.7P5-YET	EC36.1V1V30.7P5-YET	EC36.1X1X30.7P5-YET
8,0m	EC36.1F1F30.008-YET	EC36.1J1J30.008-YET	EC36.1V1V30.008-YET	EC36.1X1X30.008-YET
9,0m	EC36.1F1F30.009-YET	EC36.1J1J30.009-YET	EC36.1V1V30.009-YET	EC36.1X1X30.009-YET
10,0m	EC36.1F1F30.010-YET	EC36.1J1J30.010-YET	EC36.1V1V30.010-YET	EC36.1X1X30.010-YET
11,0m	EC36.1F1F30.011-YET	EC36.1J1J30.011-YET	EC36.1V1V30.011-YET	EC36.1X1X30.011-YET
12,0m	EC36.1F1F30.012-YET	EC36.1J1J30.012-YET	EC36.1V1V30.012-YET	EC36.1X1X30.012-YET
13,0m	EC36.1F1F30.013-YET	EC36.1J1J30.013-YET	EC36.1V1V30.013-YET	EC36.1X1X30.013-YET
14,0m	EC36.1F1F30.014-YET	EC36.1J1J30.014-YET	EC36.1V1V30.014-YET	EC36.1X1X30.014-YET
15,0m	EC36.1F1F30.015-YET	EC36.1J1J30.015-YET	EC36.1V1V30.015-YET	EC36.1X1X30.015-YET

2FC/PCsx-2FC/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 43,7mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	metal	metal	metal	metal
Boot color	black/white	black/white	black/white	black/white
0,5m	EC36.141430.0P5-GRTX	EC36.151530.0P5-ORTX	EC36.1C1C30.0P5-AQT	EC36.1D1D30.0P5-HVT
1,0m	EC36.141430.001-GRTX	EC36.151530.001-ORTX	EC36.1C1C30.001-AQT	EC36.1D1D30.001-HVT
2,0m	EC36.141430.002-GRTX	EC36.151530.002-ORTX	EC36.1C1C30.002-AQT	EC36.1D1D30.002-HVT
3,0m	EC36.141430.003-GRTX	EC36.151530.003-ORTX	EC36.1C1C30.003-AQT	EC36.1D1D30.003-HVT
4,0m	EC36.141430.004-GRTX	EC36.151530.004-ORTX	EC36.1C1C30.004-AQT	EC36.1D1D30.004-HVT
5,0m	EC36.141430.005-GRTX	EC36.151530.005-ORTX	EC36.1C1C30.005-AQT	EC36.1D1D30.005-HVT
6,0m	EC36.141430.006-GRTX	EC36.151530.006-ORTX	EC36.1C1C30.006-AQT	EC36.1D1D30.006-HVT
7,0m	EC36.141430.007-GRTX	EC36.151530.007-ORTX	EC36.1C1C30.007-AQT	EC36.1D1D30.007-HVT
7,5m	EC36.141430.7P5-GRTX	EC36.151530.7P5-ORTX	EC36.1C1C30.7P5-AQT	EC36.1D1D30.7P5-HVT
8,0m	EC36.141430.008-GRTX	EC36.151528.008-ORTX	EC36.1C1C30.008-AQT	EC36.1D1D30.008-HVT
9,0m	EC36.141430.009-GRTX	EC36.151530.009-ORTX	EC36.1C1C30.009-AQT	EC36.1D1D30.009-HVT
10,0m	EC36.141430.010-GRTX	EC36.151530.010-ORTX	EC36.1C1C30.010-AQT	EC36.1D1D30.010-HVT
11,0m	EC36.141430.011-GRTX	EC36.151530.011-ORTX	EC36.1C1C30.011-AQT	EC36.1D1D30.011-HVT
12,0m	EC36.141430.012-GRTX	EC36.151530.012-ORTX	EC36.1C1C30.012-AQT	EC36.1D1D30.012-HVT
13,0m	EC36.141430.013-GRTX	EC36.151530.013-ORTX	EC36.1C1C30.013-AQT	EC36.1D1D30.013-HVT
14,0m	EC36.141430.014-GRTX	EC36.151530.014-ORTX	EC36.1C1C30.014-AQT	EC36.1D1D30.014-HVT
15,0m	EC36.141430.015-GRTX	EC36.151530.015-ORTX	EC36.1C1C30.015-AQT	EC36.1D1D30.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2FCsx-2FCsx, Fig.8 patch cord

2FC/PCsx-2FC/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 43,7mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	black/white	black/white	black/white	black/white
0,5m	EC36.121230.0P5-YET	EC36.181830.0P5-YET	EC36.191930.0P5-YET	EC36.1M1M30.0P5-YET
1,0m	EC36.121230.001-YET	EC36.181830.001-YET	EC36.191930.001-YET	EC36.1M1M30.001-YET
2,0m	EC36.121230.002-YET	EC36.181830.002-YET	EC36.191930.002-YET	EC36.1M1M30.002-YET
3,0m	EC36.121230.003-YET	EC36.181830.003-YET	EC36.191930.003-YET	EC36.1M1M30.003-YET
4,0m	EC36.121230.004-YET	EC36.181830.004-YET	EC36.191930.004-YET	EC36.1M1M30.004-YET
5,0m	EC36.121230.005-YET	EC36.181830.005-YET	EC36.191930.005-YET	EC36.1M1M30.005-YET
6,0m	EC36.121230.006-YET	EC36.181830.006-YET	EC36.191930.006-YET	EC36.1M1M30.006-YET
7,0m	EC36.121230.007-YET	EC36.181830.007-YET	EC36.191930.007-YET	EC36.1M1M30.007-YET
7,5m	EC36.121230.7P5-YET	EC36.181830.7P5-YET	EC36.191930.7P5-YET	EC36.1M1M30.7P5-YET
8,0m	EC36.121230.008-YET	EC36.181830.008-YET	EC36.191930.008-YET	EC36.1M1M30.008-YET
9,0m	EC36.121230.009-YET	EC36.181830.009-YET	EC36.191930.009-YET	EC36.1M1M30.009-YET
10,0m	EC36.121230.010-YET	EC36.181830.010-YET	EC36.191930.010-YET	EC36.1M1M30.010-YET
11,0m	EC36.121230.011-YET	EC36.181830.011-YET	EC36.191930.011-YET	EC36.1M1M30.011-YET
12,0m	EC36.121230.012-YET	EC36.181830.012-YET	EC36.191930.012-YET	EC36.1M1M30.012-YET
13,0m	EC36.121230.013-YET	EC36.181830.013-YET	EC36.191930.013-YET	EC36.1M1M30.013-YET
14,0m	EC36.121230.014-YET	EC36.181830.014-YET	EC36.191930.014-YET	EC36.1M1M30.014-YET
15,0m	EC36.121230.015-YET	EC36.181830.015-YET	EC36.191930.015-YET	EC36.1M1M30.015-YET

2FC/APCsx-2FC/APCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 43,7mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.131330.0P5-YET	EC36.1A1A30.0P5-YET	EC36.1B1B30.0P5-YET	EC36.1N1N30.0P5-YET
1,0m	EC36.131330.001-YET	EC36.1A1A30.001-YET	EC36.1B1B30.001-YET	EC36.1N1N30.001-YET
2,0m	EC36.131330.002-YET	EC36.1A1A30.002-YET	EC36.1B1B30.002-YET	EC36.1N1N30.002-YET
3,0m	EC36.131330.003-YET	EC36.1A1A30.003-YET	EC36.1B1B30.003-YET	EC36.1N1N30.003-YET
4,0m	EC36.131330.004-YET	EC36.1A1A30.004-YET	EC36.1B1B30.004-YET	EC36.1N1N30.004-YET
5,0m	EC36.131330.005-YET	EC36.1A1A30.005-YET	EC36.1B1B30.005-YET	EC36.1N1N30.005-YET
6,0m	EC36.131330.006-YET	EC36.1A1A30.006-YET	EC36.1B1B30.006-YET	EC36.1N1N30.006-YET
7,0m	EC36.131330.007-YET	EC36.1A1A30.007-YET	EC36.1B1B30.007-YET	EC36.1N1N30.007-YET
7,5m	EC36.131330.7P5-YET	EC36.1A1A30.7P5-YET	EC36.1B1B30.7P5-YET	EC36.1N1N30.7P5-YET
8,0m	EC36.131330.008-YET	EC36.1A1A30.008-YET	EC36.1B1B30.008-YET	EC36.1N1N30.008-YET
9,0m	EC36.131330.009-YET	EC36.1A1A30.009-YET	EC36.1B1B30.009-YET	EC36.1N1N30.009-YET
10,0m	EC36.131330.010-YET	EC36.1A1A30.010-YET	EC36.1B1B30.010-YET	EC36.1N1N30.010-YET
11,0m	EC36.131330.011-YET	EC36.1A1A30.011-YET	EC36.1B1B30.011-YET	EC36.1N1N30.011-YET
12,0m	EC36.131330.012-YET	EC36.1A1A30.012-YET	EC36.1B1B30.012-YET	EC36.1N1N30.012-YET
13,0m	EC36.131330.013-YET	EC36.1A1A30.013-YET	EC36.1B1B30.013-YET	EC36.1N1N30.013-YET
14,0m	EC36.131330.014-YET	EC36.1A1A30.014-YET	EC36.1B1B30.014-YET	EC36.1N1N30.014-YET
15,0m	EC36.131330.015-YET	EC36.1A1A30.015-YET	EC36.1B1B30.015-YET	EC36.1N1N30.015-YET


2FC/PCsx-2FC/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 43,7mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	metal	metal	metal	metal
Boot color	black/white	black/white	black/white	black/white
0,5m	EC36.141430.0P5-GRT	EC36.151530.0P5-ORT	EC36.161630.0P5-AQT	EC36.171730.0P5-HVT
1,0m	EC36.141430.001-GRT	EC36.151530.001-ORT	EC36.161630.001-AQT	EC36.171730.001-HVT
2,0m	EC36.141430.002-GRT	EC36.151530.002-ORT	EC36.161630.002-AQT	EC36.171730.002-HVT
3,0m	EC36.141430.003-GRT	EC36.151530.003-ORT	EC36.161630.003-AQT	EC36.171730.003-HVT
4,0m	EC36.141430.004-GRT	EC36.151530.004-ORT	EC36.161630.004-AQT	EC36.171730.004-HVT
5,0m	EC36.141430.005-GRT	EC36.151530.005-ORT	EC36.161630.005-AQT	EC36.171730.005-HVT
6,0m	EC36.141430.006-GRT	EC36.151530.006-ORT	EC36.161630.006-AQT	EC36.171730.006-HVT
7,0m	EC36.141430.007-GRT	EC36.151530.007-ORT	EC36.161630.007-AQT	EC36.171730.007-HVT
7,5m	EC36.141430.7P5-GRT	EC36.151530.7P5-ORT	EC36.161630.7P5-AQT	EC36.171730.7P5-HVT
8,0m	EC36.141430.008-GRT	EC36.151530.008-ORT	EC36.161630.008-AQT	EC36.171730.008-HVT
9,0m	EC36.141430.009-GRT	EC36.151530.009-ORT	EC36.161630.009-AQT	EC36.171730.009-HVT
10,0m	EC36.141430.010-GRT	EC36.151530.010-ORT	EC36.161630.010-AQT	EC36.171730.010-HVT
11,0m	EC36.141430.011-GRT	EC36.151530.011-ORT	EC36.161630.011-AQT	EC36.171730.011-HVT
12,0m	EC36.141430.012-GRT	EC36.151530.012-ORT	EC36.161630.012-AQT	EC36.171730.012-HVT
13,0m	EC36.141430.013-GRT	EC36.151530.013-ORT	EC36.161630.013-AQT	EC36.171730.013-HVT
14,0m	EC36.141430.014-GRT	EC36.151530.014-ORT	EC36.161630.014-AQT	EC36.171730.014-HVT
15,0m	EC36.141430.015-GRT	EC36.151530.015-ORT	EC36.161630.015-AQT	EC36.171730.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2STsx-2STsx, Fig.8 patch cord



2ST/PCsx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,4mm, Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	blue	blue	blue	blue
0,5m	EC36.3E3E30.0P5-YET	EC36.3I3I30.0P5-YET	EC36.3U3U30.0P5-YET	EC36.3W3W30.0P5-YET
1,0m	EC36.3E3E30.001-YET	EC36.3I3I30.001-YET	EC36.3U3U30.001-YET	EC36.3W3W30.001-YET
2,0m	EC36.3E3E30.002-YET	EC36.3I3I30.002-YET	EC36.3U3U30.002-YET	EC36.3W3W30.002-YET
3,0m	EC36.3E3E30.003-YET	EC36.3I3I30.003-YET	EC36.3U3U30.003-YET	EC36.3W3W30.003-YET
4,0m	EC36.3E3E30.004-YET	EC36.3I3I30.004-YET	EC36.3U3U30.004-YET	EC36.3W3W30.004-YET
5,0m	EC36.3E3E30.005-YET	EC36.3I3I30.005-YET	EC36.3U3U30.005-YET	EC36.3W3W30.005-YET
6,0m	EC36.3E3E30.006-YET	EC36.3I3I30.006-YET	EC36.3U3U30.006-YET	EC36.3W3W30.006-YET
7,0m	EC36.3E3E30.007-YET	EC36.3I3I30.007-YET	EC36.3U3U30.007-YET	EC36.3W3W30.007-YET
7,5m	EC36.3E3E30.7P5-YET	EC36.3I3I30.7P5-YET	EC36.3U3U30.7P5-YET	EC36.3W3W30.7P5-YET
8,0m	EC36.3E3E30.008-YET	EC36.3I3I30.008-YET	EC36.3U3U30.008-YET	EC36.3W3W30.008-YET
9,0m	EC36.3E3E30.009-YET	EC36.3I3I30.009-YET	EC36.3U3U30.009-YET	EC36.3W3W30.009-YET
10,0m	EC36.3E3E30.010-YET	EC36.3I3I30.010-YET	EC36.3U3U30.010-YET	EC36.3W3W30.010-YET
11,0m	EC36.3E3E30.011-YET	EC36.3I3I30.011-YET	EC36.3U3U30.011-YET	EC36.3W3W30.011-YET
12,0m	EC36.3E3E30.012-YET	EC36.3I3I30.012-YET	EC36.3U3U30.012-YET	EC36.3W3W30.012-YET
13,0m	EC36.3E3E30.013-YET	EC36.3I3I30.013-YET	EC36.3U3U30.013-YET	EC36.3W3W30.013-YET
14,0m	EC36.3E3E30.014-YET	EC36.3I3I30.014-YET	EC36.3U3U30.014-YET	EC36.3W3W30.014-YET
15,0m	EC36.3E3E30.015-YET	EC36.3I3I30.015-YET	EC36.3U3U30.015-YET	EC36.3W3W30.015-YET

2ST/PCsx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 37,4mm, Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	metal	metal	metal	metal
Boot color	black	white	white	white
0,5m	EC36.343430.0P5-GRTX	EC36.353530.0P5-ORTX	EC36.3C3C30.0P5-AQT	EC36.3D3D30.0P5-HVT
1,0m	EC36.343430.001-GRTX	EC36.353530.001-ORTX	EC36.3C3C30.001-AQT	EC36.3D3D30.001-HVT
2,0m	EC36.343430.002-GRTX	EC36.353530.002-ORTX	EC36.3C3C30.002-AQT	EC36.3D3D30.002-HVT
3,0m	EC36.343430.003-GRTX	EC36.353530.003-ORTX	EC36.3C3C30.003-AQT	EC36.3D3D30.003-HVT
4,0m	EC36.343430.004-GRTX	EC36.353530.004-ORTX	EC36.3C3C30.004-AQT	EC36.3D3D30.004-HVT
5,0m	EC36.343430.005-GRTX	EC36.353530.005-ORTX	EC36.3C3C30.005-AQT	EC36.3D3D30.005-HVT
6,0m	EC36.343430.006-GRTX	EC36.353530.006-ORTX	EC36.3C3C30.006-AQT	EC36.3D3D30.006-HVT
7,0m	EC36.343430.007-GRTX	EC36.353530.007-ORTX	EC36.3C3C30.007-AQT	EC36.3D3D30.007-HVT
7,5m	EC36.343430.7P5-GRTX	EC36.353530.7P5-ORTX	EC36.3C3C30.7P5-AQT	EC36.3D3D30.7P5-HVT
8,0m	EC36.343430.008-GRTX	EC36.353530.008-ORTX	EC36.3C3C30.008-AQT	EC36.3D3D30.008-HVT
9,0m	EC36.343430.009-GRTX	EC36.353530.009-ORTX	EC36.3C3C30.009-AQT	EC36.3D3D30.009-HVT
10,0m	EC36.343430.010-GRTX	EC36.353530.010-ORTX	EC36.3C3C30.010-AQT	EC36.3D3D30.010-HVT
11,0m	EC36.343430.011-GRTX	EC36.353530.011-ORTX	EC36.3C3C30.011-AQT	EC36.3D3D30.011-HVT
12,0m	EC36.343430.012-GRTX	EC36.353530.012-ORTX	EC36.3C3C30.012-AQT	EC36.3D3D30.012-HVT
13,0m	EC36.343430.013-GRTX	EC36.353530.013-ORTX	EC36.3C3C30.013-AQT	EC36.3D3D30.013-HVT
14,0m	EC36.343430.014-GRTX	EC36.353530.014-ORTX	EC36.3C3C30.014-AQT	EC36.3D3D30.014-HVT
15,0m	EC36.343430.015-GRTX	EC36.353530.015-ORTX	EC36.3C3C30.015-AQT	EC36.3D3D30.015-HVT

2ST/PCsx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,4mm, Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	blue	blue	blue	blue
0,5m	EC36.323230.0P5-YET	EC36.383830.0P5-YET	EC36.3V3V30.0P5-YET	EC36.3M3M30.0P5-YET
1,0m	EC36.323230.001-YET	EC36.383830.001-YET	EC36.3V3V30.001-YET	EC36.3M3M30.001-YET
2,0m	EC36.323230.002-YET	EC36.383830.002-YET	EC36.3V3V30.002-YET	EC36.3M3M30.002-YET
3,0m	EC36.323230.003-YET	EC36.383830.003-YET	EC36.3V3V30.003-YET	EC36.3M3M30.003-YET
4,0m	EC36.323230.004-YET	EC36.383830.004-YET	EC36.3V3V30.004-YET	EC36.3M3M30.004-YET
5,0m	EC36.323230.005-YET	EC36.383830.005-YET	EC36.3V3V30.005-YET	EC36.3M3M30.005-YET
6,0m	EC36.323230.006-YET	EC36.383830.006-YET	EC36.3V3V30.006-YET	EC36.3M3M30.006-YET
7,0m	EC36.323230.007-YET	EC36.383830.007-YET	EC36.3V3V30.007-YET	EC36.3M3M30.007-YET
7,5m	EC36.323230.7P5-YET	EC36.383830.7P5-YET	EC36.3V3V30.7P5-YET	EC36.3M3M30.7P5-YET
8,0m	EC36.323230.008-YET	EC36.383830.008-YET	EC36.3V3V30.008-YET	EC36.3M3M30.008-YET
9,0m	EC36.323230.009-YET	EC36.383830.009-YET	EC36.3V3V30.009-YET	EC36.3M3M30.009-YET
10,0m	EC36.323230.010-YET	EC36.383830.010-YET	EC36.3V3V30.010-YET	EC36.3M3M30.010-YET
11,0m	EC36.323230.011-YET	EC36.383830.011-YET	EC36.3V3V30.011-YET	EC36.3M3M30.011-YET
12,0m	EC36.323230.012-YET	EC36.383830.012-YET	EC36.3V3V30.012-YET	EC36.3M3M30.012-YET
13,0m	EC36.323230.013-YET	EC36.383830.013-YET	EC36.3V3V30.013-YET	EC36.3M3M30.013-YET
14,0m	EC36.323230.014-YET	EC36.383830.014-YET	EC36.3V3V30.014-YET	EC36.3M3M30.014-YET
15,0m	EC36.323230.015-YET	EC36.383830.015-YET	EC36.3V3V30.015-YET	EC36.3M3M30.015-YET

2STsx-2STsx, Fig.8 patch cord


2ST/PCsx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 37,4mm, Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	metal	metal	metal	metal
Boot color	black	white	white	white
0,5m	EC36.343430.0P5-GRT	EC36.353530.0P5-ORT	EC36.363630.0P5-AQT	EC36.373730.0P5-HVT
1,0m	EC36.343430.001-GRT	EC36.353530.001-ORT	EC36.363630.001-AQT	EC36.373730.001-HVT
2,0m	EC36.343430.002-GRT	EC36.353530.002-ORT	EC36.363630.002-AQT	EC36.373730.002-HVT
3,0m	EC36.343430.003-GRT	EC36.353530.003-ORT	EC36.363630.003-AQT	EC36.373730.003-HVT
4,0m	EC36.343430.004-GRT	EC36.353530.004-ORT	EC36.363630.004-AQT	EC36.373730.004-HVT
5,0m	EC36.343430.005-GRT	EC36.353530.005-ORT	EC36.363630.005-AQT	EC36.373730.005-HVT
6,0m	EC36.343430.006-GRT	EC36.353530.006-ORT	EC36.363630.006-AQT	EC36.373730.006-HVT
7,0m	EC36.343430.007-GRT	EC36.353530.007-ORT	EC36.363630.007-AQT	EC36.373730.007-HVT
7,5m	EC36.343430.7P5-GRT	EC36.353530.7P5-ORT	EC36.363630.7P5-AQT	EC36.373730.7P5-HVT
8,0m	EC36.343430.008-GRT	EC36.353530.008-ORT	EC36.363630.008-AQT	EC36.373730.008-HVT
9,0m	EC36.343430.009-GRT	EC36.353530.009-ORT	EC36.363630.009-AQT	EC36.373730.009-HVT
10,0m	EC36.343430.010-GRT	EC36.353530.010-ORT	EC36.363630.010-AQT	EC36.373730.010-HVT
11,0m	EC36.343430.011-GRT	EC36.353530.011-ORT	EC36.363630.011-AQT	EC36.373730.011-HVT
12,0m	EC36.343430.012-GRT	EC36.353530.012-ORT	EC36.363630.012-AQT	EC36.373730.012-HVT
13,0m	EC36.343430.013-GRT	EC36.353530.013-ORT	EC36.363630.013-AQT	EC36.373730.013-HVT
14,0m	EC36.343430.014-GRT	EC36.353530.014-ORT	EC36.363630.014-AQT	EC36.373730.014-HVT
15,0m	EC36.343430.015-GRT	EC36.353530.015-ORT	EC36.363630.015-AQT	EC36.373730.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2FCsx-LCdx, Fig.8 patch cord



2FC/PCsx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 25mm(LC)/43,7mm(FC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/metal	blue/metal	blue/metal	blue/metal
Boot color LC	blue/white	blue/white	blue/white	blue/white
Boot color FC	black/white	black/white	black/white	black/white
0,5m	EC36.1E4E20.0P5-YET	EC36.1I4I20.0P5-YET	EC36.1U4U20.0P5-YET	EC36.1W4W20.0P5-YET
1,0m	EC36.1E4E20.001-YET	EC36.1I4I20.001-YET	EC36.1U4U20.001-YET	EC36.1W4W20.001-YET
2,0m	EC36.1E4E20.002-YET	EC36.1I4I20.002-YET	EC36.1U4U20.002-YET	EC36.1W4W20.002-YET
3,0m	EC36.1E4E20.003-YET	EC36.1I4I20.003-YET	EC36.1U4U20.003-YET	EC36.1W4W20.003-YET
4,0m	EC36.1E4E20.004-YET	EC36.1I4I20.004-YET	EC36.1U4U20.004-YET	EC36.1W4W20.004-YET
5,0m	EC36.1E4E20.005-YET	EC36.1I4I20.005-YET	EC36.1U4U20.005-YET	EC36.1W4W20.005-YET
6,0m	EC36.1E4E20.006-YET	EC36.1I4I20.006-YET	EC36.1U4U20.006-YET	EC36.1W4W20.006-YET
7,0m	EC36.1E4E20.007-YET	EC36.1I4I20.007-YET	EC36.1U4U20.007-YET	EC36.1W4W20.007-YET
7,5m	EC36.1E4E20.7P5-YET	EC36.1I4I20.7P5-YET	EC36.1U4U20.7P5-YET	EC36.1W4W20.7P5-YET
8,0m	EC36.1E4E20.008-YET	EC36.1I4I20.008-YET	EC36.1U4U20.008-YET	EC36.1W4W20.008-YET
9,0m	EC36.1E4E20.009-YET	EC36.1I4I20.009-YET	EC36.1U4U20.009-YET	EC36.1W4W20.009-YET
10,0m	EC36.1E4E20.010-YET	EC36.1I4I20.010-YET	EC36.1U4U20.010-YET	EC36.1W4W20.010-YET
11,0m	EC36.1E4E20.011-YET	EC36.1I4I20.011-YET	EC36.1U4U20.011-YET	EC36.1W4W20.011-YET
12,0m	EC36.1E4E20.012-YET	EC36.1I4I20.012-YET	EC36.1U4U20.012-YET	EC36.1W4W20.012-YET
13,0m	EC36.1E4E20.013-YET	EC36.1I4I20.013-YET	EC36.1U4U20.013-YET	EC36.1W4W20.013-YET
14,0m	EC36.1E4E20.014-YET	EC36.1I4I20.014-YET	EC36.1U4U20.014-YET	EC36.1W4W20.014-YET
15,0m	EC36.1E4E20.015-YET	EC36.1I4I20.015-YET	EC36.1U4U20.015-YET	EC36.1W4W20.015-YET

2FC/APCsx-LC/APCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 25mm(LC)/43,7mm(FC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green/metal	green/metal	green/metal	green/metal
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.1F4F20.0P5-YET	EC36.1R4R20.0P5-YET	EC36.1V4V20.0P5-YET	EC36.1X4X20.0P5-YET
1,0m	EC36.1F4F20.001-YET	EC36.1R4R20.001-YET	EC36.1V4V20.001-YET	EC36.1X4X20.001-YET
2,0m	EC36.1F4F20.002-YET	EC36.1R4R20.002-YET	EC36.1V4V20.002-YET	EC36.1X4X20.002-YET
3,0m	EC36.1F4F20.003-YET	EC36.1R4R20.003-YET	EC36.1V4V20.003-YET	EC36.1X4X20.003-YET
4,0m	EC36.1F4F20.004-YET	EC36.1R4R20.004-YET	EC36.1V4V20.004-YET	EC36.1X4X20.004-YET
5,0m	EC36.1F4F20.005-YET	EC36.1R4R20.005-YET	EC36.1V4V20.005-YET	EC36.1X4X20.005-YET
6,0m	EC36.1F4F20.006-YET	EC36.1R4R20.006-YET	EC36.1V4V20.006-YET	EC36.1X4X20.006-YET
7,0m	EC36.1F4F20.007-YET	EC36.1R4R20.007-YET	EC36.1V4V20.007-YET	EC36.1X4X20.007-YET
7,5m	EC36.1F4F20.7P5-YET	EC36.1R4R20.7P5-YET	EC36.1V4V20.7P5-YET	EC36.1X4X20.7P5-YET
8,0m	EC36.1F4F20.008-YET	EC36.1R4R20.008-YET	EC36.1V4V20.008-YET	EC36.1X4X20.008-YET
9,0m	EC36.1F4F20.009-YET	EC36.1R4R20.009-YET	EC36.1V4V20.009-YET	EC36.1X4X20.009-YET
10,0m	EC36.1F4F20.010-YET	EC36.1R4R20.010-YET	EC36.1V4V20.010-YET	EC36.1X4X20.010-YET
11,0m	EC36.1F4F20.011-YET	EC36.1R4R20.011-YET	EC36.1V4V20.011-YET	EC36.1X4X20.011-YET
12,0m	EC36.1F4F20.012-YET	EC36.1R4R20.012-YET	EC36.1V4V20.012-YET	EC36.1X4X20.012-YET
13,0m	EC36.1F4F20.013-YET	EC36.1R4R20.013-YET	EC36.1V4V20.013-YET	EC36.1X4X20.013-YET
14,0m	EC36.1F4F20.014-YET	EC36.1R4R20.014-YET	EC36.1V4V20.014-YET	EC36.1X4X20.014-YET
15,0m	EC36.1F4F20.015-YET	EC36.1R4R20.015-YET	EC36.1V4V20.015-YET	EC36.1X4X20.015-YET

2FC/PCsx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 37,5mm(LC)/43,7mm(FC), Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/metal	beige/metal	aqua/metal	heather violet/metal
Boot color LC	black/white	blue/white	blue/white	blue/white
Boot color FC	black/white	black/white	black/white	black/white
0,5m	EC36.144420.0P5-GRTX	EC36.154520.0P5-ORTX	EC36.1C4C20.0P5-AQT	EC36.1D4D20.0P5-HVT
1,0m	EC36.144420.001-GRTX	EC36.154520.001-ORTX	EC36.1C4C20.001-AQT	EC36.1D4D20.001-HVT
2,0m	EC36.144420.002-GRTX	EC36.154520.002-ORTX	EC36.1C4C20.002-AQT	EC36.1D4D20.002-HVT
3,0m	EC36.144420.003-GRTX	EC36.154520.003-ORTX	EC36.1C4C20.003-AQT	EC36.1D4D20.003-HVT
4,0m	EC36.144420.004-GRTX	EC36.154520.004-ORTX	EC36.1C4C20.004-AQT	EC36.1D4D20.004-HVT
5,0m	EC36.144420.005-GRTX	EC36.154520.005-ORTX	EC36.1C4C20.005-AQT	EC36.1D4D20.005-HVT
6,0m	EC36.144420.006-GRTX	EC36.154520.006-ORTX	EC36.1C4C20.006-AQT	EC36.1D4D20.006-HVT
7,0m	EC36.144420.007-GRTX	EC36.154520.007-ORTX	EC36.1C4C20.007-AQT	EC36.1D4D20.007-HVT
7,5m	EC36.144420.7P5-GRTX	EC36.154520.7P5-ORTX	EC36.1C4C20.7P5-AQT	EC36.1D4D20.7P5-HVT
8,0m	EC36.144420.008-GRTX	EC36.154520.008-ORTX	EC36.1C4C20.008-AQT	EC36.1D4D20.008-HVT
9,0m	EC36.144420.009-GRTX	EC36.154520.009-ORTX	EC36.1C4C20.009-AQT	EC36.1D4D20.009-HVT
10,0m	EC36.144420.010-GRTX	EC36.154520.010-ORTX	EC36.1C4C20.010-AQT	EC36.1D4D20.010-HVT
11,0m	EC36.144420.011-GRTX	EC36.154520.011-ORTX	EC36.1C4C20.011-AQT	EC36.1D4D20.011-HVT
12,0m	EC36.144420.012-GRTX	EC36.154520.012-ORTX	EC36.1C4C20.012-AQT	EC36.1D4D20.012-HVT
13,0m	EC36.144420.013-GRTX	EC36.154520.013-ORTX	EC36.1C4C20.013-AQT	EC36.1D4D20.013-HVT
14,0m	EC36.144420.014-GRTX	EC36.154520.014-ORTX	EC36.1C4C20.014-AQT	EC36.1D4D20.014-HVT
15,0m	EC36.144420.015-GRTX	EC36.154520.015-ORTX	EC36.1C4C20.015-AQT	EC36.1D4D20.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2FCsx-LCdx, Fig.8 patch cord

2FC/PCsx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 25mm(LC)/43,7mm(FC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/metal	blue/metal	blue/metal	blue/metal
Boot color LC	blue/white	blue/white	blue/white	blue/white
Boot color FC	black/white	black/white	black/white	black/white
0,5m	EC36.124220.0P5-YET	EC36.184820.0P5-YET	EC36.194920.0P5-YET	EC36.1M4M20.0P5-YET
1,0m	EC36.124220.001-YET	EC36.184820.001-YET	EC36.194920.001-YET	EC36.1M4M20.001-YET
2,0m	EC36.124220.002-YET	EC36.184820.002-YET	EC36.194920.002-YET	EC36.1M4M20.002-YET
3,0m	EC36.124220.003-YET	EC36.184820.003-YET	EC36.194920.003-YET	EC36.1M4M20.003-YET
4,0m	EC36.124220.004-YET	EC36.184820.004-YET	EC36.194920.004-YET	EC36.1M4M20.004-YET
5,0m	EC36.124220.005-YET	EC36.184820.005-YET	EC36.194920.005-YET	EC36.1M4M20.005-YET
6,0m	EC36.124220.006-YET	EC36.184820.006-YET	EC36.194920.006-YET	EC36.1M4M20.006-YET
7,0m	EC36.124220.007-YET	EC36.184820.007-YET	EC36.194920.007-YET	EC36.1M4M20.007-YET
7,5m	EC36.124220.7P5-YET	EC36.184820.7P5-YET	EC36.194920.7P5-YET	EC36.1M4M20.7P5-YET
8,0m	EC36.124220.008-YET	EC36.184820.008-YET	EC36.194920.008-YET	EC36.1M4M20.008-YET
9,0m	EC36.124220.009-YET	EC36.184820.009-YET	EC36.194920.009-YET	EC36.1M4M20.009-YET
10,0m	EC36.124220.010-YET	EC36.184820.010-YET	EC36.194920.010-YET	EC36.1M4M20.010-YET
11,0m	EC36.124220.011-YET	EC36.184820.011-YET	EC36.194920.011-YET	EC36.1M4M20.011-YET
12,0m	EC36.124220.012-YET	EC36.184820.012-YET	EC36.194920.012-YET	EC36.1M4M20.012-YET
13,0m	EC36.124220.013-YET	EC36.184820.013-YET	EC36.194920.013-YET	EC36.1M4M20.013-YET
14,0m	EC36.124220.014-YET	EC36.184820.014-YET	EC36.194920.014-YET	EC36.1M4M20.014-YET
15,0m	EC36.124220.015-YET	EC36.184820.015-YET	EC36.194920.015-YET	EC36.1M4M20.015-YET

2FC/APCsx-LC/APCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 25mm(LC)/43,7mm(FC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green/metal	green/metal	green/metal	green/metal
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.134320.0P5-YET	EC36.1A4A20.0P5-YET	EC36.1B4B20.0P5-YET	EC36.1N4N20.0P5-YET
1,0m	EC36.134320.001-YET	EC36.1A4A20.001-YET	EC36.1B4B20.001-YET	EC36.1N4N20.001-YET
2,0m	EC36.134320.002-YET	EC36.1A4A20.002-YET	EC36.1B4B20.002-YET	EC36.1N4N20.002-YET
3,0m	EC36.134320.003-YET	EC36.1A4A20.003-YET	EC36.1B4B20.003-YET	EC36.1N4N20.003-YET
4,0m	EC36.134320.004-YET	EC36.1A4A20.004-YET	EC36.1B4B20.004-YET	EC36.1N4N20.004-YET
5,0m	EC36.134320.005-YET	EC36.1A4A20.005-YET	EC36.1B4B20.005-YET	EC36.1N4N20.005-YET
6,0m	EC36.134320.006-YET	EC36.1A4A20.006-YET	EC36.1B4B20.006-YET	EC36.1N4N20.006-YET
7,0m	EC36.134320.007-YET	EC36.1A4A20.007-YET	EC36.1B4B20.007-YET	EC36.1N4N20.007-YET
7,5m	EC36.134320.7P5-YET	EC36.1A4A20.7P5-YET	EC36.1B4B20.7P5-YET	EC36.1N4N20.7P5-YET
8,0m	EC36.134320.008-YET	EC36.1A4A20.008-YET	EC36.1B4B20.008-YET	EC36.1N4N20.008-YET
9,0m	EC36.134320.009-YET	EC36.1A4A20.009-YET	EC36.1B4B20.009-YET	EC36.1N4N20.009-YET
10,0m	EC36.134320.010-YET	EC36.1A4A20.010-YET	EC36.1B4B20.010-YET	EC36.1N4N20.010-YET
11,0m	EC36.134320.011-YET	EC36.1A4A20.011-YET	EC36.1B4B20.011-YET	EC36.1N4N20.011-YET
12,0m	EC36.134320.012-YET	EC36.1A4A20.012-YET	EC36.1B4B20.012-YET	EC36.1N4N20.012-YET
13,0m	EC36.134320.013-YET	EC36.1A4A20.013-YET	EC36.1B4B20.013-YET	EC36.1N4N20.013-YET
14,0m	EC36.134320.014-YET	EC36.1A4A20.014-YET	EC36.1B4B20.014-YET	EC36.1N4N20.014-YET
15,0m	EC36.134320.015-YET	EC36.1A4A20.015-YET	EC36.1B4B20.015-YET	EC36.1N4N20.015-YET


2FC/PCsx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 37,5mm(LC)/43,7mm(FC), Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/metal	beige/metal	aqua/metal	heather violet/metal
Boot color LC	black/white	blue/white	blue/white	blue/white
Boot color FC	black/white	black/white	black/white	black/white
0,5m	EC36.144420.0P5-GRT	EC36.154520.0P5-ORT	EC36.164620.0P5-AQT	EC36.174720.0P5-HVT
1,0m	EC36.144420.001-GRT	EC36.154520.001-ORT	EC36.164620.001-AQT	EC36.174720.001-HVT
2,0m	EC36.144420.002-GRT	EC36.154520.002-ORT	EC36.164620.002-AQT	EC36.174720.002-HVT
3,0m	EC36.144420.003-GRT	EC36.154520.003-ORT	EC36.164620.003-AQT	EC36.174720.003-HVT
4,0m	EC36.144420.004-GRT	EC36.154520.004-ORT	EC36.164620.004-AQT	EC36.174720.004-HVT
5,0m	EC36.144420.005-GRT	EC36.154520.005-ORT	EC36.164620.005-AQT	EC36.174720.005-HVT
6,0m	EC36.144420.006-GRT	EC36.154520.006-ORT	EC36.164620.006-AQT	EC36.174720.006-HVT
7,0m	EC36.144420.007-GRT	EC36.154520.007-ORT	EC36.164620.007-AQT	EC36.174720.007-HVT
7,5m	EC36.144420.7P5-GRT	EC36.154520.7P5-ORT	EC36.164620.7P5-AQT	EC36.174720.7P5-HVT
8,0m	EC36.144420.008-GRT	EC36.154520.008-ORT	EC36.164620.008-AQT	EC36.174720.008-HVT
9,0m	EC36.144420.009-GRT	EC36.154520.009-ORT	EC36.164620.009-AQT	EC36.174720.009-HVT
10,0m	EC36.144420.010-GRT	EC36.154520.010-ORT	EC36.164620.010-AQT	EC36.174720.010-HVT
11,0m	EC36.144420.011-GRT	EC36.154520.011-ORT	EC36.164620.011-AQT	EC36.174720.011-HVT
12,0m	EC36.144420.012-GRT	EC36.154520.012-ORT	EC36.164620.012-AQT	EC36.174720.012-HVT
13,0m	EC36.144420.013-GRT	EC36.154520.013-ORT	EC36.164620.013-AQT	EC36.174720.013-HVT
14,0m	EC36.144420.014-GRT	EC36.154520.014-ORT	EC36.164620.014-AQT	EC36.174720.014-HVT
15,0m	EC36.144420.015-GRT	EC36.154520.015-ORT	EC36.164620.015-AQT	EC36.174720.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCdx-LCdx, Fig.8 patch cord



SC/PCdx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm(LC)/37,5mm(SC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue/white	blue/white	blue/white	blue/white
0,5m	EC36.2E4E20.0P5-YET	EC36.2I4I20.0P5-YET	EC36.2U4U20.0P5-YET	EC36.2W4W20.0P5-YET
1,0m	EC36.2E4E20.001-YET	EC36.2I4I20.001-YET	EC36.2U4U20.001-YET	EC36.2W4W20.001-YET
2,0m	EC36.2E4E20.002-YET	EC36.2I4I20.002-YET	EC36.2U4U20.002-YET	EC36.2W4W20.002-YET
3,0m	EC36.2E4E20.003-YET	EC36.2I4I20.003-YET	EC36.2U4U20.003-YET	EC36.2W4W20.003-YET
4,0m	EC36.2E4E20.004-YET	EC36.2I4I20.004-YET	EC36.2U4U20.004-YET	EC36.2W4W20.004-YET
5,0m	EC36.2E4E20.005-YET	EC36.2I4I20.005-YET	EC36.2U4U20.005-YET	EC36.2W4W20.005-YET
6,0m	EC36.2E4E20.006-YET	EC36.2I4I20.006-YET	EC36.2U4U20.006-YET	EC36.2W4W20.006-YET
7,0m	EC36.2E4E20.007-YET	EC36.2I4I20.007-YET	EC36.2U4U20.007-YET	EC36.2W4W20.007-YET
7,5m	EC36.2E4E20.7P5-YET	EC36.2I4I20.7P5-YET	EC36.2U4U20.7P5-YET	EC36.2W4W20.7P5-YET
8,0m	EC36.2E4E20.008-YET	EC36.2I4I20.008-YET	EC36.2U4U20.008-YET	EC36.2W4W20.008-YET
9,0m	EC36.2E4E20.009-YET	EC36.2I4I20.009-YET	EC36.2U4U20.009-YET	EC36.2W4W20.009-YET
10,0m	EC36.2E4E20.010-YET	EC36.2I4I20.010-YET	EC36.2U4U20.010-YET	EC36.2W4W20.010-YET
11,0m	EC36.2E4E20.011-YET	EC36.2I4I20.011-YET	EC36.2U4U20.011-YET	EC36.2W4W20.011-YET
12,0m	EC36.2E4E20.012-YET	EC36.2I4I20.012-YET	EC36.2U4U20.012-YET	EC36.2W4W20.012-YET
13,0m	EC36.2E4E20.013-YET	EC36.2I4I20.013-YET	EC36.2U4U20.013-YET	EC36.2W4W20.013-YET
14,0m	EC36.2E4E20.014-YET	EC36.2I4I20.014-YET	EC36.2U4U20.014-YET	EC36.2W4W20.014-YET
15,0m	EC36.2E4E20.015-YET	EC36.2I4I20.015-YET	EC36.2U4U20.015-YET	EC36.2W4W20.015-YET

SC/APCdx-LC/APCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm(LC)/37,5mm(SC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.2F4F20.0P5-YET	EC36.2J4J20.0P5-YET	EC36.2V4V20.0P5-YET	EC36.2X4X20.0P5-YET
1,0m	EC36.2F4F20.001-YET	EC36.2J4J20.001-YET	EC36.2V4V20.001-YET	EC36.2X4X20.001-YET
2,0m	EC36.2F4F20.002-YET	EC36.2J4J20.002-YET	EC36.2V4V20.002-YET	EC36.2X4X20.002-YET
3,0m	EC36.2F4F20.003-YET	EC36.2J4J20.003-YET	EC36.2V4V20.003-YET	EC36.2X4X20.003-YET
4,0m	EC36.2F4F20.004-YET	EC36.2J4J20.004-YET	EC36.2V4V20.004-YET	EC36.2X4X20.004-YET
5,0m	EC36.2F4F20.005-YET	EC36.2J4J20.005-YET	EC36.2V4V20.005-YET	EC36.2X4X20.005-YET
6,0m	EC36.2F4F20.006-YET	EC36.2J4J20.006-YET	EC36.2V4V20.006-YET	EC36.2X4X20.006-YET
7,0m	EC36.2F4F20.007-YET	EC36.2J4J20.007-YET	EC36.2V4V20.007-YET	EC36.2X4X20.007-YET
7,5m	EC36.2F4F20.7P5-YET	EC36.2J4J20.7P5-YET	EC36.2V4V20.7P5-YET	EC36.2X4X20.7P5-YET
8,0m	EC36.2F4F20.008-YET	EC36.2J4J20.008-YET	EC36.2V4V20.008-YET	EC36.2X4X20.008-YET
9,0m	EC36.2F4F20.009-YET	EC36.2J4J20.009-YET	EC36.2V4V20.009-YET	EC36.2X4X20.009-YET
10,0m	EC36.2F4F20.010-YET	EC36.2J4J20.010-YET	EC36.2V4V20.010-YET	EC36.2X4X20.010-YET
11,0m	EC36.2F4F20.011-YET	EC36.2J4J20.011-YET	EC36.2V4V20.011-YET	EC36.2X4X20.011-YET
12,0m	EC36.2F4F20.012-YET	EC36.2J4J20.012-YET	EC36.2V4V20.012-YET	EC36.2X4X20.012-YET
13,0m	EC36.2F4F20.013-YET	EC36.2J4J20.013-YET	EC36.2V4V20.013-YET	EC36.2X4X20.013-YET
14,0m	EC36.2F4F20.014-YET	EC36.2J4J20.014-YET	EC36.2V4V20.014-YET	EC36.2X4X20.014-YET
15,0m	EC36.2F4F20.015-YET	EC36.2J4J20.015-YET	EC36.2V4V20.015-YET	EC36.2X4X20.015-YET

SC/PCdx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, MM, Boot length 25mm(LC)/37,5mm(SC), Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black/white	blue/white	blue/white	blue/white
0,5m	EC36.244420.0P5-GRTX	EC36.254520.0P5-ORTX	EC36.2C4C20.0P5-AQT	EC36.2D4D20.0P5-HVT
1,0m	EC36.244420.001-GRTX	EC36.254520.001-ORTX	EC36.2C4C20.001-AQT	EC36.2D4D20.001-HVT
2,0m	EC36.244420.002-GRTX	EC36.254520.002-ORTX	EC36.2C4C20.002-AQT	EC36.2D4D20.002-HVT
3,0m	EC36.244420.003-GRTX	EC36.254520.003-ORTX	EC36.2C4C20.003-AQT	EC36.2D4D20.003-HVT
4,0m	EC36.244420.004-GRTX	EC36.254520.004-ORTX	EC36.2C4C20.004-AQT	EC36.2D4D20.004-HVT
5,0m	EC36.244420.005-GRTX	EC36.254520.005-ORTX	EC36.2C4C20.005-AQT	EC36.2D4D20.005-HVT
6,0m	EC36.244420.006-GRTX	EC36.254520.006-ORTX	EC36.2C4C20.006-AQT	EC36.2D4D20.006-HVT
7,0m	EC36.244420.007-GRTX	EC36.254520.007-ORTX	EC36.2C4C20.007-AQT	EC36.2D4D20.007-HVT
7,5m	EC36.244420.7P5-GRTX	EC36.254520.7P5-ORTX	EC36.2C4C20.7P5-AQT	EC36.2D4D20.7P5-HVT
8,0m	EC36.244420.008-GRTX	EC36.254520.008-ORTX	EC36.2C4C20.008-AQT	EC36.2D4D20.008-HVT
9,0m	EC36.244420.009-GRTX	EC36.254520.009-ORTX	EC36.2C4C20.009-AQT	EC36.2D4D20.009-HVT
10,0m	EC36.244420.010-GRTX	EC36.254520.010-ORTX	EC36.2C4C20.010-AQT	EC36.2D4D20.010-HVT
11,0m	EC36.244420.011-GRTX	EC36.254520.011-ORTX	EC36.2C4C20.011-AQT	EC36.2D4D20.011-HVT
12,0m	EC36.244420.012-GRTX	EC36.254520.012-ORTX	EC36.2C4C20.012-AQT	EC36.2D4D20.012-HVT
13,0m	EC36.244420.013-GRTX	EC36.254520.013-ORTX	EC36.2C4C20.013-AQT	EC36.2D4D20.013-HVT
14,0m	EC36.244420.014-GRTX	EC36.254520.014-ORTX	EC36.2C4C20.014-AQT	EC36.2D4D20.014-HVT
15,0m	EC36.244420.015-GRTX	EC36.254520.015-ORTX	EC36.2C4C20.015-AQT	EC36.2D4D20.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCdx-LCdx, Fig.8 patch cord

SC/PCdx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm(LC)/37,5mm(SC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue	blue	blue	blue
Boot color	blue/white	blue/white	blue/white	blue/white
0,5m	EC36.224220.0P5-YET	EC36.284820.0P5-YET	EC36.294920.0P5-YET	EC36.2M4M20.0P5-YET
1,0m	EC36.224220.001-YET	EC36.284820.001-YET	EC36.294920.001-YET	EC36.2M4M20.001-YET
2,0m	EC36.224220.002-YET	EC36.284820.002-YET	EC36.294920.002-YET	EC36.2M4M20.002-YET
3,0m	EC36.224220.003-YET	EC36.284820.003-YET	EC36.294920.003-YET	EC36.2M4M20.003-YET
4,0m	EC36.224220.004-YET	EC36.284820.004-YET	EC36.294920.004-YET	EC36.2M4M20.004-YET
5,0m	EC36.224220.005-YET	EC36.284820.005-YET	EC36.294920.005-YET	EC36.2M4M20.005-YET
6,0m	EC36.224220.006-YET	EC36.284820.006-YET	EC36.294920.006-YET	EC36.2M4M20.006-YET
7,0m	EC36.224220.007-YET	EC36.284820.007-YET	EC36.294920.007-YET	EC36.2M4M20.007-YET
7,5m	EC36.224220.7P5-YET	EC36.284820.7P5-YET	EC36.294920.7P5-YET	EC36.2M4M20.7P5-YET
8,0m	EC36.224220.008-YET	EC36.284820.008-YET	EC36.294920.008-YET	EC36.2M4M20.008-YET
9,0m	EC36.224220.009-YET	EC36.284820.009-YET	EC36.294920.009-YET	EC36.2M4M20.009-YET
10,0m	EC36.224220.010-YET	EC36.284820.010-YET	EC36.294920.010-YET	EC36.2M4M20.010-YET
11,0m	EC36.224220.011-YET	EC36.284820.011-YET	EC36.294920.011-YET	EC36.2M4M20.011-YET
12,0m	EC36.224220.012-YET	EC36.284820.012-YET	EC36.294920.012-YET	EC36.2M4M20.012-YET
13,0m	EC36.224220.013-YET	EC36.284820.013-YET	EC36.294920.013-YET	EC36.2M4M20.013-YET
14,0m	EC36.224220.014-YET	EC36.284820.014-YET	EC36.294920.014-YET	EC36.2M4M20.014-YET
15,0m	EC36.224220.015-YET	EC36.284820.015-YET	EC36.294920.015-YET	EC36.2M4M20.015-YET

SC/APCdx-LC/APCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm(LC)/37,5mm(SC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green	green	green	green
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.234320.0P5-YET	EC36.2A4A20.0P5-YET	EC36.2B4B20.0P5-YET	EC36.2N4N20.0P5-YET
1,0m	EC36.234320.001-YET	EC36.2A4A20.001-YET	EC36.2B4B20.001-YET	EC36.2N4N20.001-YET
2,0m	EC36.234320.002-YET	EC36.2A4A20.002-YET	EC36.2B4B20.002-YET	EC36.2N4N20.002-YET
3,0m	EC36.234320.003-YET	EC36.2A4A20.003-YET	EC36.2B4B20.003-YET	EC36.2N4N20.003-YET
4,0m	EC36.234320.004-YET	EC36.2A4A20.004-YET	EC36.2B4B20.004-YET	EC36.2N4N20.004-YET
5,0m	EC36.234320.005-YET	EC36.2A4A20.005-YET	EC36.2B4B20.005-YET	EC36.2N4N20.005-YET
6,0m	EC36.234320.006-YET	EC36.2A4A20.006-YET	EC36.2B4B20.006-YET	EC36.2N4N20.006-YET
7,0m	EC36.234320.007-YET	EC36.2A4A20.007-YET	EC36.2B4B20.007-YET	EC36.2N4N20.007-YET
7,5m	EC36.234320.7P5-YET	EC36.2A4A20.7P5-YET	EC36.2B4B20.7P5-YET	EC36.2N4N20.7P5-YET
8,0m	EC36.234320.008-YET	EC36.2A4A20.008-YET	EC36.2B4B20.008-YET	EC36.2N4N20.008-YET
9,0m	EC36.234320.009-YET	EC36.2A4A20.009-YET	EC36.2B4B20.009-YET	EC36.2N4N20.009-YET
10,0m	EC36.234320.010-YET	EC36.2A4A20.010-YET	EC36.2B4B20.010-YET	EC36.2N4N20.010-YET
11,0m	EC36.234320.011-YET	EC36.2A4A20.011-YET	EC36.2B4B20.011-YET	EC36.2N4N20.011-YET
12,0m	EC36.234320.012-YET	EC36.2A4A20.012-YET	EC36.2B4B20.012-YET	EC36.2N4N20.012-YET
13,0m	EC36.234320.013-YET	EC36.2A4A20.013-YET	EC36.2B4B20.013-YET	EC36.2N4N20.013-YET
14,0m	EC36.234320.014-YET	EC36.2A4A20.014-YET	EC36.2B4B20.014-YET	EC36.2N4N20.014-YET
15,0m	EC36.234320.015-YET	EC36.2A4A20.015-YET	EC36.2B4B20.015-YET	EC36.2N4N20.015-YET


SC/PCdx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, MM, Boot length 25mm(LC)/37,5mm(SC), Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige	beige	aqua	heather violet
Boot color	black/white	blue/white	blue/white	blue/white
0,5m	EC36.244420.0P5-GRT	EC36.254520.0P5-ORT	EC36.264620.0P5-AQT	EC36.274720.0P5-HVT
1,0m	EC36.244420.001-GRT	EC36.254520.001-ORT	EC36.264620.001-AQT	EC36.274720.001-HVT
2,0m	EC36.244420.002-GRT	EC36.254520.002-ORT	EC36.264620.002-AQT	EC36.274720.002-HVT
3,0m	EC36.244420.003-GRT	EC36.254520.003-ORT	EC36.264620.003-AQT	EC36.274720.003-HVT
4,0m	EC36.244420.004-GRT	EC36.254520.004-ORT	EC36.264620.004-AQT	EC36.274720.004-HVT
5,0m	EC36.244420.005-GRT	EC36.254520.005-ORT	EC36.264620.005-AQT	EC36.274720.005-HVT
6,0m	EC36.244420.006-GRT	EC36.254520.006-ORT	EC36.264620.006-AQT	EC36.274720.006-HVT
7,0m	EC36.244420.007-GRT	EC36.254520.007-ORT	EC36.264620.007-AQT	EC36.274720.007-HVT
7,5m	EC36.244420.7P5-GRT	EC36.254520.7P5-ORT	EC36.264620.7P5-AQT	EC36.274720.7P5-HVT
8,0m	EC36.244420.008-GRT	EC36.254520.008-ORT	EC36.264620.008-AQT	EC36.274720.008-HVT
9,0m	EC36.244420.009-GRT	EC36.254520.009-ORT	EC36.264620.009-AQT	EC36.274720.009-HVT
10,0m	EC36.244420.010-GRT	EC36.254520.010-ORT	EC36.264620.010-AQT	EC36.274720.010-HVT
11,0m	EC36.244420.011-GRT	EC36.254520.011-ORT	EC36.264620.011-AQT	EC36.274720.011-HVT
12,0m	EC36.244420.012-GRT	EC36.254520.012-ORT	EC36.264620.012-AQT	EC36.274720.012-HVT
13,0m	EC36.244420.013-GRT	EC36.254520.013-ORT	EC36.264620.013-AQT	EC36.274720.013-HVT
14,0m	EC36.244420.014-GRT	EC36.254520.014-ORT	EC36.264620.014-AQT	EC36.274720.014-HVT
15,0m	EC36.244420.015-GRT	EC36.254520.015-ORT	EC36.264620.015-AQT	EC36.274720.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2STsx-LCdx, Fig.8 patch cord



2ST/PCsx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 25mm(LC)/37,4mm(ST), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/metal	blue/metal	blue/metal	blue/metal
Boot color LC	blue/white	blue/white	blue/white	blue/white
Boot color ST	black/white	black/white	black/white	black/white
0,5m	EC36.3E4E20.0P5-YET	EC36.3I4I20.0P5-YET	EC36.3U4U20.0P5-YET	EC36.3W4W20.0P5-YET
1,0m	EC36.3E4E20.001-YET	EC36.3I4I20.001-YET	EC36.3U4U20.001-YET	EC36.3W4W20.001-YET
2,0m	EC36.3E4E20.002-YET	EC36.3I4I20.002-YET	EC36.3U4U20.002-YET	EC36.3W4W20.002-YET
3,0m	EC36.3E4E20.003-YET	EC36.3I4I20.003-YET	EC36.3U4U20.003-YET	EC36.3W4W20.003-YET
4,0m	EC36.3E4E20.004-YET	EC36.3I4I20.004-YET	EC36.3U4U20.004-YET	EC36.3W4W20.004-YET
5,0m	EC36.3E4E20.005-YET	EC36.3I4I20.005-YET	EC36.3U4U20.005-YET	EC36.3W4W20.005-YET
6,0m	EC36.3E4E20.006-YET	EC36.3I4I20.006-YET	EC36.3U4U20.006-YET	EC36.3W4W20.006-YET
7,0m	EC36.3E4E20.007-YET	EC36.3I4I20.007-YET	EC36.3U4U20.007-YET	EC36.3W4W20.007-YET
7,5m	EC36.3E4E20.7P5-YET	EC36.3I4I20.7P5-YET	EC36.3U4U20.7P5-YET	EC36.3W4W20.7P5-YET
8,0m	EC36.3E4E20.008-YET	EC36.3I4I20.008-YET	EC36.3U4U20.008-YET	EC36.3W4W20.008-YET
9,0m	EC36.3E4E20.009-YET	EC36.3I4I20.009-YET	EC36.3U4U20.009-YET	EC36.3W4W20.009-YET
10,0m	EC36.3E4E20.010-YET	EC36.3I4I20.010-YET	EC36.3U4U20.010-YET	EC36.3W4W20.010-YET
11,0m	EC36.3E4E20.011-YET	EC36.3I4I20.011-YET	EC36.3U4U20.011-YET	EC36.3W4W20.011-YET
12,0m	EC36.3E4E20.012-YET	EC36.3I4I20.012-YET	EC36.3U4U20.012-YET	EC36.3W4W20.012-YET
13,0m	EC36.3E4E20.013-YET	EC36.3I4I20.013-YET	EC36.3U4U20.013-YET	EC36.3W4W20.013-YET
14,0m	EC36.3E4E20.014-YET	EC36.3I4I20.014-YET	EC36.3U4U20.014-YET	EC36.3W4W20.014-YET
15,0m	EC36.3E4E20.015-YET	EC36.3I4I20.015-YET	EC36.3U4U20.015-YET	EC36.3W4W20.015-YET

2ST/PCsx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 25mm(LC)/37,4mm(ST), Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/metal	beige/metal	aqua/metal	heather violet/metal
Boot color LC	black/white	blue/white	blue/white	blue/white
Boot color ST	black/white	black/white	black/white	black/white
0,5m	EC36.344420.0P5-GRGX	EC36.354520.0P5-ORTX	EC36.3C4C20.0P5-AQT	EC36.3D4D20.0P5-HVT
1,0m	EC36.344420.001-GRGX	EC36.354520.001-ORTX	EC36.3C4C20.001-AQT	EC36.3D4D20.001-HVT
2,0m	EC36.344420.002-GRGX	EC36.354520.002-ORTX	EC36.3C4C20.002-AQT	EC36.3D4D20.002-HVT
3,0m	EC36.344420.003-GRGX	EC36.354520.003-ORTX	EC36.3C4C20.003-AQT	EC36.3D4D20.003-HVT
4,0m	EC36.344420.004-GRGX	EC36.354520.004-ORTX	EC36.3C4C20.004-AQT	EC36.3D4D20.004-HVT
5,0m	EC36.344420.005-GRGX	EC36.354520.005-ORTX	EC36.3C4C20.005-AQT	EC36.3D4D20.005-HVT
6,0m	EC36.344420.006-GRGX	EC36.354520.006-ORTX	EC36.3C4C20.006-AQT	EC36.3D4D20.006-HVT
7,0m	EC36.344420.007-GRGX	EC36.354520.007-ORTX	EC36.3C4C20.007-AQT	EC36.3D4D20.007-HVT
7,5m	EC36.344420.7P5-GRGX	EC36.354520.7P5-ORTX	EC36.3C4C20.7P5-AQT	EC36.3D4D20.7P5-HVT
8,0m	EC36.344420.008-GRGX	EC36.354520.008-ORTX	EC36.3C4C20.008-AQT	EC36.3D4D20.008-HVT
9,0m	EC36.344420.009-GRGX	EC36.354520.009-ORTX	EC36.3C4C20.009-AQT	EC36.3D4D20.009-HVT
10,0m	EC36.344420.010-GRGX	EC36.354520.010-ORTX	EC36.3C4C20.010-AQT	EC36.3D4D20.010-HVT
11,0m	EC36.344420.011-GRGX	EC36.354520.011-ORTX	EC36.3C4C20.011-AQT	EC36.3D4D20.011-HVT
12,0m	EC36.344420.012-GRGX	EC36.354520.012-ORTX	EC36.3C4C20.012-AQT	EC36.3D4D20.012-HVT
13,0m	EC36.344420.013-GRGX	EC36.354520.013-ORTX	EC36.3C4C20.013-AQT	EC36.3D4D20.013-HVT
14,0m	EC36.344420.014-GRGX	EC36.354520.014-ORTX	EC36.3C4C20.014-AQT	EC36.3D4D20.014-HVT
15,0m	EC36.344420.015-GRGX	EC36.354520.015-ORTX	EC36.3C4C20.015-AQT	EC36.3D4D20.015-HVT

2ST/PCsx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 25mm(LC)/37,4mm(ST), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/metal	blue/metal	blue/metal	blue/metal
Boot color LC	blue/white	blue/white	blue/white	blue/white
Boot color ST	black/white	black/white	black/white	black/white
0,5m	EC36.324220.0P5-YET	EC36.384820.0P5-YET	EC36.394920.0P5-YET	EC36.3M4M20.0P5-YET
1,0m	EC36.324220.001-YET	EC36.384820.001-YET	EC36.394920.001-YET	EC36.3M4M20.001-YET
2,0m	EC36.324220.002-YET	EC36.384820.002-YET	EC36.394920.002-YET	EC36.3M4M20.002-YET
3,0m	EC36.324220.003-YET	EC36.384820.003-YET	EC36.394920.003-YET	EC36.3M4M20.003-YET
4,0m	EC36.324220.004-YET	EC36.384820.004-YET	EC36.394920.004-YET	EC36.3M4M20.004-YET
5,0m	EC36.324220.005-YET	EC36.384820.005-YET	EC36.394920.005-YET	EC36.3M4M20.005-YET
6,0m	EC36.324220.006-YET	EC36.384820.006-YET	EC36.394920.006-YET	EC36.3M4M20.006-YET
7,0m	EC36.324220.007-YET	EC36.384820.007-YET	EC36.394920.007-YET	EC36.3M4M20.007-YET
7,5m	EC36.324220.7P5-YET	EC36.384820.7P5-YET	EC36.394920.7P5-YET	EC36.3M4M20.7P5-YET
8,0m	EC36.324220.008-YET	EC36.384820.008-YET	EC36.394920.008-YET	EC36.3M4M20.008-YET
9,0m	EC36.324220.009-YET	EC36.384820.009-YET	EC36.394920.009-YET	EC36.3M4M20.009-YET
10,0m	EC36.324220.010-YET	EC36.384820.010-YET	EC36.394920.010-YET	EC36.3M4M20.010-YET
11,0m	EC36.324220.011-YET	EC36.384820.011-YET	EC36.394920.011-YET	EC36.3M4M20.011-YET
12,0m	EC36.324220.012-YET	EC36.384820.012-YET	EC36.394920.012-YET	EC36.3M4M20.012-YET
13,0m	EC36.324220.013-YET	EC36.384820.013-YET	EC36.394920.013-YET	EC36.3M4M20.013-YET
14,0m	EC36.324220.014-YET	EC36.384820.014-YET	EC36.394920.014-YET	EC36.3M4M20.014-YET
15,0m	EC36.324220.015-YET	EC36.384820.015-YET	EC36.394920.015-YET	EC36.3M4M20.015-YET

2STsx-LCdx, Fig.8 patch cord


2ST/PCsx-LC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH,MM,Boot length 25mm(LC)/37,4mm(ST), Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/metal	beige/metal	aqua/metal	heather violet/metal
Boot color LC	black/white	blue/white	blue/white	blue/white
Boot color ST	black/white	black/white	black/white	black/white
0,5m	EC36.344420.0P5-GRT	EC36.354520.0P5-ORT	EC36.364620.0P5-AQT	EC36.374720.0P5-HVT
1,0m	EC36.344420.001-GRT	EC36.354520.001-ORT	EC36.364620.001-AQT	EC36.374720.001-HVT
2,0m	EC36.344420.002-GRT	EC36.354520.002-ORT	EC36.364620.002-AQT	EC36.374720.002-HVT
3,0m	EC36.344420.003-GRT	EC36.354520.003-ORT	EC36.364620.003-AQT	EC36.374720.003-HVT
4,0m	EC36.344420.004-GRT	EC36.354520.004-ORT	EC36.364620.004-AQT	EC36.374720.004-HVT
5,0m	EC36.344420.005-GRT	EC36.354520.005-ORT	EC36.364620.005-AQT	EC36.374720.005-HVT
6,0m	EC36.344420.006-GRT	EC36.354520.006-ORT	EC36.364620.006-AQT	EC36.374720.006-HVT
7,0m	EC36.344420.007-GRT	EC36.354520.007-ORT	EC36.364620.007-AQT	EC36.374720.007-HVT
7,5m	EC36.344420.7P5-GRT	EC36.354520.7P5-ORT	EC36.364620.7P5-AQT	EC36.374720.7P5-HVT
8,0m	EC36.344420.008-GRT	EC36.354520.008-ORT	EC36.364620.008-AQT	EC36.374720.008-HVT
9,0m	EC36.344420.009-GRT	EC36.354520.009-ORT	EC36.364620.009-AQT	EC36.374720.009-HVT
10,0m	EC36.344420.010-GRT	EC36.354520.010-ORT	EC36.364620.010-AQT	EC36.374720.010-HVT
11,0m	EC36.344420.011-GRT	EC36.354520.011-ORT	EC36.364620.011-AQT	EC36.374720.011-HVT
12,0m	EC36.344420.012-GRT	EC36.354520.012-ORT	EC36.364620.012-AQT	EC36.374720.012-HVT
13,0m	EC36.344420.013-GRT	EC36.354520.013-ORT	EC36.364620.013-AQT	EC36.374720.013-HVT
14,0m	EC36.344420.014-GRT	EC36.354520.014-ORT	EC36.364620.014-AQT	EC36.374720.014-HVT
15,0m	EC36.344420.015-GRT	EC36.354520.015-ORT	EC36.364620.015-AQT	EC36.374720.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2FCsx-SCdx, Fig.8 patch cord



2FC/PCsx-SC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,5mm(SC)/43,7mm(FC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/metal	blue/metal	blue/metal	blue/metal
Boot color SC	blue/white	blue/white	blue/white	blue/white
Boot color FC	black/white	black/white	black/white	black/white
0,5m	EC36.1E2E30.0P5-YET	EC36.1I2I30.0P5-YET	EC36.1U2U20.0P5-YET	EC36.1W2W30.0P5-YET
1,0m	EC36.1E2E30.001-YET	EC36.1I2I30.001-YET	EC36.1U2U20.001-YET	EC36.1W2W30.001-YET
2,0m	EC36.1E2E30.002-YET	EC36.1I2I30.002-YET	EC36.1U2U20.002-YET	EC36.1W2W30.002-YET
3,0m	EC36.1E2E30.003-YET	EC36.1I2I30.003-YET	EC36.1U2U20.003-YET	EC36.1W2W30.003-YET
4,0m	EC36.1E2E30.004-YET	EC36.1I2I30.004-YET	EC36.1U2U20.004-YET	EC36.1W2W30.004-YET
5,0m	EC36.1E2E30.005-YET	EC36.1I2I30.005-YET	EC36.1U2U20.005-YET	EC36.1W2W30.005-YET
6,0m	EC36.1E2E30.006-YET	EC36.1I2I30.006-YET	EC36.1U2U20.006-YET	EC36.1W2W30.006-YET
7,0m	EC36.1E2E30.007-YET	EC36.1I2I30.007-YET	EC36.1U2U20.007-YET	EC36.1W2W30.007-YET
7,5m	EC36.1E2E30.7P5-YET	EC36.1I2I30.7P5-YET	EC36.1U2U20.7P5-YET	EC36.1W2W30.7P5-YET
8,0m	EC36.1E2E30.008-YET	EC36.1I2I30.008-YET	EC36.1U2U20.008-YET	EC36.1W2W30.008-YET
9,0m	EC36.1E2E30.009-YET	EC36.1I2I30.009-YET	EC36.1U2U20.009-YET	EC36.1W2W30.009-YET
10,0m	EC36.1E2E30.010-YET	EC36.1I2I30.010-YET	EC36.1U2U20.010-YET	EC36.1W2W30.010-YET
11,0m	EC36.1E2E30.011-YET	EC36.1I2I30.011-YET	EC36.1U2U20.011-YET	EC36.1W2W30.011-YET
12,0m	EC36.1E2E30.012-YET	EC36.1I2I30.012-YET	EC36.1U2U20.012-YET	EC36.1W2W30.012-YET
13,0m	EC36.1E2E30.013-YET	EC36.1I2I30.013-YET	EC36.1U2U20.013-YET	EC36.1W2W30.013-YET
14,0m	EC36.1E2E30.014-YET	EC36.1I2I30.014-YET	EC36.1U2U20.014-YET	EC36.1W2W30.014-YET
15,0m	EC36.1E2E30.015-YET	EC36.1I2I30.015-YET	EC36.1U2U20.015-YET	EC36.1W2W30.015-YET

2FC/APCsx-SC/APCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,5mm(SC)/43,7mm(FC), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green/metal	green/metal	green/metal	green/metal
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.1F2F30.0P5-YET	EC36.1R2R30.0P5-YET	EC36.1V2V20.0P5-YET	EC36.1X2X30.0P5-YET
1,0m	EC36.1F2F30.001-YET	EC36.1R2R30.001-YET	EC36.1V2V20.001-YET	EC36.1X2X30.001-YET
2,0m	EC36.1F2F30.002-YET	EC36.1R2R30.002-YET	EC36.1V2V20.002-YET	EC36.1X2X30.002-YET
3,0m	EC36.1F2F30.003-YET	EC36.1R2R30.003-YET	EC36.1V2V20.003-YET	EC36.1X2X30.003-YET
4,0m	EC36.1F2F30.004-YET	EC36.1R2R30.004-YET	EC36.1V2V20.004-YET	EC36.1X2X30.004-YET
5,0m	EC36.1F2F30.005-YET	EC36.1R2R30.005-YET	EC36.1V2V20.005-YET	EC36.1X2X30.005-YET
6,0m	EC36.1F2F30.006-YET	EC36.1R2R30.006-YET	EC36.1V2V20.006-YET	EC36.1X2X30.006-YET
7,0m	EC36.1F2F30.007-YET	EC36.1R2R30.007-YET	EC36.1V2V20.007-YET	EC36.1X2X30.007-YET
7,5m	EC36.1F2F30.7P5-YET	EC36.1R2R30.7P5-YET	EC36.1V2V20.7P5-YET	EC36.1X2X30.7P5-YET
8,0m	EC36.1F2F30.008-YET	EC36.1R2R30.008-YET	EC36.1V2V20.008-YET	EC36.1X2X30.008-YET
9,0m	EC36.1F2F30.009-YET	EC36.1R2R30.009-YET	EC36.1V2V20.009-YET	EC36.1X2X30.009-YET
10,0m	EC36.1F2F30.010-YET	EC36.1R2R30.010-YET	EC36.1V2V20.010-YET	EC36.1X2X30.010-YET
11,0m	EC36.1F2F30.011-YET	EC36.1R2R30.011-YET	EC36.1V2V20.011-YET	EC36.1X2X30.011-YET
12,0m	EC36.1F2F30.012-YET	EC36.1R2R30.012-YET	EC36.1V2V20.012-YET	EC36.1X2X30.012-YET
13,0m	EC36.1F2F30.013-YET	EC36.1R2R30.013-YET	EC36.1V2V20.013-YET	EC36.1X2X30.013-YET
14,0m	EC36.1F2F30.014-YET	EC36.1R2R30.014-YET	EC36.1V2V20.014-YET	EC36.1X2X30.014-YET
15,0m	EC36.1F2F30.015-YET	EC36.1R2R30.015-YET	EC36.1V2V20.015-YET	EC36.1X2X30.015-YET

2FC/PCsx-SC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 37,5mm(SC)/43,7mm(FC), Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/metal	beige/metal	aqua/metal	heather violet/metal
Boot color SC	black/white	blue/white	blue/white	blue/white
Boot color FC	black/white	black/white	black/white	black/white
0,5m	EC36.142430.0P5-GRTX	EC36.152530.0P5-ORTX	EC36.1C2C30.0P5-AQT	EC36.1D2D30.0P5-HVT
1,0m	EC36.142430.001-GRTX	EC36.152530.001-ORTX	EC36.1C2C30.001-AQT	EC36.1D2D30.001-HVT
2,0m	EC36.142430.002-GRTX	EC36.152530.002-ORTX	EC36.1C2C30.002-AQT	EC36.1D2D30.002-HVT
3,0m	EC36.142430.003-GRTX	EC36.152530.003-ORTX	EC36.1C2C30.003-AQT	EC36.1D2D30.003-HVT
4,0m	EC36.142430.004-GRTX	EC36.152530.004-ORTX	EC36.1C2C30.004-AQT	EC36.1D2D30.004-HVT
5,0m	EC36.142430.005-GRTX	EC36.152530.005-ORTX	EC36.1C2C30.005-AQT	EC36.1D2D30.005-HVT
6,0m	EC36.142430.006-GRTX	EC36.152530.006-ORTX	EC36.1C2C30.006-AQT	EC36.1D2D30.006-HVT
7,0m	EC36.142430.007-GRTX	EC36.152530.007-ORTX	EC36.1C2C30.007-AQT	EC36.1D2D30.007-HVT
7,5m	EC36.142430.7P5-GRTX	EC36.152530.7P5-ORTX	EC36.1C2C30.7P5-AQT	EC36.1D2D30.7P5-HVT
8,0m	EC36.142430.008-GRTX	EC36.152530.008-ORTX	EC36.1C2C30.008-AQT	EC36.1D2D30.008-HVT
9,0m	EC36.142430.009-GRTX	EC36.152530.009-ORTX	EC36.1C2C30.009-AQT	EC36.1D2D30.009-HVT
10,0m	EC36.142430.010-GRTX	EC36.152530.010-ORTX	EC36.1C2C30.010-AQT	EC36.1D2D30.010-HVT
11,0m	EC36.142430.011-GRTX	EC36.152530.011-ORTX	EC36.1C2C30.011-AQT	EC36.1D2D30.011-HVT
12,0m	EC36.142430.012-GRTX	EC36.152530.012-ORTX	EC36.1C2C30.012-AQT	EC36.1D2D30.012-HVT
13,0m	EC36.142430.013-GRTX	EC36.152530.013-ORTX	EC36.1C2C30.013-AQT	EC36.1D2D30.013-HVT
14,0m	EC36.142430.014-GRTX	EC36.152530.014-ORTX	EC36.1C2C30.014-AQT	EC36.1D2D30.014-HVT
15,0m	EC36.142430.015-GRTX	EC36.152530.015-ORTX	EC36.1C2C30.015-AQT	EC36.1D2D30.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2FCsx-SCdx, Fig.8 patch cord

2FC/PCsx-SC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,5mm(SC)/43,7mm(FC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/metal	blue/metal	blue/metal	blue/metal
Boot color SC	blue/white	blue/white	blue/white	blue/white
Boot color FC	black/white	black/white	black/white	black/white
0,5m	EC36.122230.0P5-YET	EC36.182830.0P5-YET	EC36.192930.0P5-YET	EC36.1M2M30.0P5-YET
1,0m	EC36.122230.001-YET	EC36.182830.001-YET	EC36.192930.001-YET	EC36.1M2M30.001-YET
2,0m	EC36.122230.002-YET	EC36.182830.002-YET	EC36.192930.002-YET	EC36.1M2M30.002-YET
3,0m	EC36.122230.003-YET	EC36.182830.003-YET	EC36.192930.003-YET	EC36.1M2M30.003-YET
4,0m	EC36.122230.004-YET	EC36.182830.004-YET	EC36.192930.004-YET	EC36.1M2M30.004-YET
5,0m	EC36.122230.005-YET	EC36.182830.005-YET	EC36.192930.005-YET	EC36.1M2M30.005-YET
6,0m	EC36.122230.006-YET	EC36.182830.006-YET	EC36.192930.006-YET	EC36.1M2M30.006-YET
7,0m	EC36.122230.007-YET	EC36.182830.007-YET	EC36.192930.007-YET	EC36.1M2M30.007-YET
7,5m	EC36.122230.7P5-YET	EC36.182830.7P5-YET	EC36.192930.7P5-YET	EC36.1M2M30.7P5-YET
8,0m	EC36.122230.008-YET	EC36.182830.008-YET	EC36.192930.008-YET	EC36.1M2M30.008-YET
9,0m	EC36.122230.009-YET	EC36.182830.009-YET	EC36.192930.009-YET	EC36.1M2M30.009-YET
10,0m	EC36.122230.010-YET	EC36.182830.010-YET	EC36.192930.010-YET	EC36.1M2M30.010-YET
11,0m	EC36.122230.011-YET	EC36.182830.011-YET	EC36.192930.011-YET	EC36.1M2M30.011-YET
12,0m	EC36.122230.012-YET	EC36.182830.012-YET	EC36.192930.012-YET	EC36.1M2M30.012-YET
13,0m	EC36.122230.013-YET	EC36.182830.013-YET	EC36.192930.013-YET	EC36.1M2M30.013-YET
14,0m	EC36.122230.014-YET	EC36.182830.014-YET	EC36.192930.014-YET	EC36.1M2M30.014-YET
15,0m	EC36.122230.015-YET	EC36.182830.015-YET	EC36.192930.015-YET	EC36.1M2M30.015-YET

2FC/APCsx-SC/APCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,5mm(SC)/43,7mm(FC), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	green/metal	green/metal	green/metal	green/metal
Boot color	green/white	green/white	green/white	green/white
0,5m	EC36.132330.0P5-YET	EC36.1A2A30.0P5-YET	EC36.1B2BF30.0P5-YET	EC36.1N2N30.0P5-YET
1,0m	EC36.132330.001-YET	EC36.1A2A30.001-YET	EC36.1B2BF30.001-YET	EC36.1N2N30.001-YET
2,0m	EC36.132330.002-YET	EC36.1A2A30.002-YET	EC36.1B2BF30.002-YET	EC36.1N2N30.002-YET
3,0m	EC36.132330.003-YET	EC36.1A2A30.003-YET	EC36.1B2BF30.003-YET	EC36.1N2N30.003-YET
4,0m	EC36.132330.004-YET	EC36.1A2A30.004-YET	EC36.1B2BF30.004-YET	EC36.1N2N30.004-YET
5,0m	EC36.132330.005-YET	EC36.1A2A30.005-YET	EC36.1B2BF30.005-YET	EC36.1N2N30.005-YET
6,0m	EC36.132330.006-YET	EC36.1A2A30.006-YET	EC36.1B2BF30.006-YET	EC36.1N2N30.006-YET
7,0m	EC36.132330.007-YET	EC36.1A2A30.007-YET	EC36.1B2BF30.007-YET	EC36.1N2N30.007-YET
7,5m	EC36.132330.7P5-YET	EC36.1A2A30.7P5-YET	EC36.1B2BF30.7P5-YET	EC36.1N2N30.7P5-YET
8,0m	EC36.132330.008-YET	EC36.1A2A30.008-YET	EC36.1B2BF30.008-YET	EC36.1N2N30.008-YET
9,0m	EC36.132330.009-YET	EC36.1A2A30.009-YET	EC36.1B2BF30.009-YET	EC36.1N2N30.009-YET
10,0m	EC36.132330.010-YET	EC36.1A2A30.010-YET	EC36.1B2BF30.010-YET	EC36.1N2N30.010-YET
11,0m	EC36.132330.011-YET	EC36.1A2A30.011-YET	EC36.1B2BF30.011-YET	EC36.1N2N30.011-YET
12,0m	EC36.132330.012-YET	EC36.1A2A30.012-YET	EC36.1B2BF30.012-YET	EC36.1N2N30.012-YET
13,0m	EC36.132330.013-YET	EC36.1A2A30.013-YET	EC36.1B2BF30.013-YET	EC36.1N2N30.013-YET
14,0m	EC36.132330.014-YET	EC36.1A2A30.014-YET	EC36.1B2BF30.014-YET	EC36.1N2N30.014-YET
15,0m	EC36.132330.015-YET	EC36.1A2A30.015-YET	EC36.1B2BF30.015-YET	EC36.1N2N30.015-YET


2FC/PCsx-SC/PCdx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 37,5mm(SC)/43,7mm(FC), Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/metal	beige/metal	aqua/metal	heather violet/metal
Boot color SC	black/white	blue/white	blue/white	blue/white
Boot color FC	black/white	black/white	black/white	black/white
0,5m	EC36.142430.0P5-GRT	EC36.152530.0P5-ORT	EC36.261630.0P5-AQT	EC36.271730.0P5-HVT
1,0m	EC36.142430.001-GRT	EC36.152530.001-ORT	EC36.261630.001-AQT	EC36.271730.001-HVT
2,0m	EC36.142430.002-GRT	EC36.152530.002-ORT	EC36.261630.002-AQT	EC36.271730.002-HVT
3,0m	EC36.142430.003-GRT	EC36.152530.003-ORT	EC36.261630.003-AQT	EC36.271730.003-HVT
4,0m	EC36.142430.004-GRT	EC36.152530.004-ORT	EC36.261630.004-AQT	EC36.271730.004-HVT
5,0m	EC36.142430.005-GRT	EC36.152530.005-ORT	EC36.261630.005-AQT	EC36.271730.005-HVT
6,0m	EC36.142430.006-GRT	EC36.152530.006-ORT	EC36.261630.006-AQT	EC36.271730.006-HVT
7,0m	EC36.142430.007-GRT	EC36.152530.007-ORT	EC36.261630.007-AQT	EC36.271730.007-HVT
7,5m	EC36.142430.7P5-GRT	EC36.152530.7P5-ORT	EC36.261630.7P5-AQT	EC36.271730.7P5-HVT
8,0m	EC36.142430.008-GRT	EC36.152530.008-ORT	EC36.261630.008-AQT	EC36.271730.008-HVT
9,0m	EC36.142430.009-GRT	EC36.152530.009-ORT	EC36.261630.009-AQT	EC36.271730.009-HVT
10,0m	EC36.142430.010-GRT	EC36.152530.010-ORT	EC36.261630.010-AQT	EC36.271730.010-HVT
11,0m	EC36.142430.011-GRT	EC36.152530.011-ORT	EC36.261630.011-AQT	EC36.271730.011-HVT
12,0m	EC36.142430.012-GRT	EC36.152530.012-ORT	EC36.261630.012-AQT	EC36.271730.012-HVT
13,0m	EC36.142430.013-GRT	EC36.152530.013-ORT	EC36.261630.013-AQT	EC36.271730.013-HVT
14,0m	EC36.142430.014-GRT	EC36.152530.014-ORT	EC36.261630.014-AQT	EC36.271730.014-HVT
15,0m	EC36.142430.015-GRT	EC36.152530.015-ORT	EC36.261630.015-AQT	EC36.271730.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCdx-2STsx, Fig.8 patch cord



SC/PCdx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,5mm(SC)/37,4mm(ST), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/metal	blue/metal	blue/metal	blue/metal
Boot color SC	blue/white	blue/white	blue/white	blue/white
Boot color ST	black/white	black/white	black/white	black/white
0,5m	EC36.2E3E30.0P5-YET	EC36.2I3I30.0P5-YET	EC36.2U3U30.0P5-YET	EC36.2W3W30.0P5-YET
1,0m	EC36.2E3E30.001-YET	EC36.2I3I30.001-YET	EC36.2U3U30.001-YET	EC36.2W3W30.001-YET
2,0m	EC36.2E3E30.002-YET	EC36.2I3I30.002-YET	EC36.2U3U30.002-YET	EC36.2W3W30.002-YET
3,0m	EC36.2E3E30.003-YET	EC36.2I3I30.003-YET	EC36.2U3U30.003-YET	EC36.2W3W30.003-YET
4,0m	EC36.2E3E30.004-YET	EC36.2I3I30.004-YET	EC36.2U3U30.004-YET	EC36.2W3W30.004-YET
5,0m	EC36.2E3E30.005-YET	EC36.2I3I30.005-YET	EC36.2U3U30.005-YET	EC36.2W3W30.005-YET
6,0m	EC36.2E3E30.006-YET	EC36.2I3I30.006-YET	EC36.2U3U30.006-YET	EC36.2W3W30.006-YET
7,0m	EC36.2E3E30.007-YET	EC36.2I3I30.007-YET	EC36.2U3U30.007-YET	EC36.2W3W30.007-YET
7,5m	EC36.2E3E30.7P5-YET	EC36.2I3I30.7P5-YET	EC36.2U3U30.7P5-YET	EC36.2W3W30.7P5-YET
8,0m	EC36.2E3E30.008-YET	EC36.2I3I30.008-YET	EC36.2U3U30.008-YET	EC36.2W3W30.008-YET
9,0m	EC36.2E3E30.009-YET	EC36.2I3I30.009-YET	EC36.2U3U30.009-YET	EC36.2W3W30.009-YET
10,0m	EC36.2E3E30.010-YET	EC36.2I3I30.010-YET	EC36.2U3U30.010-YET	EC36.2W3W30.010-YET
11,0m	EC36.2E3E30.011-YET	EC36.2I3I30.011-YET	EC36.2U3U30.011-YET	EC36.2W3W30.011-YET
12,0m	EC36.2E3E30.012-YET	EC36.2I3I30.012-YET	EC36.2U3U30.012-YET	EC36.2W3W30.012-YET
13,0m	EC36.2E3E30.013-YET	EC36.2I3I30.013-YET	EC36.2U3U30.013-YET	EC36.2W3W30.013-YET
14,0m	EC36.2E3E30.014-YET	EC36.2I3I30.014-YET	EC36.2U3U30.014-YET	EC36.2W3W30.014-YET
15,0m	EC36.2E3E30.015-YET	EC36.2I3I30.015-YET	EC36.2U3U30.015-YET	EC36.2W3W30.015-YET

SC/PCdx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, MM, Boot length 37,5mm(SC)/37,4mm(ST), Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/metal	beige/metal	aqua/metal	heather violet/metal
Boot color SC	black/white	blue/white	blue/white	blue/white
Boot color ST	black/white	black/white	black/white	black/white
0,5m	EC36.243430.0P5-GRGX	EC36.253530.0P5-ORTX	EC36.2C3C30.0P5-AQT	EC36.2D3D30.0P5-HVT
1,0m	EC36.243430.001-GRGX	EC36.253530.001-ORTX	EC36.2C3C30.001-AQT	EC36.2D3D30.001-HVT
2,0m	EC36.243430.002-GRGX	EC36.253530.002-ORTX	EC36.2C3C30.002-AQT	EC36.2D3D30.002-HVT
3,0m	EC36.243430.003-GRGX	EC36.253530.003-ORTX	EC36.2C3C30.003-AQT	EC36.2D3D30.003-HVT
4,0m	EC36.243430.004-GRGX	EC36.253530.004-ORTX	EC36.2C3C30.004-AQT	EC36.2D3D30.004-HVT
5,0m	EC36.243430.005-GRGX	EC36.253530.005-ORTX	EC36.2C3C30.005-AQT	EC36.2D3D30.005-HVT
6,0m	EC36.243430.006-GRGX	EC36.253530.006-ORTX	EC36.2C3C30.006-AQT	EC36.2D3D30.006-HVT
7,0m	EC36.243430.007-GRGX	EC36.253530.007-ORTX	EC36.2C3C30.007-AQT	EC36.2D3D30.007-HVT
7,5m	EC36.243430.7P5-GRGX	EC36.253530.7P5-ORTX	EC36.2C3C30.7P5-AQT	EC36.2D3D30.7P5-HVT
8,0m	EC36.243430.008-GRGX	EC36.253530.008-ORTX	EC36.2C3C30.008-AQT	EC36.2D3D30.008-HVT
9,0m	EC36.243430.009-GRGX	EC36.253530.009-ORTX	EC36.2C3C30.009-AQT	EC36.2D3D30.009-HVT
10,0m	EC36.243430.010-GRGX	EC36.253530.010-ORTX	EC36.2C3C30.010-AQT	EC36.2D3D30.010-HVT
11,0m	EC36.243430.011-GRGX	EC36.253530.011-ORTX	EC36.2C3C30.011-AQT	EC36.2D3D30.011-HVT
12,0m	EC36.243430.012-GRGX	EC36.253530.012-ORTX	EC36.2C3C30.012-AQT	EC36.2D3D30.012-HVT
13,0m	EC36.243430.013-GRGX	EC36.253530.013-ORTX	EC36.2C3C30.013-AQT	EC36.2D3D30.013-HVT
14,0m	EC36.243430.014-GRGX	EC36.253530.014-ORTX	EC36.2C3C30.014-AQT	EC36.2D3D30.014-HVT
15,0m	EC36.243430.015-GRGX	EC36.253530.015-ORTX	EC36.2C3C30.015-AQT	EC36.2D3D30.015-HVT

SC/PCdx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,5mm(SC)/37,4mm(ST), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/metal	blue/metal	blue/metal	blue/metal
Boot color SC	blue/white	blue/white	blue/white	blue/white
Boot color ST	black/white	black/white	black/white	black/white
0,5m	EC36.223230.0P5-YET	EC36.283830.0P5-YET	EC36.293930.0P5-YET	EC36.2M3M30.0P5-YET
1,0m	EC36.223230.001-YET	EC36.283830.001-YET	EC36.293930.001-YET	EC36.2M3M30.001-YET
2,0m	EC36.223230.002-YET	EC36.283830.002-YET	EC36.293930.002-YET	EC36.2M3M30.002-YET
3,0m	EC36.223230.003-YET	EC36.283830.003-YET	EC36.293930.003-YET	EC36.2M3M30.003-YET
4,0m	EC36.223230.004-YET	EC36.283830.004-YET	EC36.293930.004-YET	EC36.2M3M30.004-YET
5,0m	EC36.223230.005-YET	EC36.283830.005-YET	EC36.293930.005-YET	EC36.2M3M30.005-YET
6,0m	EC36.223230.006-YET	EC36.283830.006-YET	EC36.293930.006-YET	EC36.2M3M30.006-YET
7,0m	EC36.223230.007-YET	EC36.283830.007-YET	EC36.293930.007-YET	EC36.2M3M30.007-YET
7,5m	EC36.223230.7P5-YET	EC36.283830.7P5-YET	EC36.293930.7P5-YET	EC36.2M3M30.7P5-YET
8,0m	EC36.223230.008-YET	EC36.283830.008-YET	EC36.293930.008-YET	EC36.2M3M30.008-YET
9,0m	EC36.223230.009-YET	EC36.283830.009-YET	EC36.293930.009-YET	EC36.2M3M30.009-YET
10,0m	EC36.223230.010-YET	EC36.283830.010-YET	EC36.293930.010-YET	EC36.2M3M30.010-YET
11,0m	EC36.223230.011-YET	EC36.283830.011-YET	EC36.293930.011-YET	EC36.2M3M30.011-YET
12,0m	EC36.223230.012-YET	EC36.283830.012-YET	EC36.293930.012-YET	EC36.2M3M30.012-YET
13,0m	EC36.223230.013-YET	EC36.283830.013-YET	EC36.293930.013-YET	EC36.2M3M30.013-YET
14,0m	EC36.223230.014-YET	EC36.283830.014-YET	EC36.293930.014-YET	EC36.2M3M30.014-YET
15,0m	EC36.223230.015-YET	EC36.283830.015-YET	EC36.293930.015-YET	EC36.2M3M30.015-YET

SCdx-2STsx, Fig.8 patch cord


SC/PCdx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH,MM,Boot length 37,5mm(SC)/37,4mm(ST), Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/metal	beige/metal	aqua/metal	heather violet/metal
Boot color SC	black/white	blue/white	blue/white	blue/white
Boot color ST	black/white	black/white	black/white	black/white
0,5m	EC36.243430.0P5-GRT	EC36.253530.0P5-ORT	EC36.263630.0P5-AQT	EC36.273730.0P5-HVT
1,0m	EC36.243430.001-GRT	EC36.253530.001-ORT	EC36.263630.001-AQT	EC36.273730.001-HVT
2,0m	EC36.243430.002-GRT	EC36.253530.002-ORT	EC36.263630.002-AQT	EC36.273730.002-HVT
3,0m	EC36.243430.003-GRT	EC36.253530.003-ORT	EC36.263630.003-AQT	EC36.273730.003-HVT
4,0m	EC36.243430.004-GRT	EC36.253530.004-ORT	EC36.263630.004-AQT	EC36.273730.004-HVT
5,0m	EC36.243430.005-GRT	EC36.253530.005-ORT	EC36.263630.005-AQT	EC36.273730.005-HVT
6,0m	EC36.243430.006-GRT	EC36.253530.006-ORT	EC36.263630.006-AQT	EC36.273730.006-HVT
7,0m	EC36.243430.007-GRT	EC36.253530.007-ORT	EC36.263630.007-AQT	EC36.273730.007-HVT
7,5m	EC36.243430.7P5-GRT	EC36.253530.7P5-ORT	EC36.263630.7P5-AQT	EC36.273730.7P5-HVT
8,0m	EC36.243430.008-GRT	EC36.253530.008-ORT	EC36.263630.008-AQT	EC36.273730.008-HVT
9,0m	EC36.243430.009-GRT	EC36.253530.009-ORT	EC36.263630.009-AQT	EC36.273730.009-HVT
10,0m	EC36.243430.010-GRT	EC36.253530.010-ORT	EC36.263630.010-AQT	EC36.273730.010-HVT
11,0m	EC36.243430.011-GRT	EC36.253530.011-ORT	EC36.263630.011-AQT	EC36.273730.011-HVT
12,0m	EC36.243430.012-GRT	EC36.253530.012-ORT	EC36.263630.012-AQT	EC36.273730.012-HVT
13,0m	EC36.243430.013-GRT	EC36.253530.013-ORT	EC36.263630.013-AQT	EC36.273730.013-HVT
14,0m	EC36.243430.014-GRT	EC36.253530.014-ORT	EC36.263630.014-AQT	EC36.273730.014-HVT
15,0m	EC36.243430.015-GRT	EC36.253530.015-ORT	EC36.263630.015-AQT	EC36.273730.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2FCsx-2STsx, Fig.8 patch cord



2FC/PCsx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH,SM,Boot length 43,7mm(FC)/37,4mm(ST), Grade B, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	black/white	black/white	black/white	black/white
0,5m	EC36.1E3E30.0P5-YET	EC36.1I3I30.0P5-YET	EC36.1U3U30.0P5-YET	EC36.1W3W30.0P5-YET
1,0m	EC36.1E3E30.001-YET	EC36.1I3I30.001-YET	EC36.1U3U30.001-YET	EC36.1W3W30.001-YET
2,0m	EC36.1E3E30.002-YET	EC36.1I3I30.002-YET	EC36.1U3U30.002-YET	EC36.1W3W30.002-YET
3,0m	EC36.1E3E30.003-YET	EC36.1I3I30.003-YET	EC36.1U3U30.003-YET	EC36.1W3W30.003-YET
4,0m	EC36.1E3E30.004-YET	EC36.1I3I30.004-YET	EC36.1U3U30.004-YET	EC36.1W3W30.004-YET
5,0m	EC36.1E3E30.005-YET	EC36.1I3I30.005-YET	EC36.1U3U30.005-YET	EC36.1W3W30.005-YET
6,0m	EC36.1E3E30.006-YET	EC36.1I3I30.006-YET	EC36.1U3U30.006-YET	EC36.1W3W30.006-YET
7,0m	EC36.1E3E30.007-YET	EC36.1I3I30.007-YET	EC36.1U3U30.007-YET	EC36.1W3W30.007-YET
7,5m	EC36.1E3E30.7P5-YET	EC36.1I3I30.7P5-YET	EC36.1U3U30.7P5-YET	EC36.1W3W30.7P5-YET
8,0m	EC36.1E3E30.008-YET	EC36.1I3I30.008-YET	EC36.1U3U30.008-YET	EC36.1W3W30.008-YET
9,0m	EC36.1E3E30.009-YET	EC36.1I3I30.009-YET	EC36.1U3U30.009-YET	EC36.1W3W30.009-YET
10,0m	EC36.1E3E30.010-YET	EC36.1I3I30.010-YET	EC36.1U3U30.010-YET	EC36.1W3W30.010-YET
11,0m	EC36.1E3E30.011-YET	EC36.1I3I30.011-YET	EC36.1U3U30.011-YET	EC36.1W3W30.011-YET
12,0m	EC36.1E3E30.012-YET	EC36.1I3I30.012-YET	EC36.1U3U30.012-YET	EC36.1W3W30.012-YET
13,0m	EC36.1E3E30.013-YET	EC36.1I3I30.013-YET	EC36.1U3U30.013-YET	EC36.1W3W30.013-YET
14,0m	EC36.1E3E30.014-YET	EC36.1I3I30.014-YET	EC36.1U3U30.014-YET	EC36.1W3W30.014-YET
15,0m	EC36.1E3E30.015-YET	EC36.1I3I30.015-YET	EC36.1U3U30.015-YET	EC36.1W3W30.015-YET

2FC/PCsx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm,LSZH,MM,Boot length 43,7mm(FC)/37,4mm(ST), Grade B, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	metal	metal	metal	metal
Boot color	black/white	black/white	black/white	black/white
0,5m	EC36.143430.0P5-GRTX	EC36.153530.0P5-ORTX	EC36.1C3C30.0P5-AQT	EC36.1D3D30.0P5-HVT
1,0m	EC36.143430.001-GRTX	EC36.153530.001-ORTX	EC36.1C3C30.001-AQT	EC36.1D3D30.001-HVT
2,0m	EC36.143430.002-GRTX	EC36.153530.002-ORTX	EC36.1C3C30.002-AQT	EC36.1D3D30.002-HVT
3,0m	EC36.143430.003-GRTX	EC36.153530.003-ORTX	EC36.1C3C30.003-AQT	EC36.1D3D30.003-HVT
4,0m	EC36.143430.004-GRTX	EC36.153530.004-ORTX	EC36.1C3C30.004-AQT	EC36.1D3D30.004-HVT
5,0m	EC36.143430.005-GRTX	EC36.153530.005-ORTX	EC36.1C3C30.005-AQT	EC36.1D3D30.005-HVT
6,0m	EC36.143430.006-GRTX	EC36.153530.006-ORTX	EC36.1C3C30.006-AQT	EC36.1D3D30.006-HVT
7,0m	EC36.143430.007-GRTX	EC36.153530.007-ORTX	EC36.1C3C30.007-AQT	EC36.1D3D30.007-HVT
7,5m	EC36.143430.7P5-GRTX	EC36.153530.7P5-ORTX	EC36.1C3C30.7P5-AQT	EC36.1D3D30.7P5-HVT
8,0m	EC36.143430.008-GRTX	EC36.153530.008-ORTX	EC36.1C3C30.008-AQT	EC36.1D3D30.008-HVT
9,0m	EC36.143430.009-GRTX	EC36.153530.009-ORTX	EC36.1C3C30.009-AQT	EC36.1D3D30.009-HVT
10,0m	EC36.143430.010-GRTX	EC36.153530.010-ORTX	EC36.1C3C30.010-AQT	EC36.1D3D30.010-HVT
11,0m	EC36.143430.011-GRTX	EC36.153530.011-ORTX	EC36.1C3C30.011-AQT	EC36.1D3D30.011-HVT
12,0m	EC36.143430.012-GRTX	EC36.153530.012-ORTX	EC36.1C3C30.012-AQT	EC36.1D3D30.012-HVT
13,0m	EC36.143430.013-GRTX	EC36.153530.013-ORTX	EC36.1C3C30.013-AQT	EC36.1D3D30.013-HVT
14,0m	EC36.143430.014-GRTX	EC36.153530.014-ORTX	EC36.1C3C30.014-AQT	EC36.1D3D30.014-HVT
15,0m	EC36.143430.015-GRTX	EC36.153530.015-ORTX	EC36.1C3C30.015-AQT	EC36.1D3D30.015-HVT

2FC/PCsx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH,SM,Boot length 43,7mm(FC)/37,4mm(ST), Grade C, with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal	metal	metal	metal
Boot color	black/white	black/white	black/white	black/white
0,5m	EC36.123230.0P5-YET	EC36.183830.0P5-YET	EC36.193930.0P5-YET	EC36.1M3M30.0P5-YET
1,0m	EC36.123230.001-YET	EC36.183830.001-YET	EC36.193930.001-YET	EC36.1M3M30.001-YET
2,0m	EC36.123230.002-YET	EC36.183830.002-YET	EC36.193930.002-YET	EC36.1M3M30.002-YET
3,0m	EC36.123230.003-YET	EC36.183830.003-YET	EC36.193930.003-YET	EC36.1M3M30.003-YET
4,0m	EC36.123230.004-YET	EC36.183830.004-YET	EC36.193930.004-YET	EC36.1M3M30.004-YET
5,0m	EC36.123230.005-YET	EC36.183830.005-YET	EC36.193930.005-YET	EC36.1M3M30.005-YET
6,0m	EC36.123230.006-YET	EC36.183830.006-YET	EC36.193930.006-YET	EC36.1M3M30.006-YET
7,0m	EC36.123230.007-YET	EC36.183830.007-YET	EC36.193930.007-YET	EC36.1M3M30.007-YET
7,5m	EC36.123230.7P5-YET	EC36.183830.7P5-YET	EC36.193930.7P5-YET	EC36.1M3M30.7P5-YET
8,0m	EC36.123230.008-YET	EC36.183830.008-YET	EC36.193930.008-YET	EC36.1M3M30.008-YET
9,0m	EC36.123230.009-YET	EC36.183830.009-YET	EC36.193930.009-YET	EC36.1M3M30.009-YET
10,0m	EC36.123230.010-YET	EC36.183830.010-YET	EC36.193930.010-YET	EC36.1M3M30.010-YET
11,0m	EC36.123230.011-YET	EC36.183830.011-YET	EC36.193930.011-YET	EC36.1M3M30.011-YET
12,0m	EC36.123230.012-YET	EC36.183830.012-YET	EC36.193930.012-YET	EC36.1M3M30.012-YET
13,0m	EC36.123230.013-YET	EC36.183830.013-YET	EC36.193930.013-YET	EC36.1M3M30.013-YET
14,0m	EC36.123230.014-YET	EC36.183830.014-YET	EC36.193930.014-YET	EC36.1M3M30.014-YET
15,0m	EC36.123230.015-YET	EC36.183830.015-YET	EC36.193930.015-YET	EC36.1M3M30.015-YET

2FCsx-2STsx, Fig.8 patch cord


2FC/PCsx-2ST/PCsx, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm,LSZH,MM,Boot length 43,7mm(FC)/37,4mm(ST), Grade C, with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	metal	metal	metal	metal
Boot color	black/white	black/white	black/white	black/white
0,5m	EC36.143428.0P5-YET	EC36.153528.0P5-YET	EC36.163628.0P5-YET	EC36.173728.0P5-YET
1,0m	EC36.143428.001-YET	EC36.153528.001-YET	EC36.163628.001-YET	EC36.173728.001-YET
2,0m	EC36.143428.002-YET	EC36.153528.002-YET	EC36.163628.002-YET	EC36.173728.002-YET
3,0m	EC36.143428.003-YET	EC36.153528.003-YET	EC36.163628.003-YET	EC36.173728.003-YET
4,0m	EC36.143428.004-YET	EC36.153528.004-YET	EC36.163628.004-YET	EC36.173728.004-YET
5,0m	EC36.143428.005-YET	EC36.153528.005-YET	EC36.163628.005-YET	EC36.173728.005-YET
6,0m	EC36.143428.006-YET	EC36.153528.006-YET	EC36.163628.006-YET	EC36.173728.006-YET
7,0m	EC36.143428.007-YET	EC36.153528.007-YET	EC36.163628.007-YET	EC36.173728.007-YET
7,5m	EC36.143428.7P5-YET	EC36.153528.7P5-YET	EC36.163628.7P5-YET	EC36.173728.7P5-YET
8,0m	EC36.143428.008-YET	EC36.153528.008-YET	EC36.163628.008-YET	EC36.173728.008-YET
9,0m	EC36.143428.009-YET	EC36.153528.009-YET	EC36.163628.009-YET	EC36.173728.009-YET
10,0m	EC36.143428.010-YET	EC36.153528.010-YET	EC36.163628.010-YET	EC36.173728.010-YET
11,0m	EC36.143428.011-YET	EC36.153528.011-YET	EC36.163628.011-YET	EC36.173728.011-YET
12,0m	EC36.143428.012-YET	EC36.153528.012-YET	EC36.163628.012-YET	EC36.173728.012-YET
13,0m	EC36.143428.013-YET	EC36.153528.013-YET	EC36.163628.013-YET	EC36.173728.013-YET
14,0m	EC36.143428.014-YET	EC36.153528.014-YET	EC36.163628.014-YET	EC36.173728.014-YET
15,0m	EC36.143428.015-YET	EC36.153528.015-YET	EC36.163628.015-YET	EC36.173728.015-YET

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

LCdx - MTRJ, Fig.8 patch cord



LC/PCdx-MTRJ, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm(LC)/34,5mm(MTRJ), Grade C (LC) and Grade D (MTRJ), with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/black	blue/black	blue/black	blue/black
Boot color LC	blue/white	blue/white	blue/white	blue/white
Boot color MTRJ	black	black	black	black
0,5m	EC36.4E6E20.0P5-YET	N/A	N/A	N/A
1,0m	EC36.4E6E20.001-YET	N/A	N/A	N/A
2,0m	EC36.4E6E20.002-YET	N/A	N/A	N/A
3,0m	EC36.4E6E20.003-YET	N/A	N/A	N/A
4,0m	EC36.4E6E20.004-YET	N/A	N/A	N/A
5,0m	EC36.4E6E20.005-YET	N/A	N/A	N/A
6,0m	EC36.4E6E20.006-YET	N/A	N/A	N/A
7,0m	EC36.4E6E20.007-YET	N/A	N/A	N/A
7,5m	EC36.4E6E20.7P5-YET	N/A	N/A	N/A
8,0m	EC36.4E6E20.008-YET	N/A	N/A	N/A
9,0m	EC36.4E6E20.009-YET	N/A	N/A	N/A
10,0m	EC36.4E6E20.010-YET	N/A	N/A	N/A
11,0m	EC36.4E6E20.011-YET	N/A	N/A	N/A
12,0m	EC36.4E6E20.012-YET	N/A	N/A	N/A
13,0m	EC36.4E6E20.013-YET	N/A	N/A	N/A
14,0m	EC36.4E6E20.014-YET	N/A	N/A	N/A
15,0m	EC36.4E6E20.015-YET	N/A	N/A	N/A

LC/PCdx-MTRJ, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 25mm(LC)/34,5mm(MTRJ), Grade C (LC) and Grade D (MTRJ), with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/black	blue/black	blue/black	blue/black
Boot color LC	blue/white	blue/white	blue/white	blue/white
Boot color MTRJ	black	black	black	black
0,5m	EC36.426220.0P5-YET	N/A	N/A	N/A
1,0m	EC36.426220.001-YET	N/A	N/A	N/A
2,0m	EC36.426220.002-YET	N/A	N/A	N/A
3,0m	EC36.426220.003-YET	N/A	N/A	N/A
4,0m	EC36.426220.004-YET	N/A	N/A	N/A
5,0m	EC36.426220.005-YET	N/A	N/A	N/A
6,0m	EC36.426220.006-YET	N/A	N/A	N/A
7,0m	EC36.426220.007-YET	N/A	N/A	N/A
7,5m	EC36.426220.7P5-YET	N/A	N/A	N/A
8,0m	EC36.426220.008-YET	N/A	N/A	N/A
9,0m	EC36.426220.009-YET	N/A	N/A	N/A
10,0m	EC36.426220.010-YET	N/A	N/A	N/A
11,0m	EC36.426220.011-YET	N/A	N/A	N/A
12,0m	EC36.426220.012-YET	N/A	N/A	N/A
13,0m	EC36.426220.013-YET	N/A	N/A	N/A
14,0m	EC36.426220.014-YET	N/A	N/A	N/A
15,0m	EC36.426220.015-YET	N/A	N/A	N/A


LC/PCdx-MTRJ, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, MM, Boot length 25mm(LC)/34,5mm(MTRJ), Grade C (LC) and Grade D (MTRJ), with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/black	beige/black	aqua/black	heather violet/black
Boot color LC	black/white	black/white	black/white	black/white
Boot color MTRJ	black	black	black	black
0,5m	EC36.446220.0P5-GRT	EC36.456520.0P5-ORT	EC36.466620.0P5-AQT	EC36.476720.0P5-HVT
1,0m	EC36.446220.001-GRT	EC36.456520.001-ORT	EC36.466620.001-AQT	EC36.476720.001-HVT
2,0m	EC36.446220.002-GRT	EC36.456520.002-ORT	EC36.466620.002-AQT	EC36.476720.002-HVT
3,0m	EC36.446220.003-GRT	EC36.456520.003-ORT	EC36.466620.003-AQT	EC36.476720.003-HVT
4,0m	EC36.446220.004-GRT	EC36.456520.004-ORT	EC36.466620.004-AQT	EC36.476720.004-HVT
5,0m	EC36.446220.005-GRT	EC36.456520.005-ORT	EC36.466620.005-AQT	EC36.476720.005-HVT
6,0m	EC36.446220.006-GRT	EC36.456520.006-ORT	EC36.466620.006-AQT	EC36.476720.006-HVT
7,0m	EC36.446220.007-GRT	EC36.456520.007-ORT	EC36.466620.007-AQT	EC36.476720.007-HVT
7,5m	EC36.446220.7P5-GRT	EC36.456520.7P5-ORT	EC36.466620.7P5-AQT	EC36.476720.7P5-HVT
8,0m	EC36.446220.008-GRT	EC36.456520.008-ORT	EC36.466620.008-AQT	EC36.476720.008-HVT
9,0m	EC36.446220.009-GRT	EC36.456520.009-ORT	EC36.466620.009-AQT	EC36.476720.009-HVT
10,0m	EC36.446220.010-GRT	EC36.456520.010-ORT	EC36.466620.010-AQT	EC36.476720.010-HVT
11,0m	EC36.446220.011-GRT	EC36.456520.011-ORT	EC36.466620.011-AQT	EC36.476720.011-HVT
12,0m	EC36.446220.012-GRT	EC36.456520.012-ORT	EC36.466620.012-AQT	EC36.476720.012-HVT
13,0m	EC36.446220.013-GRT	EC36.456520.013-ORT	EC36.466620.013-AQT	EC36.476720.013-HVT
14,0m	EC36.446220.014-GRT	EC36.456520.014-ORT	EC36.466620.014-AQT	EC36.476720.014-HVT
15,0m	EC36.446220.015-GRT	EC36.456520.015-ORT	EC36.466620.015-AQT	EC36.476720.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

SCdx - MTRJ, Fig.8 patch cord



SC/PCdx-MTRJ, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm, LSZH, SM, Boot length 37,5mm(SC)/34,5mm(MTRJ), Grade B (SC) and Grade C (MTRJ), with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/black	blue/black	blue/black	blue/black
Boot color SC	blue/white	blue/white	blue/white	blue/white
Boot color MTRJ	black	black	black	black
0,5m	EC36.2E6E20.0P5-YET	N/A	N/A	N/A
1,0m	EC36.2E6E20.001-YET	N/A	N/A	N/A
2,0m	EC36.2E6E20.002-YET	N/A	N/A	N/A
3,0m	EC36.2E6E20.003-YET	N/A	N/A	N/A
4,0m	EC36.2E6E20.004-YET	N/A	N/A	N/A
5,0m	EC36.2E6E20.005-YET	N/A	N/A	N/A
6,0m	EC36.2E6E20.006-YET	N/A	N/A	N/A
7,0m	EC36.2E6E20.007-YET	N/A	N/A	N/A
7,5m	EC36.2E6E20.7P5-YET	N/A	N/A	N/A
8,0m	EC36.2E6E20.008-YET	N/A	N/A	N/A
9,0m	EC36.2E6E20.009-YET	N/A	N/A	N/A
10,0m	EC36.2E6E20.010-YET	N/A	N/A	N/A
11,0m	EC36.2E6E20.011-YET	N/A	N/A	N/A
12,0m	EC36.2E6E20.012-YET	N/A	N/A	N/A
13,0m	EC36.2E6E20.013-YET	N/A	N/A	N/A
14,0m	EC36.2E6E20.014-YET	N/A	N/A	N/A
15,0m	EC36.2E6E20.015-YET	N/A	N/A	N/A

SC/PCdx-MTRJ, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm,LSZH,SM,Boot length 37,5mm(SC)/34,5mm(MTRJ), Grade C (SC) and Grade D (MTRJ), with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	blue/black	blue/black	blue/black	blue/black
Boot color SC	blue/white	blue/white	blue/white	blue/white
Boot color MTRJ	black	black	black	black
0,5m	EC36.226220.0P5-YET	N/A	N/A	N/A
1,0m	EC36.226220.001-YET	N/A	N/A	N/A
2,0m	EC36.226220.002-YET	N/A	N/A	N/A
3,0m	EC36.226220.003-YET	N/A	N/A	N/A
4,0m	EC36.226220.004-YET	N/A	N/A	N/A
5,0m	EC36.226220.005-YET	N/A	N/A	N/A
6,0m	EC36.226220.006-YET	N/A	N/A	N/A
7,0m	EC36.226220.007-YET	N/A	N/A	N/A
7,5m	EC36.226220.7P5-YET	N/A	N/A	N/A
8,0m	EC36.226220.008-YET	N/A	N/A	N/A
9,0m	EC36.226220.009-YET	N/A	N/A	N/A
10,0m	EC36.226220.010-YET	N/A	N/A	N/A
11,0m	EC36.226220.011-YET	N/A	N/A	N/A
12,0m	EC36.226220.012-YET	N/A	N/A	N/A
13,0m	EC36.226220.013-YET	N/A	N/A	N/A
14,0m	EC36.226220.014-YET	N/A	N/A	N/A
15,0m	EC36.226220.015-YET	N/A	N/A	N/A


SC/PCdx-MTRJ, Duplex patch cord Fig.8, tight, OD=2,0mm x 4,1mm,LSZH, MM,Boot length 37,5mm(SC)/34,5mm(MTRJ), Grade C (SC) and Grade D (MTRJ), with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	beige/black	beige/black	aqua/black	heather violet/black
Boot color SC	black/white	blue/white	blue/white	blue/white
Boot color MTRJ	black	black	black	black
0,5m	EC36.246220.0P5-GRT	EC36.256520.0P5-ORT	EC36.266620.0P5-AQT	EC36.276720.0P5-HVT
1,0m	EC36.246220.001-GRT	EC36.256520.001-ORT	EC36.266620.001-AQT	EC36.276720.001-HVT
2,0m	EC36.246220.002-GRT	EC36.256520.002-ORT	EC36.266620.002-AQT	EC36.276720.002-HVT
3,0m	EC36.246220.003-GRT	EC36.256520.003-ORT	EC36.266620.003-AQT	EC36.276720.003-HVT
4,0m	EC36.246220.004-GRT	EC36.256520.004-ORT	EC36.266620.004-AQT	EC36.276720.004-HVT
5,0m	EC36.246220.005-GRT	EC36.256520.005-ORT	EC36.266620.005-AQT	EC36.276720.005-HVT
6,0m	EC36.246220.006-GRT	EC36.256520.006-ORT	EC36.266620.006-AQT	EC36.276720.006-HVT
7,0m	EC36.246220.007-GRT	EC36.256520.007-ORT	EC36.266620.007-AQT	EC36.276720.007-HVT
7,5m	EC36.246220.7P5-GRT	EC36.256520.7P5-ORT	EC36.266620.7P5-AQT	EC36.276720.7P5-HVT
8,0m	EC36.246220.008-GRT	EC36.256520.008-ORT	EC36.266620.008-AQT	EC36.276720.008-HVT
9,0m	EC36.246220.009-GRT	EC36.256520.009-ORT	EC36.266620.009-AQT	EC36.276720.009-HVT
10,0m	EC36.246220.010-GRT	EC36.256520.010-ORT	EC36.266620.010-AQT	EC36.276720.010-HVT
11,0m	EC36.246220.011-GRT	EC36.256520.011-ORT	EC36.266620.011-AQT	EC36.276720.011-HVT
12,0m	EC36.246220.012-GRT	EC36.256520.012-ORT	EC36.266620.012-AQT	EC36.276720.012-HVT
13,0m	EC36.246220.013-GRT	EC36.256520.013-ORT	EC36.266620.013-AQT	EC36.276720.013-HVT
14,0m	EC36.246220.014-GRT	EC36.256520.014-ORT	EC36.266620.014-AQT	EC36.276720.014-HVT
15,0m	EC36.246220.015-GRT	EC36.256520.015-ORT	EC36.266620.015-AQT	EC36.276720.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request

2STsx - MTRJ, Fig.8 patch cord



2ST/PCsx-MTRJ, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,5mm(ST)/34,5mm(MTRJ), Grade B (ST) and Grade C (MTRJ), with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal/black	metal/black	metal/black	metal/black
Boot color ST	black/white	black/white	black/white	black/white
Boot color MTRJ	black	black	black	black
0,5m	EC36.3E6E30.0P5-YET	N/A	N/A	N/A
1,0m	EC36.3E6E30.001-YET	N/A	N/A	N/A
2,0m	EC36.3E6E30.002-YET	N/A	N/A	N/A
3,0m	EC36.3E6E30.003-YET	N/A	N/A	N/A
4,0m	EC36.3E6E30.004-YET	N/A	N/A	N/A
5,0m	EC36.3E6E30.005-YET	N/A	N/A	N/A
6,0m	EC36.3E6E30.006-YET	N/A	N/A	N/A
7,0m	EC36.3E6E30.007-YET	N/A	N/A	N/A
7,5m	EC36.3E6E30.7P5-YET	N/A	N/A	N/A
8,0m	EC36.3E6E30.008-YET	N/A	N/A	N/A
9,0m	EC36.3E6E30.009-YET	N/A	N/A	N/A
10,0m	EC36.3E6E30.010-YET	N/A	N/A	N/A
11,0m	EC36.3E6E30.011-YET	N/A	N/A	N/A
12,0m	EC36.3E6E30.012-YET	N/A	N/A	N/A
13,0m	EC36.3E6E30.013-YET	N/A	N/A	N/A
14,0m	EC36.3E6E30.014-YET	N/A	N/A	N/A
15,0m	EC36.3E6E30.015-YET	N/A	N/A	N/A

ST/PCsx-MTRJ, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm, LSZH, SM, Boot length 37,5mm(ST)/34,5mm(MTRJ), Grade C (ST) and Grade D (MTRJ), with test protocol

Fiber type	G652D	G657A2	G657B2	G655D
Jacket color	yellow	yellow	yellow	yellow
Housing color	metal/black	metal/black	metal/black	metal/black
Boot color ST	black/white	black/white	black/white	black/white
Boot color MTRJ	black	black	black	black
0,5m	EC36.326230.0P5-YET	N/A	N/A	N/A
1,0m	EC36.326230.001-YET	N/A	N/A	N/A
2,0m	EC36.326230.002-YET	N/A	N/A	N/A
3,0m	EC36.326230.003-YET	N/A	N/A	N/A
4,0m	EC36.326230.004-YET	N/A	N/A	N/A
5,0m	EC36.326230.005-YET	N/A	N/A	N/A
6,0m	EC36.326230.006-YET	N/A	N/A	N/A
7,0m	EC36.326230.007-YET	N/A	N/A	N/A
7,5m	EC36.326230.7P5-YET	N/A	N/A	N/A
8,0m	EC36.326230.008-YET	N/A	N/A	N/A
9,0m	EC36.326230.009-YET	N/A	N/A	N/A
10,0m	EC36.326230.010-YET	N/A	N/A	N/A
11,0m	EC36.326230.011-YET	N/A	N/A	N/A
12,0m	EC36.326230.012-YET	N/A	N/A	N/A
13,0m	EC36.326230.013-YET	N/A	N/A	N/A
14,0m	EC36.326230.014-YET	N/A	N/A	N/A
15,0m	EC36.326230.015-YET	N/A	N/A	N/A

2ST/PCsx-MTRJ, Duplex patch cord Fig.8, tight, OD=2,8mm x 5,7mm,LSZH,MM,Boot length 37,5mm(ST)/34,5mm(MTRJ), Grade C (ST) and Grade D (MTRJ), with test protocol

Fiber type	G62,5/OM1	G50/OM2	G50/OM3	G50/OM4
Jacket color	grey	orange	aqua	heather violet
Housing color	metal/black	metal/black	metal/black	metal/black
Boot color ST	black/white	blue/white	blue/white	blue/white
Boot color MTRJ	black	black	black	black
0,5m	EC36.346230.0P5-GRT	EC36.356530.0P5-ORT	EC36.366630.0P5-AQT	EC36.376730.0P5-HVT
1,0m	EC36.346230.001-GRT	EC36.356530.001-ORT	EC36.366630.001-AQT	EC36.376730.001-HVT
2,0m	EC36.346230.002-GRT	EC36.356530.002-ORT	EC36.366630.002-AQT	EC36.376730.002-HVT
3,0m	EC36.346230.003-GRT	EC36.356530.003-ORT	EC36.366630.003-AQT	EC36.376730.003-HVT
4,0m	EC36.346230.004-GRT	EC36.356530.004-ORT	EC36.366630.004-AQT	EC36.376730.004-HVT
5,0m	EC36.346230.005-GRT	EC36.356530.005-ORT	EC36.366630.005-AQT	EC36.376730.005-HVT
6,0m	EC36.346230.006-GRT	EC36.356530.006-ORT	EC36.366630.006-AQT	EC36.376730.006-HVT
7,0m	EC36.346230.007-GRT	EC36.356530.007-ORT	EC36.366630.007-AQT	EC36.376730.007-HVT
7,5m	EC36.346230.7P5-GRT	EC36.356530.7P5-ORT	EC36.366630.7P5-AQT	EC36.376730.7P5-HVT
8,0m	EC36.346230.008-GRT	EC36.356530.008-ORT	EC36.366630.008-AQT	EC36.376730.008-HVT
9,0m	EC36.346230.009-GRT	EC36.356530.009-ORT	EC36.366630.009-AQT	EC36.376730.009-HVT
10,0m	EC36.346230.010-GRT	EC36.356530.010-ORT	EC36.366630.010-AQT	EC36.376730.010-HVT
11,0m	EC36.346230.011-GRT	EC36.356530.011-ORT	EC36.366630.011-AQT	EC36.376730.011-HVT
12,0m	EC36.346230.012-GRT	EC36.356530.012-ORT	EC36.366630.012-AQT	EC36.376730.012-HVT
13,0m	EC36.346230.013-GRT	EC36.356530.013-ORT	EC36.366630.013-AQT	EC36.376730.013-HVT
14,0m	EC36.346230.014-GRT	EC36.356530.014-ORT	EC36.366630.014-AQT	EC36.376730.014-HVT
15,0m	EC36.346230.015-GRT	EC36.356530.015-ORT	EC36.366630.015-AQT	EC36.376730.015-HVT

Notes:

- bold types are preferred types
- other boot lengths and boot colors as well as customized markings at one or both sides available upon request