






	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
	△				• •	△				• •
	△				• •	△				• •
	△				• •	△				• •




NOTE.

- 1.LEAD CO-PLANARITY SHALL BE 0.1mm MAX.
- 2.TUBE PACKAGING SHALL BE APPLIED FOR THIS PRODUCT.
SEE NEXT PAGE FOR DETAILS.
- 3.FOR MODIFICATION, ETC., PREVENTIVE HOLE FOR SINK MARK SHALL BE APPLIED FOR THIS PRODUCT.
- 4.THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

1	PPS	LIGHT BROWN (UL94V-0)	2	PHOSPHOR BRONZE	CONTACT AREA: GOLD 0.1μ m min. LEAD AREA: TIN-PLATING 1μ m min. UNDER PLATING: NICKEL 1μ m min.			
NO.	MATERIAL	FINISH, REMARKS		NO.	MATERIAL	FINISH, REMARKS		
CODE NO. (OLD)				DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
CL				K. NAKAMURA	K. NAKAMURA	J. C. Ouyang	H. O. Kawa	
				05.12.12	05.12.12	05.12.12	05.12.12	

	DRAWING NO.		PART NO.	F X8C-80P-SV4(91)	1/2
	EDC3-150862-21				
SCALE	5 : 1		CODE NO.	CL578-0583-3-91	1/2
UNITS	mm				
			HIROSE ELECTRIC CO.,LTD.		

COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△				△					
△				△					
△				△					



NOTE 1. 1 TUBE : 17 CONNECTORS.
2. THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

2		POLYVINYL CHLORIDE (STOPPER)				3		(CONNECTOR)	
NO.		MATERIAL		FINISH, REMARKS		1		POLYVINYL CHLORIDE (TUBE)	
CODE NO. (OLD)						NO.		MATERIAL	
CL						DRAWN		DESIGNED	
						K. NAKAMURA		K. NAKAMURA	
						05.12.12		05.12.12	
		DRAWING NO.				PART NO.		FX8C-80P-SV4 (91)	
SCALE		EDC3-150862-21							
FREE									
UNITS						CODE NO.		CL578-0583-3-91	
mm								2	

TO	PCK			
----	-----	--	--	--

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[FX8C-80P-SV4\(91\)](#)